

# Product show

مع عامل ومضافات مقاومة للأشعة فوق البنفسجية. من خلال التركيب العلمي ، PVC المادة الخام الرئيسية هي ZXC لوح تسقيف  
المصنوع من التكنولوجيا المتقدمة

□□□□□ □□□□□□□□□□ □□□□□□□□□□ □□□□□□□□□□ □□□□□

1. □□□□□ □□□□□
2. □□□□□□ □□□□□
3. □□□□□□ □□□□□□□ □□□□□
4. □□□□□□□ □□□
5. □□□□□□□ □□□□□□□
6. □□□ □□□ □□□



zxc roofing tile industry

# After sales less is really good

Ten years of slow fading, **30** years of warranty



## GOOD CHOICE

Our advantage



Intimate service, strong product supply capacity



product available



A variety of styles and specifications sufficient stock



Support customization



Specifications and sizes can be consulted with customer service in detail, and quotations can be customized



Worry-free after sales



Manufacturers wholesale quality assurance, affordable prices, worry-free after-sales

12 - 1	
3.0-6.8	
1130 930 / 980 / 1050 / 1080	
30	
ASA PVC	
1	
-10 70	
2 3	
10	

لتعلم المزيد [upvc انقر الصين المورد الأغذية](#)

# SOURCE MANUFACTURER #

---

>



# THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



## severely faded

Wind and sun soften and fade



## There is a gap

Uneven with gaps, leaking rain



## uneven color

Weathered uneven color  
phenomenon



## Fragile

Fragile and complicated  
to install

# our products ✓

Ten years of slow fading, 30 years of warranty



**Uniform color, durable and not easy to fade**  
Good quality, durable and bright.



high toughness



Strong pressure resistance

Effective insulation



good sound insulatio



**thermal and acoustic insulation high-quality**  
Good sound insulation effect in case of external noise



**preservative**  
Anti-acid and alkali



**flame retardant performance**  
b1 class fire performance

# PRODUCT PARAMETERS

---

#

>



<b>thickness:</b> 1.0mm-3.0mm
<b>width:</b> 1130/980/900/840/1080mm
<b>length:</b> customizable
<b>waveform:</b> big hang, small wave
<b>type:</b> asa plastic roofing tile
<b>Be applicable:</b> Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosive factories



# A variety of colors, optional to build different architectural styles

More colors can be customized



<Mlight yellow>



<dark blue>




<grass green>



<Beige>

---

# Accessories and Installation Diagram



\*pvc plastic waterproof cap, used with self-tapping screws to fix the tile on the skeleton



# CUSTOMER CASE SHOW #





Factory renovation



# Our Factory

公司 Zhongxingcheng New Material Co., Ltd. 地址 佛山 南海区 China 产品 塑料 板  
 聚丙烯 聚碳酸酯 聚酰胺 聚醚醚酮 ASA 聚苯胺 聚砜 聚酰亚胺 APVC 聚氯乙烯 PVC

本公司可承接各种 PVC 瓦、FRP 瓦、PC 瓦。



## Quality inspection instruments strictly control the quality

Each batch of products has undergone rigorous testing.



Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing

Factory display



In-stock inventory



Own production line



Own production line



# Exhibition





# Certificate

# Official quality inspection, quality assurance

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



佛山市质  
Foshan Supervision

佛山市质量计量监督检测中心  
检验报告

No. G14-WT1489

序号	检测项目	单位	标准要求	检测结果	判定
1	外观	—	表面光滑平整, 厚度均匀, 色泽一致, 无裂纹、缺口、鼓孔、烧焦、气泡、明显麻点、杂质点	符合	合格
2	密度	g/cm <sup>3</sup>	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度800mm, 载荷40kg, 允许挠度≤50	15	合格
4	冲击性能	—	1kg重钢球, 1.5m自由落体, 冲击试样无碎裂, 试样经冲击试验后不得产生贯穿的孔穴或裂纹	符合	合格
5	吸水率	%	≥60	43	合格

审核: 王博斌      主检: 陈德聪

全部合格

No. G14-WT1489

佛山市质量计量监督检测中心

生产日期: ————  
 编号或批号: ————  
 样品编号: ————  
 检测类别: 委托检测  
 样品数量: 2件  
 检测日期: 2019年02月24日  
 检测人: 李彦平

检测依据: GB 21149-2017  
 符合标准的需要:  
 二〇一九年二月  
 佛山市质量计量监督检测中心  
 主检: 陈德聪

# Packaging



# FAQ

\* 00000 00 0000 000 00  
0 000 000 0000 000 00000 000 0000 .0000000 000000 00 000000 00 0000000 00000 0 00000000 0000000 0000 0 0000 \*

0000 00000000 0000 0000 0000000 000 0000000 00 \*

000000000 000 0000000 000000000 00000000 000 000000 00 \*

□□□□ □□□□ □□□□ □ □□□ \* OEM □ ODM □ .□□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□

□□□□□□□□ □□□□ □□□□□ □□□□□ \*  
.□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□□□ □□□□□ □□□□□ \*

□□□□□□□□ □□□□□ □□□□□ □□□□□ □□□□□□□ □□□□□□□ □□□□□ □□□□□ \*  
□□□□□□ □□□□□□□□ □□□□ □ □□□□□ □□□□□ □□□ □□□□□ □□ □ □□ □□□□□□ □□□□□ □□□□□ □□□□□ □ □□□ □□□□□□ □□□□□ \*  
.□□□□□□ □□□□□□□□

□□□□ □□□□□□ □□□□□□□□ □□□□□ □□□ □□ □□□ \*  
□□□□□□ \* : T / T 30 □ .□□□□□ □□□ □□□□□□□ □ □□□□□□  
□30 □□□□□□ □□□□ □□□□ □□□□ 7 □□□□□ □□□□ :□□□□□□□□□□ □□□□□ •  
□□□□□□ □ □□□□□□□□□□□□ □ □□□□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□□□ •