




# FRP TransparentT tile

Applicable temperature -30°-120°  
high temperature resistance



FRP TransparentT 瓦	FRP TransparentT 瓦的规格和性能参数表
FRP TransparentT 瓦	frp-01
FRP TransparentT 瓦	FRP TransparentT 瓦
FRP TransparentT 瓦	6000 瓦的规格和性能参数表
FRP TransparentT 瓦	FRP TransparentT 瓦的规格和性能参数表
FRP TransparentT 瓦	930 瓦
FRP TransparentT 瓦	840 瓦
FRP TransparentT 瓦	660 瓦
FRP TransparentT 瓦	1.0 ± 0.1 瓦
	1.2 ± 0.1 瓦
	1.5 ± 0.1 瓦
	2.0 ± 0.1 瓦
FRP TransparentT 瓦	1.7 ± 0.1 2 瓦 / 瓦
	2.1 ± 0.1 2 瓦 / 瓦
	2.6 ± 0.1 2 瓦 / 瓦
	3.0 ± 0.1 2 瓦 / 瓦
	FRP TransparentT 瓦的规格和性能参数表
<b>SQ.M./20 瓦 (21 瓦)</b>	<b>SQ.M./40 瓦 (26 瓦)</b>
12000 2 瓦	15000 2 瓦
10000 2 瓦	12300 瓦的规格和性能参数表

8000 2 □	10000 2 □
7000 2 □	8600 2 □

[مخصص لتعلم المزيد upvc انقر سقف شفاف](#)

## Product parameters

Professional FRP manufacturer  
brings good quality tiles



width 930mm(effective width 840mm)



width 930mm(effective width 814mm)


## FRP 840type

General type




## FRP 814type

General type




## FRP 900type

Customized




## FRP 909type

Customized




## FRP 760type

Customized



## FRP 761type

Customized



## Product characteristics

...


### **The daylighting rate is 80%**

The exposed surface does not yellow, does not foam



### **Flame retardant B1, B2 grades can be customized**

Standard GB/T8626-2007  $\leq 150$



### **Babbitt hardness 35-50**

Strong impact resistance, durable and not deformed  
Super toughness





# Applicable fields

Quality assurance, factory supply



Car parks



Lounge area



Waiting platform



Large factory area



Sunshine room



Flower field



**case display**  
Learn all about our products



factory aisle



Flower Field



cattle farm



brick factory drying bricks



# Our Factory


佛山 Zhongxingcheng New Material Co., Ltd. 位于佛山南海 District China 专业生产 ASA 板、APVC 板、PVC 板、FRP 板、PC 板。








Capacity: 13000 meters per day




30% glass fiber, 70% resin



A corner of the workshop



The light transmittance is good





# Exhibition



# Certificate



# Security sense of authoritative testing

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



# Packaging



# FAQ

\* 2022년 10월 10일 기준  
본 문서는 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. \*  
본 문서는 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다.

본 문서는 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. 2022년 10월 10일 기준입니다. \*

