


Company Name	XXXXXXXXXX XXXX XXXX XXXX
Product	ZXC
Company Address	XXXXXXXXXX XXXX) XXXXX X XXXXXXXXXXXX XXXXXXXX X XXXXXXX XXXXXXX)
Material	X XXXXXXX XXXXXXX XXXXXXX X XXXXXXXXXXXX XXXXXXXX XXXXXXXXXXXX XXXXXXXXXXXXXXXX XXXXX XXXXXXXXXXXX XXXXX X XXXXXXXXXXXX XXXXXXX
Weight	25 kg
Standards	ISO9001 / SGS / CE / XXXXXXXXXXXX XXXXXXXX
Company Phone	100 XXXXX XXXX
Company Email	1x20GP XXXXX 7 XXXXX XXXXX XXXXX 40 × 1 X XXXXX 6 XXXXX
Company Website	XXXX XXX XXXXX XXXX 13500 XXXXXXX X XXXXXXX XXXXX 8 XXXXXXX
Company Fax	T/T X XXXXXXX XXXXX XXXXXXXXXXXX XXXXXXXXXXXX XXXXXXX XXXX X X 30 XXXXXXX XXXXXXX XXXXX XXXXX
Payment	XXXXXXXXXX XXXXXXXXXXXX XXXXXXX XXXXX (FCL) X .XXXXXXXX XXXXX XXXXX XXXXXXXXXXXX XXXXXXX XXXXX XXX XXXX (LCL) X XXXXX XXXXXXXXXXX XXXXXXXXXX XXXX.
Material	XX XXXXXXX XXXXXXX PE
Company	XXXXXXXX / XXXXXXX / XXXXXXXXXXXX
Company	X XXXXXXXXXXXX XXXXX X XXXXXXX X XXXXXXX X XXXXXXX XXXXXXX X XXXXXXXXXXX XXXXXXX XXXXX X XXXXXXX XXXX XXXXX XXXXXXX





Purplish Red



Brick Red



Sky Blue




Black



Dark Green

品名	#1050-160-30
規格	品名
全幅	1050mm
有効幅	960mm
厚さ	2.3mm / 2.5mm / 2.8mm / 3.0mm
材質	鋼板 / 鋼板 / 鋼板 / 鋼板
色	黒色 / 赤色 / 藍色 / 緑色 / 紫紅色
波幅	160mm
波高	30mm
波間	219mm





ASA

ASA 500 GE 10 0.18-0.15 0.15 .

1 :1 .

ASA

ASA

(ASA 10)

•

ASA

•

ASA

•

• **•**

• $\geq B1$ GBB8624-2006.

• **•**

0.325 W/M.K 1/10 1/300 1/2000

• **•**

•

Projekte CT Case





Warranty 25-years



Warranty 25-years



Warranty 25-years



Warranty 25-years

ABOUT US




QUALITY, INNOVATION, STRUGGLE, WIN-WIN

we have 8 production lines, about 100 employees, covering an area of 15,000 square meters.



PRODUCTION PROCESS



① Raw Materials

② Extrusion

③ Compression Molding



④ Cutting

⑤ Finished Product

⑥ Inspection

CERTIFICATE

Test Report

No.	Item	Unit	Requirement	Result
1	Appearance	mm	The surface should be smooth with uniform, consistent color without cracks, holes, warping, bubbles, and other defects.	OK
2	Surface layer thickness	mm	≥1.1	1.1
3	Flexural strength	MPa	≥2.0	2.5
4	Bonding strength	MPa	≥1.0	1.5
5	Flexural elastic modulus	MPa	≥2200	2500
6	Density	g/cm ³	1.3-1.4	1.35
7	Water absorption (24h)	%	≤0.2	0.1
8	Water absorption (7d)	%	≤0.4	0.3
9	Water absorption (28d)	%	≤0.6	0.5
10	Water absorption (90d)	%	≤0.8	0.7
11	Water absorption (180d)	%	≤1.0	0.9
12	Water absorption (360d)	%	≤1.2	1.1
13	Water absorption (720d)	%	≤1.5	1.4
14	Water absorption (1080d)	%	≤1.8	1.7
15	Water absorption (1500d)	%	≤2.0	1.9

celab
CERTIFICATE

On behalf of:
FOGHAN ZHONG XING CHENG PLASTIC FACTORY
Plastic Tile
Model: ASA-1

Issued For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY
No. 36, Industry Road, Daxian, Foshan, Guangdong, China

Issued By: BEER (UK) PRODUCT SERVICE LIMITED
SUE, PLANT 107, 25 INDECOON SQUARE, LONDON, UNITED KINGDOM

CHINA: SF, Binyi E, Huanan 3rd Ind Zone, Xixiang, Bao' An Dist, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016
Date of Report: Mar. 11, 2016
Report Number: B-81653176

www.celab.com

Appendix 1
Data/Guarantee

