

# Product show

Diseño: estilo español  
Color duradero: 10 años sin desvanecimiento  
Longitud: personalizado  
Grosor: 1.8 mm, 2.0 mm □ 2.2 mm □  
2.5 mm, 2.8 mm, 3.0 mm  
Ancho general: 1130 mm  
Ancho efectivo: 1000/1050 mm  
Espaciado de rontería: 660 mm  
Capas: 3 capas  
Superficie: en relieve/lisa



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets



## 1130 trapezoidal sheets




## 900 high wave



## 980 high wave



# PVC accessories



ZXC New Material Technology Co., Ltd. ([Fabricante de láminas corrugadas de plástico](#)) Nuestros productos incluyen hojas de PVC, baldosas de techo de resina sintética ASA, baldosas para techos de FRP, canaleta, láminas de techado UPVC, etc. Si su pedido coincide conS nuestros detalles del tamaño de stock, podemos un tiempo de entrega más rápido. Bienvenido Contáctenos Custom.



# Our Factory





# Engineering case



# Certificate

## 检验报告

Test Report

佛山市质量监督检测中心  
Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology

### Test Report

Form No. QM-QM001 Rev. 01 No. QM-01000000

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The color of tile should be uniform. There should be no cracks, warps or visible impurities on the surface. Edge of the tile should be clean without burr. Watermark should be clear and uniform on surface.	Confirmed	Pass
2	Walk distance	mm	≤ 0	0	Pass
3	Thickness deviation	mm	±0.2	0.02	Pass
4	Skewness	mm/m <sup>2</sup>	—	0.00	Pass
5	Slip resistance	MPa	≥ 0.20	0.20	Pass
6	Flexural strength	%	≥ 20	30	Pass
7	Water absorption (1h)	%	≤ 0.5	0.3	Pass
8	Acid resistance (10%, H <sub>2</sub> SO <sub>4</sub> , 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Acid resistance (5%, H <sub>2</sub> SO <sub>4</sub> , 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Acid resistance (5%, HCl, 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Change index	%	≤ 0.2	0.10	Pass

Chief of the report: \_\_\_\_\_

Foshan Supervision Testing Centre of Quality and Metrology

### Test Report

Form No. QM-QM001 Rev. 01 No. QM-01000000

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The surface should be smooth with uniform coloration and no obvious cracks, warps, scratches, surface pitting, color spots.	Confirmed	Pass
2	Surface face thickness	mm	0.8-1.2	0.9	Pass
3	Slip resistance	MPa	≥ 0.20	0.20	Pass
4	Slip resistance at 60°	%	≥ 20	30	Pass
5	Flexural strength	MPa	≥ 20	30	Pass
6	Flexural strength deviation	%	≤ 10	8	Pass
7	Skewness	mm/m <sup>2</sup>	—	0.00	Pass
8	Water absorption (1h)	%	≤ 0.5	0.3	Pass
9	Water absorption (3h)	%	≤ 1.5	0.8	Pass
10	Water absorption (24h)	%	≤ 3.0	1.5	Pass
11	Change index	%	≤ 0.2	0.10	Pass
12	Change index	%	≤ 0.2	0.10	Pass
13	Change index	%	≤ 0.2	0.10	Pass
14	Change index	%	≤ 0.2	0.10	Pass
15	Change index	%	≤ 0.2	0.10	Pass

Chief of the report: \_\_\_\_\_

## 质量管理体系认证证书

Quality Management System Certificate

佛山市南海区众兴塑料制品有限公司  
Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope:  
生产及销售: 塑料制品(除吹塑工艺外)  
Manufacturing & Sales: Plastic Products (except Blow Molding Process)

认证标准: GB/T19001-2008/ISO9001:2008

认证机构: 广东中检认证有限公司  
Certification Authority: Guangdong Zhongjian Certification Co., Ltd.

总经理: 周永良  
GM: Zhou Yongliang

**Beide**

### APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE

On Behalf of:  
**FOSHAN ZHONG XING CHENG PLASTIC FACTORY**  
Plastic Tile  
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K.: FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An Dat, Shenzhen, China

Date of Test: Feb. 18-Mar. 10, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020170

**CELAP**

## CERTIFICATE

CELAP No. 2016-001

Product Name: Plastic Tile  
Model: ASA-1, PSL-1, AP-1, AP-2, AP-3, AP-4, AP-5

Manufacturer: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
Address: No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K.: FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An Dat, Shenzhen, China

Date of Test: Feb. 18-Mar. 10, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020170

www.celab.com



# Exhibition





# Packaging





# FAQ

**\*¿Eres fabricante o comerciante?**

\*Sí, somos un fabricante real, hay muchas imágenes en la introducción de nuestra empresa. Si necesita otro producto especial, haremos todo lo posible para ayudarlo, para que podamos construir una relación comercial a largo plazo.

**\*¿Puedo pedir el producto con el perfil?**

\*Por supuesto que puede, también produciremos los productos de acuerdo con sus solicitudes de detalles.

**\*¿Puedes poner la marca de mi empresa en tus productos?**

\*Sí, aceptamos el servicio OEM y ODM. Pero necesitamos información sobre su empresa.

**\*¿Cómo instalar la hoja de techos?**

\*Póngase en contacto con nuestro personal de servicio, tenemos un video de instalación para usted.

**\*¿Puede proporcionarme muestras para abrir el mercado y la calidad de la prueba?**

\*Sí, podemos. Podemos proporcionarle muestras gratuitas.

**\*¿Podría pagar el costo de envío?**

Póngase en contacto con nuestro personal de servicio.

**\*¿Cuál es su término comercial?**

\* Pago: T/T 30% por adelantado, saldo antes del envío.

? Tiempo de entrega de producción: dentro de los 7 días hábiles después del 30% de depósito

? Puerto de envío FOB: Foshan, Guangzhou, Shenzhen