

# Product show

Nom du produit: Fil de toit FRP transparent

Application: les maisons vertes, les puits de lumière et ainsi de suite

Couleur: blanc transparent, bleu, vert

Longueur □ personnalisée

Épaisseur: 1 mm, 1,2 mm, 1,5 mm, 2,0 mm

Largeur globale: 920 mm

Largeur efficace: 840 mm

Espacement de Purlin □ 700 ~ 800 mm

Surface: Surface lisse

Matière première: PC nommé Bayer





Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets




## 1130 trapezoidal sheets




## 900 high wave



## 980 high wave



# PVC accessories





ZXC New Material Technology Co., Ltd. Nos produits comprennent des feuilles de PVC, des carreaux de toit en résine synthétique ASA, des carreaux de toiture FRP, des gouttières, des feuilles de toiture UPVC, etc. Si votre commande correspond nos détails de taille de stock, nous pouvons être plus rapides de livraison. Bienvenue contactez-nous personnalisé.

# Our Factory



# Engineering case



# Certificate

**检验报告**  
**Test Report**  
 佛山市质量监督检测中心  
 Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and both sides are straight.	Confirmed	Pass
2	Walk distance	mm	0	0	Pass
3	Thickness deviation	mm	±0.2	±0.2	Pass
4	Slip-resistance	1/100	—	1/100	—
5	Impact strength	MPa	≥20	20	Pass
6	Flexural strength	%	≥20	20	Pass
7	Water absorption (1h, 20°C)	—	No significant change in weight after water test.	Confirmed	Pass
8	Acid resistance (3% HCl, 24h, 20°C)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (5% NaOH, 24h, 20°C)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Freeze-thaw resistance (open/closed cycle 50 cycles)	mm	≤1.0	0	Pass
11	Change index	%	≤0.2	0.16	Pass

Final of the report

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The surface should be smooth with uniform coloration and no visible crack, hole, scratch, bubble, or other defect, color difference.	Confirmed	Pass
2	Surface layer thickness	mm	0.8-1.2	0.9	Pass
3	Tensile strength	MPa	≥20	20	Pass
4	Flexural strength	%	≥20	20	Pass
5	Impact strength	MPa	≥20	20	Pass
6	Flexural shrinkage	%	≤0.20	0.20	Pass
7	Density	g/cm <sup>3</sup>	≥2.35	2.35	Pass
8	Water absorption (1h, 20°C)	—	No significant change in weight after water test.	Confirmed	Pass
9	Acid resistance (3% HCl, 24h, 20°C)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Alkali resistance (5% NaOH, 24h, 20°C)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Freeze-thaw resistance (open/closed cycle 50 cycles)	mm	≤1.0	0	Pass
12	Change index	%	≤0.2	0.16	Pass
13	Water absorption (3h, 20°C)	—	No significant change in weight after water test.	Confirmed	Pass
14	Flexural strength	MPa	≥20	20	Pass
15	Flexural shrinkage	%	≤0.2	0.2	Pass

Final of the report

**质量管理体系认证证书**  
**Quality Management System Certificate**  
 佛山市南海区众兴塑料制品有限公司  
 Foshan Nanhai Zhongxing Plastic Factory  
 认证范围: 塑料挤出成型、塑料注塑成型  
 证书编号: G8/719001-2008/ISO9001:2008  
 发证日期: 2008-09-29

**Beide**  
**APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE**  
 On Behalf of  
**FOSHAN ZHONG XING CHENG PLASTIC FACTORY**  
 Plastic Tile  
 Model: ASA-1  
 Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
 No. 26, Industry Road, Daxian, Foshan, Guangdong, China  
 Prepared By: BEIDE (UK) PRODUCT SYSTEMS LIMITED  
 U.K. FLAT 107, 25 INDESCON SQUARE, LONDON, UNITED KINGDOM  
 CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao' An Dist, Shenzhen, China  
 Date of Test: Feb. 18-Mar. 10, 2016  
 Date of Report: Mar. 11, 2016  
 Report Number: B-61020170


**CELAP**  
**CERTIFICATE**  
 Issued on Number 016  
 Model No. ASA-1  
 Prepared for: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
 Address: No. 26, Industry Road, Daxian, Foshan, Guangdong, China  
 Prepared by: BEIDE (UK) PRODUCT SYSTEMS LIMITED  
 U.K. FLAT 107, 25 INDESCON SQUARE, LONDON, UNITED KINGDOM  
 CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao' An Dist, Shenzhen, China  
 Date of Test: Feb. 18-Mar. 10, 2016  
 Date of Report: Mar. 11, 2016  
 Report Number: B-61020170  
 www.celab.com

# Exhibition





# Packaging



# FAQ

**\* Êtes-vous fabricant ou commerçant?**

\* Oui, nous sommes un vrai fabricant, il y a beaucoup de photos dans notre entreprise Introduction. Si vous avez besoin d'un autre produit spécial, nous ferons de notre mieux pour vous aider, afin que nous puissions créer une relation commerciale à long terme.

**\* Puis-je commander le produit avec je veux profil?**

\* Bien sûr, vous pouvez également produire les produits en fonction de vos demandes de détail.

**\* Pouvez-vous mettre la marque de mon entreprise sur vos produits?**

\* Oui, nous acceptons le service OEM et ODM. Mais nous avons besoin de quelques informations sur votre entreprise.

**\* Comment installer la feuille de toiture?**

\* Veuillez contacter notre personnel de service, nous avons une vidéo d'installation pour vous.

**\* Pouvez-vous me fournir des échantillons pour ouvrir le marché et tester la qualité?**

\* Oui, nous pouvons vous fournir des échantillons gratuits.

**\* Pourriez-vous payer le coût d'expédition?**

Veuillez contacter notre personnel de service.

**\* Quel est votre terme commercial?**

\* Paiement: t / t 30% à l'avance, solde avant expédition.

? Délai de production: dans les 7 jours ouvrables après 30% de dépôt

? Port d'expédition FOB: Foshan, Guangzhou, Shenzhen