


## Product show

ZXC New Material Technology Co., Ltd. adalah Pengilang lembaran bumbung FRP China, Produk kami termasuk lembaran PVC, jubin bumbung resin sintetik ASA, jubin bumbung FRP, longkang dan lain -lain. Jika pesanan anda sepadan dengan butiran saiz saham kami, kami dapat lebih cepat masa penghantaran. Sudah tentu kami juga boleh menyesuaikan untuk anda.

Nama Produk	Lembaran bumbung PC telus
Permohonan	Rumah hijau, langit -langit dan sebagainya
Warna	Putih telus, biru, hijau
Panjang	disesuaikan
Ketebalan	1mm, 1.2mm, 1.5mm, 2.0mm
Lebar keseluruhan	920mm
Lebar berkesan	840mm
Jarak purlin	700 ~ 800mm
Permukaan	Permukaan licin
Bahan mentah	PC bernama Bayer


# More Types

Hot



930mm(effective width:840mm)


Hot



930mm(effective width:814mm)

Hot

## FRP 900




## FRP 961型




## FRP 909



## FRP 706



## FRP 760



Klik [fPengilang lembaran bumbung RP](#) untuk belajar lebih lagi


# Our Factory



# Engineering case



# Exhibition



# Certificate



Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tolerance on warpage.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.10	Pass
4	Slip-resistance	1/100	---	170	---
5	Flexure strength	Mpa	≥ 20	30	Pass
6	Flexural modulus	%	≥ 20	30	Pass
7	Water absorption (10h, 20°C)	---	No significant cracks or water absorption	Confirmed	Pass
8	Acid resistance (10%, HCl, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
9	Alkali resistance (10%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Impact resistance (1kg, 1m)	---	---	---	---
11	Change index	%	≤ 0.1	0.08	Pass

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible crack, hole, scratch, bubble, or other defect, color difference.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	Mpa	≥ 20	28	Pass
4	Flexure strength	Mpa	≥ 20	30	Pass
5	Flexural modulus	%	≥ 20	30	Pass
6	Flexural ductility modulus	Mpa	≥ 2000	3000	Pass
7	Density	g/cm <sup>3</sup>	≥ 2.35	2.38	Pass
8	Water absorption (10h, 20°C)	---	---	---	---
9	Water absorption (30h, 20°C)	---	---	---	---
10	Water absorption (60h, 20°C)	---	---	---	---
11	Water absorption (90h, 20°C)	---	---	---	---
12	Water absorption (120h, 20°C)	---	---	---	---
13	Water absorption (180h, 20°C)	---	---	---	---
14	Water absorption (240h, 20°C)	---	---	---	---
15	Water absorption (300h, 20°C)	---	---	---	---
16	Water absorption (360h, 20°C)	---	---	---	---
17	Water absorption (420h, 20°C)	---	---	---	---
18	Water absorption (480h, 20°C)	---	---	---	---
19	Water absorption (540h, 20°C)	---	---	---	---
20	Water absorption (600h, 20°C)	---	---	---	---



# Packaging





# FAQ

**\*Adakah anda pengilang atau peniaga?**

\*Ya, kami adalah pengeluar sebenar, terdapat banyak gambar dalam pengenalan syarikat kami. Jika anda memerlukan produk khas lain, kami akan melakukan yang terbaik untuk membantu anda, jadi kami dapat membina hubungan perniagaan jangka panjang.

**\*Bolehkah saya memesan produk dengan saya mahu profil?**

\*Sudah tentu anda boleh, kami juga akan menghasilkan produk mengikut permintaan terperinci anda.

**\*Bolehkah anda meletakkan jenama syarikat saya pada produk anda?**

\*Ya, kami menerima perkhidmatan OEM & ODM. Tetapi kami memerlukan beberapa maklumat mengenai syarikat anda.

**\*Bagaimana cara memasang lembaran bumbung?**

\*Sila hubungi kakitangan perkhidmatan kami, kami mempunyai video pemasangan untuk anda.

**\*Bolehkah anda memberikan sampel untuk saya membuka pasaran dan kualiti ujian?**

\*Ya, kami boleh. Kami boleh memberikan sampel percuma kepada anda, bolehkah anda membayar kos penghantaran? Sila hubungi kakitangan perkhidmatan kami.

**\*Apakah istilah perdagangan anda?**

- \* Pembayaran: T/T 30% lebih awal, baki sebelum penghantaran.
- Waktu memimpin pengeluaran: dalam masa 7 hari bekerja selepas deposit 30%
- Pelabuhan perkapalan FOB: Foshan, Guangzhou, Shenzhen