


## Product show

ZXC New Material Technology Co., Ltd. ay FRP Roofing Sheet Tagagawa ng Tsina, Kasama sa aming mga produkto ang mga sheet ng PVC, ASA Synthetic Resin Roof Tile, FRP Roofing Tile, Gutter atbp Kung ang iyong order ay tumutugma sa aming mga detalye ng laki ng stock, maaari naming mas mabilis na oras ng paghahatid. Siyempre maaari rin kaming ipasadya para sa iyo.


Pangalan ng Produkto	Transparent PC Roof Sheet
Application	Berdeng bahay, skylights at iba pa
Kulay	Transparent puti, asul, berde
Haba	Na -customize
Kapal	1mm, 1.2mm, 1.5mm, 2.0mm
Pangkalahatang lapad	920mm
Mabisang lapad	840mm
Purlin spacing	700 ~ 800mm
Ibabaw	Makinis na ibabaw
Hilaw na materyal	Ang PC na nagngangalang Bayer

# More Types

Hot




Hot



Hot

## FRP 900




## FRP 961型




## FRP 909



## FRP 706



## FRP 760



Mag -click [\*\*fRP Mga tagagawa ng Roofing Sheet\*\*](#) upang malaman ang higit pa

# Our Factory






# Engineering case





# Exhibition



# Certificate

**检验报告**  
Test Report

佛山市质量监督检测中心  
Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no stains, cracks or visible impurities on the surface. Edge of the tile should be clean without burr. Weathering should be less, and hydrolysis rate average.	Confirmed	Pass
2	Walk resistance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.12	Pass
4	Slip-resistance	1/100	---	170	---
5	Impact strength	MPa	≥ 20	30	Pass
6	Flexural strength	%	≥ 20	30	Pass
7	Water absorption (1h, 3h)	---	No significant cracks or water absorption	Confirmed	Pass
8	Acid resistance (5%, 10%, 20%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
9	Alkali resistance (5%, 10%, 20%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Freeze-thaw resistance (open/closed cycle 50)	mm	≤ 1.0	0.2	Pass
11	Change index	%	≤ 0.1	0.04	Pass

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform color and texture. No visible cracks, pits, scratches, stains, or other defects.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	MPa	≥ 20	28	Pass
4	Flexural strength	%	≥ 20	30	Pass
5	Impact strength	MPa	≥ 20	30	Pass
6	Water absorption	%	≤ 0.2	0.15	Pass
7	Slip-resistance	1/100	---	170	---
8	Freeze-thaw resistance (open/closed cycle 50)	mm	≤ 1.0	0.2	Pass
9	Change index	%	≤ 0.1	0.04	Pass
10	Acid resistance (5%, 10%, 20%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
11	Alkali resistance (5%, 10%, 20%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
12	Freeze-thaw resistance (open/closed cycle 50)	mm	≤ 1.0	0.2	Pass
13	Change index	%	≤ 0.1	0.04	Pass
14	Water absorption	%	≤ 0.2	0.15	Pass
15	Impact strength	MPa	≥ 20	30	Pass
16	Flexural strength	%	≥ 20	30	Pass
17	Change index	%	≤ 0.1	0.04	Pass

**质量管理体系认证证书**  
Quality Management System Certificate

佛山市南海区众兴塑料制品厂  
Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope: 生产及销售 塑料制品及塑料制品加工  
Manufacturing & Sales of Plastic Products and Plastic Products Processing

认证标准 Standard: GB/T19001-2008/ISO9001:2008

认证机构: 深圳中检认证有限公司  
Certification Body: SZCC

总经理: 周永成  
GM: Zhou Yongcheng

**Beide**

APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE

On Behalf of:  
**FOSHAN ZHONG XING CHENG PLASTIC FACTORY**  
Plastic Tile  
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K. FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An District, Shenzhen, China

Date of Test: Feb. 18-Mar. 10, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020176

**CELAP®**

**CERTIFICATE**

Application Number: 2016-001  
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K. FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An District, Shenzhen, China

Date of Test: Feb. 18-Mar. 10, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020176

www.celab.com



# Packaging





# FAQ

**\*Tagagawa ka ba o negosyante?**

\*Oo, kami ay tunay na tagagawa, maraming mga larawan sa pagpapakilala ng aming kumpanya. Kung kailangan mo ng iba pang espesyal na produkto, gagawin namin ang aming makakaya upang matulungan ka, upang makabuo kami ng isang pangmatagalang relasyon sa negosyo.

**\*Maaari ba akong mag -order ng produkto na nais kong mag -profile?**

\*Siyempre maaari mo, gagawa rin kami ng mga produkto ayon sa iyong mga kahilingan sa detalye.

**\*Maaari mo bang ilagay ang tatak ng aking kumpanya sa iyong mga produkto?**

\*Oo, tinatanggap namin ang serbisyo ng OEM & ODM. Ngunit kailangan namin ng ilang impormasyon tungkol sa iyong kumpanya.

**\*Paano i -install ang sheet ng bubong?**

\*Mangyaring makipag -ugnay sa aming mga kawani ng serbisyo, mayroon kaming video sa pag -install para sa iyo.

**\*Maaari ka bang magbigay ng mga halimbawa para sa akin upang buksan ang kalidad ng merkado at kalidad ng pagsubok?**

\*Oo, maaari kaming magbigay ng mga libreng sample sa iyo, maaari mo bang bayaran ang gastos sa pagpapadala? Mangyaring makipag -ugnay sa aming mga kawani ng serbisyo.

**\*Ano ang iyong termino sa kalakalan?**

\* Pagbabayad: T/T 30% nang maaga, balanse bago ang kargamento.

- Oras ng tingga ng produksyon: Sa loob ng 7 araw ng pagtatrabaho pagkatapos ng 30% na deposito
- Fob Shipping Port: Foshan, Guangzhou, Shenzhen