

Product show

Disenyo: istilong Espanyol
Pangmatagalang Kulay 10 taon na hindi kumukupas
Haba: customized
Kapal 1.8mm, 2.0mm, 2.2mm, 2.5mm, 2.8mm, 3.0mm
Kabuuang lapad 1130mm
Epektibong lapad 1000/1050mm
Purlin spacing: 660mm
Mga layer: 3 layer
Ibabaw Embossed/Smooth surface



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

More Types

1130 corrugaetd sheets



1130 trapezoidal sheets



900 high wave



980 high wave



PVC accessories



ZXC New Material Technology Co., Ltd. Kasama sa aming mga produkto ang PVC sheet, ASA Synthetic Resin Roof Tile, FRP Roofing Tile, gutter, upvc roofing sheets atbp. Kung ang iyong order ay tumutugma sa aming mga detalye ng laki ng stock, maaari naming mas mabilis ang oras ng paghahatid. Maligayang pagdating Makipag-ugnayan sa Amin Custom. **I-click [mga tagagawa ng plastic roof tile](#) upang malaman ang higit pang mga produkto**

Our Factory



Engineering case



Certificate



Foshan Supervision Testing Centre of Quality and Metrology

Test Report

Form No. QM-QM001 Rev. 1.0

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no cracks, marks or visible impurities on the surface. Edge of the tile should be clean without dust. Weathering should be done, and before use, scrubbing.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.02	Pass
4	Density	g/cm ³	---	1.95	---
5	Flexure strength	MPa	≥ 20	30	Pass
6	Flexural modulus	%	≥ 20	30	Pass
7	Water absorption (10h, 20°C)	---	No pollution marks or water absorption	Confirmed	Pass
8	Acid resistance (10%, HCl, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
9	Alkali resistance (10%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Freeze-thaw resistance (5 cycles, 20h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
11	Impact resistance (1kg, 2m)	---	---	12	Pass
12	Change index	%	≤ 0.1	0.06	Pass

Chief of the report: _____

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

Form No. QM-QM001 Rev. 1.0

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform color and texture. No visible cracks, pits, marks, bubbles, or other defects.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Flexure strength	MPa	≥ 20	28	Pass
4	Flexural modulus	%	≥ 20	30	Pass
5	Flexural strength	MPa	≥ 20	30	Pass
6	Flexural modulus	%	≥ 20	30	Pass
7	Density	g/cm ³	---	1.95	---
8	Water absorption (10h, 20°C)	---	No pollution marks or water absorption	Confirmed	Pass
9	Acid resistance (10%, HCl, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Alkali resistance (10%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
11	Freeze-thaw resistance (5 cycles, 20h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
12	Impact resistance (1kg, 2m)	---	---	26	Pass
13	Change index	%	≤ 0.1	0.06	Pass
14	Water absorption (10h, 20°C)	---	No pollution marks or water absorption	Confirmed	Pass
15	Change index	%	≤ 0.1	0.06	Pass

Chief of the report: _____



Exhibition



Packaging



FAQ

***Tagagawa ka ba o mangangalakal?**

*Oo, kami ay tunay na tagagawa, maraming mga larawan sa pagpapakilala ng aming kumpanya. kung kailangan mo ng iba pang espesyal na produkto, gagawin namin ang aming makakaya upang matulungan ka, upang makabuo kami ng pangmatagalang relasyon sa negosyo.

***Maaari ba akong mag-order ng produkto gamit ang gusto kong i-profile?**

*Siyempre magagawa mo, gayundin gagawa kami ng mga produkto ayon sa iyong mga kahilingan sa detalye.

***Maaari mo bang ilagay ang tatak ng aking kumpanya sa iyong mga produkto?**

*Oo, tumatanggap kami ng serbisyo ng OEM at ODM. Ngunit kailangan namin ng ilang impormasyon tungkol sa iyong kumpanya.

***Paano i-install ang roofing sheet?**

*Mangyaring makipag-ugnayan sa aming kawani ng serbisyo, mayroon kaming video sa pag-install para sa iyo.

***Maaari ka bang magbigay ng mga sample para mabuksan ko ang merkado at masuri ang kalidad?**

*Oo, kaya namin. Maaari kaming magbigay ng mga libreng sample sa iyo.

***Maaari mo bang bayaran ang gastos sa pagpapadala?**

Mangyaring makipag-ugnayan sa aming kawani ng serbisyo.

***Ano ang iyong termino sa kalakalan?**

* Pagbabayad: T/T 30% in advance, balanse bago ipadala.

? Production Lead Time: Sa loob ng 7 araw ng trabaho pagkatapos ng 30% na deposito

? FOB Shipping Port: Foshan, Guangzhou, Shenzhen