Product show



1.A variety of raw materials by a certain percentage mixing, intohe hopper



2. The mixed raw materials are pref -ormed and heated to become flat tiles



3. Then through the mold pressure, lastic the molding, cooling, throughthe traction machine slowly introduced



4.To achieve the length of customerneeds cut off. after artificial out














Product name		ASA Synthetic Resin Roof Tile					
Material		ASA(Acrylonitrile Styrene acrylate copolymer)+PVC(Polyvinyl chloride)					
Туре		Spanish Style					
Overall Width		1050mm					
Effective Width		960mm					
Thickness		2.3mm-3.0mm					
Length		Customized(According to the size of container)					
Color		Customized					
Purlin Spacing		660mm					
Thickness		2.3mm	2.5mm	2.8mm	3.0mm		
Weight (kg/SQM)		4.6	5.0	5.6	6.0		
Container Load capacity	20 GP (21 Tons)	4500	4200	3750	3500		
	40 GP (26 Tons)	5600	5200	4600	4300		
Feature		1.Excllent Anti-corrosion Performance 2.Good Waterproof Performance 3.Fire Resistance 4.Heat insulation 5.Sound insulation 6.Weather fastness ageing resistance					
Package		Nude or standard export package					

tem No.	Name	Picture	Item No.	Name	Picture
1	ASA Synthetic Resin Tile		7	Main Ridge Tile Head	
2	Main Ridge Tile			Main Ridge Tumup	
3	Tilted Ridge Tile		8	Four-way	
4	Tilted Ridge Tile Head		9	Left / Right Eave Sealing Tile	
	Tilted Ridge Turnup		10	Guide Plate Tile	
5	Modern eave drip tile	and the same of th	11	Vertical Wall Flashing Tile	
	Antique eave drip tile	4pipipipipis	12	Screw And Hat	
6	Three-way				

Accessories





Certificate













Our Factory











Our Customer



Packaging













FAQ

- *Are you manufacturer or trader?
- *Yes, we are real manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.
- *Can I order the product with i want to profile?
- *Of course you can, also we will produce the products according to your detail requests.

- *Can you put my company's brand on your products?
- *Yes,we are accept OEM&ODM service.But we need some information about your company.
- *How to install the roofing sheet?
- *Please contact our service staff, we have installation video for you.
- *Can you provide samples for me to open the market and test quality?
- *Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.
- *What is your trade term?
- * Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen