

# Product show

Design□Spanish style  
Color Lasting□10 years no fading  
Length□customized  
Thickness□1.8mm,2.0mm□2.2mm□2.5mm,2.8mm,3.0mm  
Overall width□1130mm  
Effective width□1000/1050mm  
Purlin spacing□660mm  
Layers□3 layers  
Surface□Embossed/Smoothsurface



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets



## 1130 trapezoidal sheets




## 900 high wave



## 980 high wave



# PVC accessories



ZXC New Material Technology Co., Ltd. Our products include PVC sheets, ASA Synthetic Resin Roof Tile, FRP Roofing Tiles, gutter, upvc roofing sheets etc. If your order matches our stock size details, we can faster delivery time. Welcome Contact Us Custom.

# Our Factory



# Engineering case



# Certificate

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

检验报告  
Test Report

佛山市质量监督检测中心  
Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The color of tile should be uniform. There should be no stains, cracks or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tubular on average.	Confirmed	Pass
2	Walk distance	mm	10	8	Pass
3	Thickness deviation	mm	±0.2	±0.12	Pass
4	Skewness	mm/m <sup>2</sup>	—	0.09	Pass
5	Breakage strength	Mpa	≥20	26	Pass
6	Flexural strength	%	≥20	30	Pass
7	Water absorption (1h, 2h)	—	No pollution marks or water absorption test.	Confirmed	Pass
8	Acid resistance (5%, 2h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (5%, 2h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Freeze-thaw resistance (5 cycles)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Water absorption (24h)	mm	≤10	12	Pass
12	Skewness index	%	≤0.1	0.09	Pass

(Total of the report)

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The surface should be smooth with uniform coloration and no obvious cracks, voids, marks, stains, surface pitting, etc.	Confirmed	Pass
2	Surface layer thickness	mm	≥0.17	0.18	Pass
3	Tensile strength	Mpa	≥20	26	Pass
4	Breakage strength	%	≥20	30	Pass
5	Flexural strength	Mpa	≥20	30	Pass
6	Flexural ductility index	%	≥200	300	Pass
7	Skewness	mm/m <sup>2</sup>	—	0.09	Pass
8	Water absorption (1h)	%	≤0.1	0.12	Pass
9	Water absorption (24h)	mm	≤10	12	Pass
10	Water absorption (24h)	mm	≤10	12	Pass
11	Water absorption (24h)	mm	≤10	12	Pass
12	Water absorption (24h)	mm	≤10	12	Pass
13	Water absorption (24h)	mm	≤10	12	Pass
14	Water absorption (24h)	mm	≤10	12	Pass
15	Water absorption (24h)	mm	≤10	12	Pass

(Total of the report)

质量管理体系认证证书  
Quality Management System Certificate

佛山市南海卓兴塑料制品有限公司  
Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope:  
生产及销售 塑料制品的生产加工及进出口业务  
Manufacturing and sales of plastic products and related foreign trade.

认证标准 Standard: GB/T19001-2008/ISO9001:2008

认证机构: 广东中检认证有限公司  
Certification Authority: Guangdong Zhongjian Certification Co., Ltd.

证书编号 Certificate No.: 114310300466016  
证书有效期限 Certificate Validity: 2018-01-01 至 2020-12-31

广东中检认证有限公司  
GUANGDONG ZHONGJIAN CERTIFICATION CO., LTD.

Beide

APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE

On behalf of  
FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
Plastic Tile  
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K.: FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An District, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-616229178

CELAP®  
CERTIFICATE

EN 12620 (2012) AND EN 12620 PLAIN POLYESTER  
Address: No. 60, Maheji Road, Shenzhen, Guangdong, China

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K.: FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An District, Shenzhen, China


Date of Test: Feb. 18-Mar. 18, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-616229178

www.celab.com

# Exhibition



# Packaging





# FAQ

**\*Are you manufacturer or trader?**

\*Yes, we are real manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

**\*Can I order the product with i want to profile?**

\*Of course you can, also we will produce the products according to your detail requests.

**\*Can you put my company's brand on your products?**

\*Yes,we are accept OEM&ODM service.But we need some information about your company.

**\*How to install the roofing sheet?**

\*Please contact our service staff, we have installation video for you.

**\*Can you provide samples for me to open the market and test quality?**

\*Yes,we can.We can provide free samples to you.

**\*Could you pay the shipping cost?**

Please contact our service staff.

**\*What is your trade term?**

\* Payment: T/T 30% in advance, balance before shipment.

? Production Lead Time: Within 7 working days after 30% deposit

? FOB Shipping Port: Foshan,Guangzhou,Shenzhen