# Product show

Foshan ZXC ASA Synthetic Resin Roofing Tile is a new type of roofing material produced by advanced coextrusion technology and special molding process using ultra-high weathering engineering resin ASA. (**custom asa pvc roofing sheet**)

# SELF-BUILT FACTORY FACTORY AREA 16855m<sup>2</sup>



| Product Name    | Synthetic Resin Roof Tile  |
|-----------------|--|
| Brand           | ZXC  |
| Place of Origin | Foshan city, Guangdong province, China(Mainland)   |
| Material        | Acrylonitrile Styrene acrylate copolymer, Polyvinyl chloride, Calcium powder, other chemical materials |
| Guarantee       | 25 years   |
| Certification   | ISO9001 / SGS / CE   |
| Delivery Time   | 1x20GP for 6 days, 1x40GP for 7 days   |
| Section Length  | 219mm  |
| Overall Width   | 1050mm   |
| Effective Width | 960mm  |
| Thickness       | 2.3mm / 2.5mm / 2.8mm / 3.0mm  |
| Length          | Must be a multiple of section  |
| Wave Spacing    | 160mm  |
| Wave Height     | 30mm   |

# Click <u>pvc roofing manufacturer china</u> to learn more









# Advantage



Surface asa material Lasting Color



Fire Proof Grade B1



Easy and Quick Installation



Insulation



Anti-corrosion, Acid and Alkali Resistance



**Heat insulation** 


# **Our Factory**

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.





HARDNESS TESTING



ASA SURFACE THICKNESS TEST



IMPACT RESISTANCE



# **TENSILE TEST**



## **DELIVERY TIME 5 DAYS**

# 

### ABOUT 6000M2 PER CABINET ABOUT 28M3



# Exhibition



# Certificate



| This<br>For<br>and Matter No. Proceedings<br>Have been a series<br>that there is a series<br>for the series of the series<br>for the the series<br>for the the series<br>for the the series of the the series<br>for the the series of the series of the series of the series<br>for the the series of the | RETIFICATE OF RE<br>In the credit that the Oddities Man<br>han ZNC New Material Tech<br>the observation with the Oddities Man<br>han ZNC New Material Tech<br>the observation with the Oddities Man<br>han ZNC New Material<br>States of the observation with the Material<br>Material States of the States of the Material<br>Material States of the Oddities of the Material<br>States of the Oddities of the Oddities of the Material<br>States of the Oddities of the Material<br>States of the Oddities of the Material<br>States of the Oddities of the Oddities of the Material<br>States of the Oddities o | The product of the second seco   | LIDE TOCUMPANYS<br>and<br>dd.<br>means Can Company I<br>have Can Company I<br>have Can Company I<br>have Can Company<br>any Can Com |   | ca   | Zhongxing Cl<br>U<br>Reg Add Du<br>Sancorg 7kie B<br>Op Add Du<br>Sancorg 7kie B<br>Op Add Du<br>Sancorg 7kie B<br>Op Add Du<br>Sancorg 7kie B<br>Op Add Du<br>SB/T1   | SCCI<br>nzao 1<br>hiangia<br>nzao 1<br>hiangia<br>went Syr<br>ality 1<br>9001<br>For T<br>5000<br>For T<br>5000<br>Step Nu<br>Step Nu<br>Step Nu<br>Step Nu<br>Step Nu<br>Step Nu<br>Step Nu<br>Step Step Step Step<br>Step Step Step Step Step<br>Step Step Step Step Step Step Step<br>Step Step Step Step Step Step Step Step<br>Step Step Step Step Step Step Step Step | New Material Tech<br>biological Autority of the<br>seen Analysis of the second second<br>tech second second second second<br>tech second second second second<br>anagement System<br>2016 (dt ISO90012015<br>to Pollowing Scope<br>of plastic products for cores<br>mean M03200222805<br>Desi: 20230525<br>Desi: 202 | city,<br>actory<br>city,<br>actory<br>actory<br>Requirement<br>truction  | en 01  |
|--|--|--|--|---|--|--|---|--|--|--|
| 705  | 1075-1012 mit submit   | ener the   | 6 of the second  |   | <u>E010</u>  | <b>E</b>   |   | ) <b>-</b>   |  |  |
|  | pervision Testing Centre of<br>Test Report   | f Quality and !  |  | 1 | <u>E010</u>  | <b>E</b>   |   | ing Centre of Quality and  |  |  |
| Forshan Su   | pervision Testing Centre of  | f Quality and I  |  |   | <u>E010</u>  | <b>E</b>   |   | ting Centre of Quality and   | d Metrole  | gy   |
| Foshan Su  | pervision Testing Centre of<br>Test Report   | Production Date,   | Metrology  |   | <u>E00</u>   | <b>E</b>   |   | ting Centre of Quality and   | d Metrolo<br>617-WT19  | *83¥   |
| Forshan Su   | pervision Testing Centre of<br>Test Report   | Production Date,<br>Production Banh  | Metrology  |   | <u>E00</u>   | Foshan Supervisio  |   | ting Centre of Quality and   | d Metrole  | 2<br>2   |
| Form No. QR-<br>Product Name,<br>Model and<br>Discussion   | Forban Zongoing Centre of     Test Report     CX069-01A/14100     PYC anti-convine roofing abet      Forban ZongoingCheng New     Marriel Technology Co., Lat     Xethan Ishandi area, Danase  | Production Date,<br>Production Date,<br>Production Banch<br>Sample Number<br>Test Category<br>Sample Quently /   | Page lof 2   |   | <b>ECM</b>   | Foshan Supervisio  | 34.0  | Contract of Quality an     Test Report   | d Metrolo<br>Gi7-WT19/<br>Page 2 of  | *83¥   |
| Foshan Su<br>Foshan Su<br>Product Nene,<br>Model and<br>Dimension<br>Trademark/Grade<br>Client<br>Client Address<br>Manufacturer   | Profession Testing Centre of<br>Test Report<br>(X009-01A/14100<br>PVC anti-correction reofing sheet<br>  | Production Date,<br>Production Date,<br>Production Banch<br>Sample Number<br>Test Category<br>Sample Quently /   | Page 1of 2<br>Page 1of 2<br>   |   | <u>600</u>   | Foshan Supervisio  | 34.0  | Control of the section     Control of the s  | d Metrolo<br>GI7-WTHO<br>Page 2 of<br>Read   | 183<br>SEI<br>2<br>Vend  |
| Form No. QR.<br>Protect Name,<br>Model and<br>Discussion<br>Trademark/Grade<br>Client<br>Client Address  | COMPARIANCE AND A CONTROL OF A CONTROL   | f Quality and 1 Production Date, Production Banch Sample Number Test Category Sample Quartity / Method of Sample Receipt   | Page 1of 2<br>Page 1of 2<br>   |   | <b>ECM</b>   | Foshan Supervisio  | 34.0  | The other of the hand he will be not a working the state of the state  | d Metrolo<br>G17-WT16<br>Page 2 of<br>Reads  | SSI<br>2<br>Vor<br>Pu<br>Pu  |
| Form NoQR-<br>Product Name,<br>Model and<br>Dimension<br>Trademark/Grade<br>Client<br>Client Address<br>Manufacturer<br>(As the Applicant<br>Client Address  | Fordan Zengsing Centre of<br>Test Report     COMP-01/VI 100     PVC anti-convine norfing aber      Fordan Zengsing/Deng New Manral Technology Co., Lat     Xethan Ishahedi area, Danna Tenn, Nashai Diorier, Fordan City,     Guangdang China  | F Quality and 1<br>Production Date,<br>Production Batch<br>Sample Number<br>Test Category<br>Sample Quartity /<br>Method of Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received  | Page 1of 2<br>Page 1of 2<br>   |   | <b>1</b><br>2  | Foshan Supervisie  | Usik<br>——  | Constant of the second of  | d Metrolo<br>GJ7-WT19<br>Page 2 of<br>Reath<br>Confirmed<br>0  | SSI<br>2<br>Von<br>Pa<br>Pa  |
| From No. Q8.<br>Product Name,<br>Model and<br>Dissession<br>Trademark/Oracle<br>Client<br>Client Address<br>Manufacturer<br>(As the Applicant<br>Claimed)<br>Manufacturer Addres<br>(As the Applicant  | Fordan Zengsing Centre of<br>Test Report     COMP-01/VI 100     PVC anti-convine norfing aber      Fordan Zengsing/Deng New Manral Technology Co., Lat     Xethan Ishahedi area, Danna Tenn, Nashai Diorier, Fordan City,     Guangdang China  | Production Date,<br>Production Date,<br>Production Banch<br>Sample Number<br>Test Category<br>Sample Questity /<br>Method of Sample<br>Receipt<br>Date of Sample<br>Receipt  | Metrology Page 1of 2   |   | <b>E017</b><br>No.<br>1<br>2<br>3                      | Foshan Supervisio  | Usit<br>——<br>mm  | Constant of the second of  | d Metrolo<br>GJ7-WT19<br>Page 2 ef<br>Reath<br>Confirmed<br>0<br>0.02  | SSE 2<br>Von<br>Pa   |
| Form NoQR-<br>Product Name,<br>Model Name,<br>Model Name,<br>Model Name,<br>Client Address<br>Manufacturer<br>(At the Applicant<br>Client<br>Manufacturer<br>(At the Applicant<br>Client<br>Manufacturer<br>Address  | Fordam Zengening Centre of<br>Test Report     COMP-01/VI4100     PVC anti-convine norfing aber       Fordam Zengening/Ceng New Manraf Technology Ce, Lat     Xathan Ishahardi area, Danna Tenn, Nashai Diorier, Fordam City, Guangdang China   | f Quality and 1<br>Production Date,<br>Production Batch<br>Sample Number<br>Test Category<br>Sample Quartly /<br>Method of Sample<br>Receipt<br>Sample received<br>by  | Page 1of 2<br>Page 1of 2<br>   |   | <b>1</b><br>2<br>3<br>4                                | Forshan Supervisio   | Usit<br>Usit<br><br>mm<br>kg/m <sup>2</sup>   | Report Coard of general and provide the coard of the coar   | d Metrolo<br>GI7-WT195<br>Page 2 ef<br>Result<br>Confirmed<br>0<br>+0.02<br>1720   | 855<br>2<br>Vice<br>Pe<br>Pe<br>Pe                                     |
| Foshan Su<br>Foshan Su<br>Product Name,<br>Medical and<br>Deficient<br>Client Address<br>Client Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Client Client<br>Manufacturer<br>Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Stampic Character an<br>State   | Perfection Testing Centre of Test Report CX049-01/Af4100 PVC articomnion roofing abot Probast Zongning/Geng New Maaral Technology Ca, Lab Cohan Isbatorial area, Danzoo Teon, Nabab Zonez, Irabas City, Coangdong China n New Ne   | Production Date,<br>Production Date,<br>Production Thate,<br>Sample Number<br>Test Canegory<br>Sample Questity /<br>Method or Sample<br>Receipt<br>Sample Receipt<br>Sample received<br>by<br>Test Date  | Page 1062<br>Page 1062<br>Camuned Test<br>Speed<br>deformed sample<br>Li Dongar en<br>Stiff 2004<br>Stiff 2004   |   | <b>N</b> A.<br>2<br>3<br>4<br>5                        | Foshan Supervisio<br>Foshan Supervisio<br>Foshan Supervisio<br>Ageannee<br>With deviation<br>Thicknem deviation<br>Density<br>Tensite stength  |   | Control of the section of the s  | d Metrolo<br>GIT-WT165<br>Page 2 ef<br>Result<br>Confirmed<br>0<br>+0.02<br>1720<br>31   | SSE<br>2<br>Vor<br>Pr<br>Pr<br>Pr                                      |
| Foshan Su<br>Foshan Su<br>Form NoQ6.4<br>Product Name,<br>Model and<br>Dismosion<br>TrademackOrace<br>Client<br>Client Address<br>Manufacturer<br>(As the Applicant<br>Claimed)<br>Manufacturer Addres<br>(As the Applicant<br>Claimed)<br>Sample Characet and   | Provide Testing Centre of<br>Test Report     Code/cl/All00     PrC anti-cornnion roofing abort       Fodus Zhengsing/Deng New Mantal Tethology Co., Lab     Xehan Isbaherdi area, Danno Tren, Nachai District, Fodus City,     Gungdang China       Nomal     District 94 2012 Underface   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | <b>1</b><br>2<br>3<br>4                                | Foshan Supervisio  | Usit<br>Usit<br><br>mm<br>kg/m <sup>2</sup>   | Construction of the second secon  | d Metrolo<br>GI7-WT195<br>Page 2 ef<br>Result<br>Confirmed<br>0<br>+0.02<br>1720   | SSI<br>2<br>Vos<br>Pa<br>Pa<br>Pa<br>Pa                                |
| Foshan Su<br>Foshan Su<br>Product Name,<br>Medical and<br>Deficient<br>Client Address<br>Client Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Client Client<br>Manufacturer<br>Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Stampic Character an<br>State   | Sound     DB447 994 2012 Updatio   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | <b>N</b> A.<br>2<br>3<br>4<br>5                        | Tom No. OR COMPANY OF THE STATE   |   | Control of the second sec  | d Metrolo<br>GIT-WT165<br>Page 2 ef<br>Result<br>Confirmed<br>0<br>+0.02<br>1720<br>31   | SU<br>SU<br>Pa<br>Pa<br>Pa<br>Pa                                       |
| Foshan Su<br>Foshan Su<br>Product Name,<br>Medical and<br>Deficient<br>Client Address<br>Client Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Client Client<br>Manufacturer<br>Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Stampic Character an<br>State   | Provide Testing Centre of<br>Test Report     Code/cl/All00     PrC anti-cornnion roofing abort       Fodus Zhengsing/Deng New Mantal Tethology Co., Lab     Xehan Isbaherdi area, Danno Tren, Nachai District, Fodus City,     Gungdang China       Nomal     District 94 2012 Underface   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | No.<br>1<br>2<br>3<br>4<br>5<br>6                      | Foshan Supervisio<br>Foshan Supervisio<br>Tom Na. on Clashoft A<br>ben<br>Appennice<br>Width dividion<br>Thickness deviation<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Database<br>Data |   | Constant of the second of  | d Metrolo<br>037-WT19/Page 2 of<br>Renah<br>Confirmed<br>0<br>-0.02<br>1720<br>31<br>32<br>Confirmed   | SSI<br>2<br>Viet<br>Pa<br>Pa<br>Pa                                     |
| Foshan Su<br>Foshan Su<br>Poshar Sant,<br>Mod and<br>Disension<br>Talamat Chan<br>Clion Address<br>Mandarawr<br>(Un br Apfician<br>Clion (Un br Apfician<br>Clion (Chanta e<br>Mandarawr<br>(Un br Apfician<br>Clion (Chanta e<br>Sant<br>Text Standards   | Sound     DB447 994 2012 Updatio   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | 2<br>3<br>4<br>5<br>6<br>7                             | Tom No. OR COMPANY OF THE STATE   |   | Interformation of the other of the other of the other of the obded be the other other of the obded be the other other other of the other other other other other other other other other of the other other other other of the other other other other, see   | d Metrolo<br>Ori7.wT190<br>Page 2 of<br>Result<br>Confirmed<br>0<br>+0.02<br>1720<br>31<br>32  | SII<br>2<br>Vord<br>Par<br>Par<br>Par<br>Par                           |
| Foshan Su<br>Foshan Su<br>Product Name,<br>Medical and<br>Deficient<br>Client Address<br>Client Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Client Client<br>Manufacturer<br>Address<br>Manufacturer<br>(Ar be Applicant<br>Client<br>Stampic Character an<br>State   | Sound     DB447 994 2012 Updatio   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | No.<br>1<br>2<br>3<br>4<br>5<br>6                      | Economic Contractions<br>Form Na. (08-CUSHADER)<br>Bree<br>Appearance<br>Width deviation<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength   |   | A second se  | d Metrolo<br>G17-WT199<br>Pag 2 of Conference<br>Conference<br>0<br>0<br>0<br>0<br>0<br>1220<br>31<br>32<br>32<br>20<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52 | Sy<br>Vos<br>Pa<br>Pa<br>Pa<br>Pa<br>Pa                                |
| Foshan Su<br>Foshan Su<br>Poshar Sant,<br>Mod and<br>Disension<br>Talamat Chan<br>Clion Address<br>Mandarawr<br>(Un br Apfician<br>Clion (Un br Apfician<br>Clion (Chanta e<br>Mandarawr<br>(Un br Apfician<br>Clion (Chanta e<br>Sant<br>Text Standards   | Sound     DB447 994 2012 Updatio   | Podacios Dae,<br>Production Dae,<br>Production Bach<br>Sample Number<br>Test Cargory<br>Sample Quetty /<br>Method et Sample<br>Receipt<br>Date of Sample<br>Receipt<br>Sample received<br>by<br>Test Date<br>code notwined di  | Page 1of 2<br>Page 1of 2<br>   |   | 2<br>3<br>4<br>5<br>6<br>7                             | Foshan Supervisio<br>Foshan Supervisio<br>Tom Na. Qa Chan Off A<br>Midh deviation<br>Thicknen Appennee<br>Widh deviation<br>Denisy<br>Tendre strength<br>Dongshall Supa<br>Add resistant<br>(Sup.25a)<br>Add resistant<br>Option (24)<br>Add resistant   |   | A second se  | d Metrolo<br>037-WT19/Page 2 of<br>Renah<br>Confirmed<br>0<br>-0.02<br>1720<br>31<br>32<br>Confirmed   | Sy<br>Vos<br>Pa<br>Pa<br>Pa<br>Pa<br>Pa                                |
| Foshan Su<br>Foshan Su<br>Poshar Sant,<br>Mod and<br>Disension<br>Talamat Chan<br>Clion Address<br>Mandarawr<br>(Un br Apfician<br>Clion (Un br Apfician<br>Clion (Chanta e<br>Mandarawr<br>(Un br Apfician<br>Clion (Chanta e<br>Sant<br>Text Standards   | Provinsion Testing Centre of<br>Test Report     CX049-01/A/100     PVC articornion roofing abot      Probat Zhongsing/Cheng New Maaral Technology Ca, Lab     Zhofan Ishadrida gran, Danzio     Teon, Nabai Zhone, Iraban City,     Coungdong China       Gonad     DB447 994 2012 Unplanti     instantion tooligy to this art fidada con     Test Result netions to Page 2.   | Podacion Dae,<br>Producion Dae,<br>Producion Mah.<br>Sample Namer<br>Test Cangor<br>Sample Quetty /<br>Method of Sample<br>Revisp<br>Dare of Sample<br>Sample<br>Revisp<br>Dare of Sample<br>Revisp<br>Dare of Sample<br>S | Page 1of 2<br>Page 1of 2<br>   |   | 2<br>3<br>4<br>5<br>6<br>7                             | Economic Contractions<br>Form Na. (08-CUSHADER)<br>Bree<br>Appearance<br>Width deviation<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength<br>Density<br>Tendie strength   |   | A second se  | d Metrolo<br>G17-WT199<br>Pag 2 of Conference<br>Conference<br>0<br>0<br>0<br>0<br>0<br>1220<br>31<br>32<br>32<br>20<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52<br>52 | SSI<br>2<br>View<br>Pu<br>Pu<br>Pu<br>Pu<br>Pu<br>Pu<br>Pu<br>Pu<br>Pu |
| Foshan Su<br>Foshan Su<br>Poshar Sant,<br>Mod and<br>Disension<br>Talamat Chan<br>Clion Address<br>Mandarawr<br>(Un br Apfician<br>Clion (Un br Apfician<br>Clion (Chanta e<br>Mandarawr<br>(Un br Apfician<br>Clion (Chanta e<br>Sant<br>Text Standards   | Sound     DB447 994 2012 Updatio   | Publicle and I<br>Production Date,<br>Production Bath,<br>Sample Number<br>Test Cangory<br>Sample Quettly /<br>Method of Sample<br>Resign<br>Date of Sample        | Metrology<br>Page 1of 2<br><br>Extension Test<br>3017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-03-0<br>2017-0<br>2017-0<br>2017-0<br>2017-0<br>2017-0<br>2017-0<br>2017-                |   | 5000<br>1<br>1<br>2<br>3<br>4<br>5<br>6<br>7<br>7<br>8 | Foshan Supervisio<br>Foshan Supervisio<br>Tom Na. que etteration<br>Appearates<br>Width deviation<br>Diskberts deviation<br>Detty<br>Tende strength<br>Disquision at break<br>Failing hall input<br>(1920 Service)<br>Addit minitane<br>(Unitation   | 10.0<br>Unit<br>mm<br>MPa<br>S<br>  | A second se  | d Metrolo<br>Gi7-WT196 V<br>Rendt<br>Confined<br>0<br>022<br>1220<br>31<br>32<br>Confined<br>Confined<br>Confined<br>Confined<br>Confined  | SSE<br>2<br>Vori<br>Pu   |

# Packaging





# FAQ

### \*Are you manufacturer or trader?

\*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

### \*Can I order the product with i want to profile?

\*Of course you can, also we will produce the products according to your detail requests.

### \*Can you put my company's brand on your products?

\*Yes, we are accept OEM&ODM service. But we need some information about your company.

### \*How to install the roofing sheet?

\*Please contact our service staff, we have installation video for you.

### \*Can you provide samples for me to open the market and test quality?

\*Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.

### \*What is your trade term?

- \* Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen