□□□□□□□□□□□□□	□□□□□□□□□□□□□□□ ASA □□□□□□□□□□
□□□□□□	□□□□□□□□□□
□□□□□□□□□□□□□	□□□□□□□□□□ □□□□□□□□□□□□ □□□(□□□□□□□□□□□□□)
□□□□□	Acrylonitrile Styrene □□□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□, □□□□□□□□□□ □□□□□□□□□□□□
□□□□□□□□□	25 □□
□□□□□□□□□	ISO9001 / SGS / CE / □□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□	100 □□□□□□□□□
□□□□□□□□□□□□□	1x20GP □□□□□□□□ 6 □□□, 1x40GP □□□□□□□□ 7 □□□
□□□□□□□□□□□□□□□□□□□□	□□□□□ 8 □□□□□□□□□□□□□□□□ 13,500 □□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□	T/T □□□□□□□□□□□□□□□□□□□□□ 30% □□
□□□□□□□□□□□□	□□□□□□ Full Container Load (FCL) □□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ (LCL) □□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□	□□□□□□□□□□□□ PE
□□□□□□□	□□□□□□□ / □□□□□□□□□ / □□□□□
□□□□□□□□□□□	□□□□□□□□□□□, □□□□□□□□□□, □□□, □□□□□□, □□□□□□□□□□□□□□□, □□□□□□□ Flat to Slope □□□





Purplish Red　Brick Red　Sky Blue　Black　Dark Green

□□□□□□□□□□□	#1050-160-30
□□□□□	□□□□□□□□□
□□□□□□□□□□□□□□□□	1,050□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□	960□□
□□□□□□□□	2.3 □□. / 2.5 □□. / 2.8 □□. / 3.0 □□
□□□□□□□□	□□□□□□□□□□□□□□□
□□	□□□ / □□□ / □□□ / □□□ / □□□□□□□□□
□□□□□□□□□□□□□□□□	160□□
□□□□□□□□□□□□□□□□	30□□
□□□□□□□□□□□□□	219□□



[illegible]

:[illegible] ASA [illegible] 500 GE [illegible] [illegible] 10 [illegible] [illegible] [illegible] 0.15 [illegible]. [illegible] 0.15-0.18 [illegible].

[illegible]:[illegible] [illegible] 1:1
[illegible]
[illegible]

[illegible]:[illegible]
[illegible]

[illegible]

- **[illegible] ([illegible] 10 [illegible])**
- [illegible]
[illegible] UV [illegible] [illegible]
[illegible]

- **[illegible]**
- [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] 60%
[illegible] [illegible].

- **[illegible]**
- [illegible] [illegible]
[illegible] [illegible] [illegible] 45%
[illegible] [illegible]

[illegible]

- [illegible]
- [illegible] ≥ B1

[illegible] GBB8624-2006

- [illegible]

[illegible] 0.325w/mk [illegible] 1/300 [illegible] 1/50 [illegible] 1/2000 [illegible]

- [illegible]

[illegible]

[illegible] ct [illegible]

Warranty 25-years

ISO 9001
CNAS
CE
MA
Warranty 25-years

Warranty 25-years

Warranty 25-years

Warranty 25-years

ABOUT US

QUALITY,INNOVATION,STRUGGLE,WIN-WIN

we have 8 production lines,about 100 employees,covering an area of 15,000 square meters.

PRODUCTION PROCESS

①Raw Materials



②Extrusion

③Compression Molding

④Cutting

⑤Finished Product



⑥Inspection

CERTIFICATE