

# Product show

□□□□□□□□ □□□□□□□□  
□□□□□□□□ 10 □□□□□□□□□□  
□□□□□□□□ □□□□□□□□  
□□□□□□□□ 1.8 □□., 2.0 □□.□ 2.2 □□.□  
2.5 □□., 2.8 □□., 3.0 □□.  
□□□□□□□□□□□□□□□□ 1130 □□.  
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 1,000/1050 □□.  
□□□□□□□□ Purlin□ 660 □□.  
□□□□□□□□ 3 □□□□□□□□  
□□□□□□□□ □□□/smoothsurface



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets



## 1130 trapezoidal sheets



## 900 high wave



## 980 high wave



# PVC accessories




ZXC New Material Technology Co., Ltd. 專業生產各種PVC、ASA、FRP、UPVC  
ASA, FRP, UPVC  
專業生產各種PVC、ASA、FRP、UPVC  
專業生產各種PVC、ASA、FRP、UPVC

# Our Factory



# Engineering case



# Certificate

检验报告  
Test Report

佛山市质量监督检测中心  
Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tolerance on warpage.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.12	Pass
4	Density	kg/m <sup>3</sup>	---	1750	---
5	Break strength	N/m <sup>2</sup>	≥ 20	30	Pass
6	Flexural strength	%	≥ 20	30	Pass
7	Water absorption (1h, 3h, 7d)	---	No pollution, cracks or water absorption	Confirmed	Pass
8	Acid resistance (3%, 5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 98%, 100%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
9	Alkali resistance (5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 98%, 100%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Impact resistance (1kg, 2kg, 3kg, 4kg, 5kg, 6kg, 7kg, 8kg, 9kg, 10kg)	mm	≤ 10	12	Pass
11	Change index	%	≤ 0.1	0.06	Pass

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible crack, hole, scratch, bubble, or other defect.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Break strength	N/m <sup>2</sup>	≥ 20	28	Pass
4	Flexural strength	%	≥ 20	28	Pass
5	Water absorption	%	≤ 0.5	0.3	Pass
6	Change index	%	≤ 0.1	0.08	Pass
7	Density	kg/m <sup>3</sup>	---	1750	---
8	Water absorption (1h, 3h, 7d)	---	No pollution, cracks or water absorption	Confirmed	Pass
9	Acid resistance (3%, 5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 98%, 100%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Alkali resistance (5%, 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95%, 98%, 100%)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
11	Impact resistance (1kg, 2kg, 3kg, 4kg, 5kg, 6kg, 7kg, 8kg, 9kg, 10kg)	mm	≤ 10	12	Pass
12	Change index	%	≤ 0.1	0.06	Pass

质量管理体系认证证书  
Quality Management System Certificate

佛山市南海区众兴塑料制品有限公司  
Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope:  
生产及销售 塑料制品及塑料制品加工  
Manufacturing & Sales of Plastic Products and Plastic Products Processing

认证标准 Standard:  
GB/T19001-2008/ISO9001:2008

认证机构 Issuing Authority:  
深圳中检认证有限公司  
SZQA

Beide

APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE

On Behalf of  
FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
Plastic Tile  
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K. FLAT 107, 25 INDESCON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao" An Dist, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020170

CELAP®  
celab

CERTIFICATE

Application Number: B-61020170  
Model: ASA-1

Manufacturer: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
Address: No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY  
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED  
U.K. FLAT 107, 25 INDESCON SQUARE, LONDON, UNITED KINGDOM  
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao" An Dist, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016  
Date of Report: Mar. 11, 2016  
Report Number: B-61020170

www.celab.com

# Exhibition



# Packaging





# FAQ

\* 如何查詢產品價格？

\* 我們提供多種規格、顏色、尺寸、樣式、材料、工藝、包裝、運輸、倉庫、服務等，歡迎垂詢。

\* 如何查詢產品規格？

\* 我們提供多種規格、顏色、尺寸、樣式、材料、工藝、包裝、運輸、倉庫、服務等，歡迎垂詢。

\* 如何查詢產品樣式？

\* 我們提供 OEM & ODM 服務，歡迎垂詢。

\* 如何查詢產品材料？

\* 我們提供多種材料、工藝、包裝、運輸、倉庫、服務等，歡迎垂詢。

\* 如何查詢產品工藝？

\* 我們提供多種工藝、包裝、運輸、倉庫、服務等，歡迎垂詢。

\* 如何查詢產品包裝？

\* 我們提供多種包裝、運輸、倉庫、服務等，歡迎垂詢。

\* 如何查詢產品運輸？

\* 我們提供 T/T 30% 服務，歡迎垂詢。

? 我們提供 7 天服務，歡迎垂詢。

? FOB Shipping Port: Foshan, 歡迎垂詢。