





**PVC Roofing Sheet
Manufacture For 15 years**



Annual Output 5913000 m²

厚度	1.5-12mm
重量	0.8mm
长度	3.0-6.8m/卷
宽度	1130 mm. / 1080 mm. / 1050 mm. / 980 mm. / 930 mm.
卷重	30kg
防火等级	EN13832 Class B-s1, d0 EN13832 Class B-s2, d0 EN13832 Class B-s3, d0 EN13832 Class B-s4, d0
颜色	EN13832 Class B1
表面涂层	-10 微米厚度的氟碳涂层 70 微米厚度的氟碳涂层
耐久	20 年或 30 年
使用寿命	10 年或 20 年

户外 室内 商业建筑 住宅建筑 工业建筑 农业建筑 其他 **PVC** 地板 墙板 门帘 窗帘 遮阳帘 隔断帘 其他

TYPE 840 PIT



900 TYPE HIGH WAVE (FLOWING WATER FAST)



980 TYPE HIGH WAVE



1080 TYPE HIGH WAVE

(FLOWING WATER FAST)



1130 TYPE WAVELET




1130 TYPE PIT



1100 TYPE HIGH CIRCULAR WAVE



HOLLOW ROOF TILE



Our Factory

Zhongxingcheng New Material Co., Ltd. 專業生產各種規格異型PC板、ASA、APVC、PVC、FRP、PC





Delivery time **5 DAYS**
About **7000m²** per cabinet
About **28m³**



All new material
No recycled material



Hardness Testing



ASA Surface Thickness Test



Impact Resistance



Tensile Test



Measure product thickness
The product thickness is 2mm



Hot selling area
Central And South America
Oceania, Asia, Africa

PVC plastic steel tile PK iron sheet tile



QUALITY

Has superior corrosion resistance



Rusty and perishable



HEAT INSULATION

**New material plastic steel tile
Good thermal insulation**



**Direct sunlight iron tile
Temperature too high**



COLOUR

**ASA PVC ROOF SHEET
Long lasting and non fading**



Severe fading



Usage scenarios: factories
farms, chemical plants



Use scene:greenhouse,
residence,pergola



Exhibition



Certificate



