

Parameters

Parameter description, including the parameter name, unit, and a brief description of what the parameter represents. Feeding parameter | Parameter description | Parameter description!

Parameter description, including the parameter name, unit, and a brief description of what the parameter represents.

Parameter description, including the parameter name, unit, and a brief description of what the parameter represents.

Parameter name:	Parameter description
Parameter name:	Parameter description
Parameter name:	Parameter description
Parameter name:	PVC
Parameter name:	gutter
Parameter name:	Parameter description
Parameter name:	Parameter description
Parameter name:	14 mm. x 16 mm. / 18 mm. x 20 mm. / 25 mm. x 28 mm.
Parameter name:	Parameter description
Parameter name:	Parameter description 5 mm
Parameter name:	Parameter description
Parameter name:	Parameter description
Parameter name:	Parameter description/Parameter description
Parameter name:	Parameter description

QUALITY RAIN GUTTER

Made of PVC, resistant to pressure and corrosion, durable

Feeding gutter | planting gutter | incubation gutter | rain gutter



Trust comes from quality

PRODUCT FEATURE DISPLAY



01

new raw material

Using high-quality raw materials, no recycled materials, green environmental protection, long life



02

Thickened load-bearing

PVC material has strong bending resistance and impact toughness



03

Resistance corrosion

Long-term resistance to chemical substances such as acid, alkali and salt corrosion

Trust comes from quality

Product Information



* 所有尺寸均以实际产品为准，如有误差，恕不另行通知。

规格	尺寸	重量
14cm	140mm x 16mm	0.14kg
19cm	190mm x 2.5mm	0.19kg
25cm	180mm x 20mm	0.25kg
25cm	250mm x 2.8mm	0.25kg
25cm	250mm x 28mm	0.25kg
35cm	350mm x 3.8mm	0.35kg

所有尺寸均以实际产品为准，如有误差，恕不另行通知。

Accessories

Trust comes from quality

RAIN GUTTER ACCESSORIES

Complete accessories, selected quality



Joiner



End cap



90° angle



Drop outlet



Drain end cap

Advantage

IT'S ALL RAIN GUTTERS, WHY ARE WE MORE PROFESSIONAL?

PRODUCT COMPARISON

ZHONGXINGCHENG RAIN GUTTERS



OTHER PEOPLE'S FACTORY GUTTER RAIN GUTTER



Standard 2.5,
maximum thickness 4.5



The thickness is only 2.2,
which is not durable



New imported raw materials



Recycled material, low cost



Excellent workmanship,
not afraid of trampling



Cut corners and
be easily damaged

Trust comes from quality




GLASS GLUE PORTABLE INSTALLATION

Quick installation in 2 minutes
Compared with traditional fixed rivets,
it saves time, effort and worry



Trust comes from quality

INSTALLATION INSTRUCTIONS



1. 安裝前請先檢查屋頂是否平整，若有凹凸不平之處，應先進行修補。安裝時，請將落水管安裝在屋頂最低處，且落水管與屋頂的距離應保持 1.5-1.8 公尺。落水管與屋頂的距離應保持 2 公尺。

2. 安裝時，請將落水管安裝在屋頂最低處，且落水管與屋頂的距離應保持 1.5-1.8 公尺。

3. 安裝時，請將落水管安裝在屋頂最低處，且落水管與屋頂的距離應保持 1.5-1.8 公尺。落水管與屋頂的距離應保持 2 公尺。

4. 安裝時，請將落水管安裝在屋頂最低處，且落水管與屋頂的距離應保持 1.5-1.8 公尺。落水管與屋頂的距離應保持 2 公尺。落水管與屋頂的距離應保持 50%。

5. 安裝時，請將落水管安裝在屋頂最低處，且落水管與屋頂的距離應保持 1.5-1.8 公尺。落水管與屋頂的距離應保持 2 公尺。落水管與屋頂的距離應保持 50%。

Project

Trust comes from quality

Real case, real power

Selected engineering cases







Trust comes from quality

THE PRODUCT IS VERY VERSATILE

Versatility leads to creative life



Family daily use



The villa receives water



Breeding gutters



Factory drainage



Agricultural irrigation



Planting hydroponics

Our Factory

12 YEARS

OF FOCUS ON GUTTER TECHNOLOGY

...

Trust comes from quality

SOURCE MANUFACTURER QUALITY ASSURANCE

"Win tomorrow with the trust of quality"



12years	34840m²	25,000m
of industry experience	meters of factory area	average daily output

Certificate

Trust comes from quality

AUTHORITATIVE ORGANIZATION INSPECTION

There is a certificate and guarantee and only with strength can you rest assured



FAQ

1.Q: 如何選擇合適的管徑和壁厚？

A: 根據您的應用需求，我們提供 PVC 管、PVC 管、PPR 管等各種規格。

2.Q: 貴公司的生產廠家地址是？

地址：中國 廣東省 佛山市 南海區 丹灶鎮 橫江新路
電話：0757-86311111 10 樓

3.Q: 貴公司的產品質量如何？

品質保證：

(1) 採用優質原料 (ISO9001 x 認證, 合格)

(2) 嚴格檢驗

(3) 完善售後

4.Q: 貴公司的產品價格如何？

價格：公道 服務：周到

5.Q: 貴公司的產品規格是？

規格：標準規格 T/T 或 L/C 30% 預付款 T/T, Western Union,

6.Q: 貴公司的產品包裝是？

包裝：標準包裝 5 米 或 10 米 每捆

或 根據您的要求進行包裝

7.Q: 貴公司的產品運輸是？

A: 我們提供全國各地的運輸服務，運費自理。

或 根據您的要求進行運輸

8.Q: 貴公司的產品保用期是？

保用期：15 年 或 根據您的要求進行保用