

# Product show

Tasarım □ İspanyol Stili  
Renk Süren Renk □ 10 yıl solma yok  
Uzunluk □ Özelleştirilmiş  
Kalınlık □ 1.8mm, 2.0mm □ 2.2mm □  
2.5mm, 2.8mm, 3.0mm  
Genel genişlik □ 1130mm  
Etkili Genişlik □ 1000/1050mm  
Purlin Aralığı □ 660mm  
Katmanlar □ 3 katman  
Yüzey □ Kabartmalı/pürüzsüz



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets



## 1130 trapezoidal sheets




## 900 high wave



## 980 high wave



# PVC accessories



ZXC New Material Technology Co., Ltd. Ürünlerimiz PVC tabakaları, ASA sentetik reçine çatı karo, FRP çatı karoları, oluk, UPVC çatı kaplama çarşafı vb. Stok büyüklüğü detaylarımız, daha hızlı teslimat süresi olabilir. Hoş geldiniz Bize özel iletişim kurun.



# Our Factory





# Engineering case



# Certificate



Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tolerance on warpage.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.10	Pass
4	Slip-resistance	1/100	---	170	---
5	Flexure strength	MPa	≥ 20	30	Pass
6	Edge break	%	≤ 20	10	Pass
7	Surface flatness (1m <sup>2</sup> )	---	No significant warps or cracks after report out.	Confirmed	Pass
8	Acid resistance (10%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Acid resistance (5%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Water absorption (water uptake, 24h)	mm	≤ 10	12	Pass
11	Change index	%	≤ 0.1	0.06	Pass

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible crack, hole, scratch, bubble, or other defect, color difference.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	MPa	≥ 20	26	Pass
4	Flexure strength	MPa	≥ 20	30	Pass
5	Flexural modulus	MPa	≥ 2000	3000	Pass
6	Slip-resistance	1/100	---	170	---
7	Dimension	mm	---	---	---
8	Water absorption (water uptake, 24h)	mm	≤ 10	10	Pass
9	Change index (10%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass
10	Change index (5%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass
11	Water absorption (water uptake, 24h)	mm	≤ 10	10	Pass
12	Change index (10%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass
13	Change index (5%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass
14	Water absorption (water uptake, 24h)	mm	≤ 10	10	Pass
15	Change index (10%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass
16	Change index (5%, H <sub>2</sub> SO <sub>4</sub> , 24h)	---	No noticeable change or delamination phenomenon after report out.	Confirmed	Pass





# Exhibition





# Packaging





# FAQ

## **\*Üretici mi yoksa tüccar mısınız?**

\*Evet, gerçek üreticiyiz, şirket tanıtımımızda birçok resim var. Başka özel ürünlere ihtiyacınız varsa, size yardımcı olmak için elimizden geleni yapacağız, böylece uzun vadeli bir iş ilişkisi kurabiliriz.

## **\*Profil yapmak istediğim ürünü sipariş edebilir miyim?**

\*Tabii ki, ürünleri detay isteklerinize göre de üreteceğiz.

## **\*Şirketimin markasını ürünlerinize koyabilir misiniz?**

\*Evet, OEM ve ODM hizmetini kabul ediyoruz, ancak şirketiniz hakkında bazı bilgilere ihtiyacımız var.

## **\*Çatı tabakası nasıl kurulur?**

\*Lütfen hizmet personelimizle iletişime geçin, sizin için kurulum videomuz var.

## **\*Pazarı açmam ve test kalitesini açmam için örnekler sağlayabilir misiniz?**

\*Evet, size ücretsiz örnek verebiliriz.

## **\*Nakliye maliyetini ödeyebilir misiniz?**

Lütfen servis personelimizle iletişime geçin.

## **\*Ticaret döneminiz nedir?**

\* Ödeme: T/T% 30 önceden, sevkiyattan önce bakiye.

? Üretim teslim süresi:% 30 depozitodan sonraki 7 iş günü içinde

? FOB Nakliye Limanı: Foshan, Guangzhou, Shenzhen