

Product show

Product name□Transparent PC Roof Sheet
Application□Green houses, skylights and so on
Color□Transparent white,blue ,green
Length□customized
Thickness□1mm,1.2mm,1.5mm,2.0mm
Overall width□920mm
Effective width□840mm
Purlin spacing□700~800mm
Surface□Smooth surface
Raw material□Pc Named Bayer



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

More Types

1130 corrugaetd sheets



1130 trapezoidal sheets



900 high wave



980 high wave



PVC accessories



ZXC New Material Technology Co., Ltd. Our products include PVC sheets, ASA Synthetic Resin Roof Tile, FRP Roofing Tiles, gutter, upvc roofing sheets etc. If your order matches our stock size details, we can faster delivery time. Welcome Contact Us Custom.

Our Factory



Engineering case



Certificate



Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no stains, cracks or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and both sides are straight.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.12	Pass
4	Slip-resistance	1/100	---	170	---
5	Flexure strength	Mpa	≥ 20	30	Pass
6	Edge break	%	≤ 20	10	Pass
7	Water absorption (1h)	%	No pollution marks or water absorption mark	---	Confirmed
8	Acid resistance (20%, HCl, 24h)	---	No obvious color change or delamination phenomenon	---	Confirmed
9	Alkali resistance (20%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	---	Confirmed
10	Freeze-thaw resistance (5 cycles)	---	No obvious color change or delamination phenomenon	---	Confirmed
11	Impact resistance (1kg, 1m)	---	No cracks, delamination, bubbles, peeling or no surface	---	Confirmed
12	Surface abrasion (100g, 1000r)	---	No cracks or significant loss of surface layer and the surface still smooth	---	Confirmed
13	Load performance (5t)	---	---	1000	Pass
14	Flexural strength (3-point)	Mpa	---	24.0	Pass
15	Shear strength (change in flexibility)	N	---	12.0	Pass

Foshan Supervision Testing Centre of Quality and Metrology

Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible cracks, pits, scratch marks, surface pitting, color spots.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	Mpa	≥ 20	26	Pass
4	Flexure strength	Mpa	≥ 20	30	Pass
5	Flexural modulus	Mpa	≥ 2000	3600	Pass
6	Impact	J/m ²	---	1.0	Pass
7	Water absorption (1h)	%	---	0.15	Pass
8	Acid resistance (20%, HCl, 24h)	---	No pollution marks or water absorption mark	---	Confirmed
9	Alkali resistance (20%, NaOH, 24h)	---	No pollution marks or water absorption mark	---	Confirmed
10	Freeze-thaw resistance (5 cycles)	---	No cracks, delamination, bubbles, peeling or no surface	---	Confirmed
11	Surface abrasion (100g, 1000r)	---	No cracks or significant loss of surface layer and the surface still smooth	---	Confirmed
12	Load performance (5t)	---	---	1000	Pass
13	Flexural strength (3-point)	Mpa	---	24.0	Pass
14	Shear strength (change in flexibility)	N	---	12.0	Pass



Exhibition



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes,we are accept OEM&ODM service.But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes,we can.We can provide free samples to you.

***Could you pay the shipping cost?**

Please contact our service staff.

***What is your trade term?**

* Payment: T/T 30% in advance, balance before shipment.

? Production Lead Time: Within 7 working days after 30% deposit

? FOB Shipping Port: Foshan,Guangzhou,Shenzhen