

Product show

Thiết kế □ Phong cách Tây Ban Nha
Màu sắc kéo dài □ 10 năm không phai màu
Chiều dài □ Tùy chỉnh
Độ dày □ 1,8mm, 2,0mm □ 2,2mm □ 2,5mm, 2,8mm, 3.0mm
Chiều rộng tổng thể □ 1130mm
Chiều rộng hiệu quả □ 1000/1050mm
Khoảng cách purlin □ 660mm
Các lớp □ 3 lớp
Bề mặt □ dập nổi/mịn bề mặt



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

More Types

1130 corrugaetd sheets



1130 trapezoidal sheets



900 high wave



980 high wave



PVC accessories



ZXC New Material Technology Co., Ltd. Các sản phẩm của chúng tôi bao gồm các tấm PVC, gạch mái nhựa tổng hợp ASA, gạch lợp FRP, máng xối, tấm lợp upvc, v.v.S Chi tiết kích thước cổ phiếu của chúng tôi, chúng tôi có thể thời gian giao hàng nhanh hơn. Chào mừng liên hệ với chúng tôi tùy chỉnh.

Our Factory



Engineering case



Certificate

检验报告
Test Report

佛山市质量监督检测中心
 Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no stains, cracks or visible impurities on the surface. Edge of the tile should be clean without dust. Weathering should be less, and hydrolysis rate average.	Confirmed	Pass
2	Walk resistance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.10	Pass
4	Slip-resistance	1/100	---	170	---
5	Flexure strength	Mpa	≥ 20	30	Pass
6	Flexural modulus	%	≥ 20	30	Pass
7	Water absorption (10h, 20°C)	---	No pollution marks or water absorption mark	Confirmed	Pass
8	Acid resistance (20%, HCl, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Freeze-thaw resistance (5 cycles)	---	No cracks, delamination, flaking, peeling or other defects	Confirmed	Pass
11	Moisture absorption (24h, 20°C)	---	No cracks or expansion between the surface layer and the substrate	Confirmed	Pass
12	Load deformation	%	≤ 0.05	0.03	Pass
13	Flexural strength (3-point)	Mpa	≥ 20	26	Pass
14	Flexural modulus	%	≥ 20	26	Pass
15	Flexural strength (4-point)	Mpa	≥ 20	26	Pass
16	Flexural modulus (4-point)	%	≥ 20	26	Pass

Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible cracks, pits, scratches, bubbles, or other defects.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	Mpa	≥ 20	26	Pass
4	Flexural strength	%	≥ 20	26	Pass
5	Flexural modulus	%	≥ 20	26	Pass
6	Flexural strength (3-point)	Mpa	≥ 20	26	Pass
7	Flexural modulus (3-point)	%	≥ 20	26	Pass
8	Water absorption (10h, 20°C)	---	No pollution marks or water absorption mark	Confirmed	Pass
9	Acid resistance (20%, HCl, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
10	Alkali resistance (20%, NaOH, 24h)	---	No obvious color change or delamination phenomenon	Confirmed	Pass
11	Freeze-thaw resistance (5 cycles)	---	No cracks, delamination, flaking, peeling or other defects	Confirmed	Pass
12	Moisture absorption (24h, 20°C)	---	No cracks or expansion between the surface layer and the substrate	Confirmed	Pass
13	Load deformation	%	≤ 0.05	0.03	Pass
14	Flexural strength (3-point)	Mpa	≥ 20	26	Pass
15	Flexural modulus (3-point)	%	≥ 20	26	Pass
16	Flexural strength (4-point)	Mpa	≥ 20	26	Pass
17	Flexural modulus (4-point)	%	≥ 20	26	Pass

质量管理体系认证证书
Quality Management System Certificate

佛山市南海区众兴塑料制品有限公司
 Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope:
 生产及销售 佛山南海区众兴塑料制品有限公司
 Production and sales Foshan Nanhai Zhongxing Plastic Factory

认证标准 GB/T19001-2008/ISO9001:2008

认证机构 深圳中检认证有限公司
 Certification Authority Shenzhen Zhongjian Certification Co., Ltd.

Beide

APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE
 On behalf of
FOSHAN ZHONG XING CHENG PLASTIC FACTORY
 Plastic Tile
 Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY
 No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED
 U.K. FLAT 107, 25 INDESOON SQUARE, LONDON, UNITED KINGDOM
 CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang Bay, An Dat, Shenzhen, China

Date of Test: Feb. 18-Mar. 10, 2016
 Date of Report: Mar. 11, 2016
 Report Number: B-61020170

CELAP
CERTIFICATE

Issued on Number 0016
 Date of Issue 2016/03/14
 Certificate valid until 2018/03/14

Model Name ASA-1, PAVE, APAC-1, APAC-2, PAVE, PAVE 1
 Type Plastic Tile
 Address No. 26, Industry Road, Dandan, Foshan, Guangdong, China
 Supplier Code: 0016-0016

This certificate is issued in accordance with the requirements of the following standards, and is valid for the following construction products (CPDs):

Presence of Declaration of Conformity (DoC)	✓
Presence of CE mark (or UKCA mark) in accordance with the technical specifications	✓
Presence of CE mark (or UKCA mark) on the product	✓
Presence of CE mark (or UKCA mark) on the packaging	✓
Presence of CE mark (or UKCA mark) on the packaging	✓
Presence of CE mark (or UKCA mark) on the packaging	✓
Presence of CE mark (or UKCA mark) on the packaging	✓

The certificate is issued in accordance with the requirements of the following standards, and is valid for the following construction products (CPDs):

Check the authenticity of this certificate and related information before use. In the case of any doubt, please contact the issuing authority. This certificate is issued only for the use of the construction products mentioned in the certificate. This certificate is not valid for any other use.

www.celab.com

Exhibition



Packaging



FAQ

***Bạn là nhà sản xuất hoặc thương nhân?**

*Có, chúng tôi là nhà sản xuất thực sự, có nhiều hình ảnh trong giới thiệu công ty của chúng tôi. Nếu bạn cần sản phẩm đặc biệt khác, chúng tôi sẽ cố gắng hết sức để giúp bạn, vì vậy chúng tôi có thể xây dựng mối quan hệ kinh doanh lâu dài.

***Tôi có thể đặt hàng sản phẩm với tôi muốn hồ sơ không?**

*Tất nhiên bạn có thể, chúng tôi cũng sẽ sản xuất các sản phẩm theo yêu cầu chi tiết của bạn.

***Bạn có thể đặt thương hiệu của công ty tôi vào sản phẩm của bạn không?**

*Có, chúng tôi chấp nhận dịch vụ OEM & ODM. Nhưng chúng tôi cần một số thông tin về công ty của bạn.

***Làm thế nào để cài đặt tấm lợp?**

*Vui lòng liên hệ với nhân viên dịch vụ của chúng tôi, chúng tôi có video cài đặt cho bạn.

***Bạn có thể cung cấp các mẫu cho tôi để mở thị trường và chất lượng thử nghiệm không?**

*Có, chúng tôi có thể. Chúng tôi có thể cung cấp các mẫu miễn phí cho bạn.

***Bạn có thể trả chi phí vận chuyển không?**

Vui lòng liên hệ với nhân viên dịch vụ của chúng tôi.

***Thời hạn giao dịch của bạn là gì?**

* Thanh toán: T/T trước 30%, cân bằng trước khi giao hàng.

? Thời gian dẫn đầu sản xuất: Trong vòng 7 ngày làm việc sau 30% tiền gửi

? Cảng vận chuyển FOB: Foshan, Quảng Châu, Thâm Quyến