


ZXC ASA

ZXC New Material Technology Co., [ZXC ASA](#) 2023-2024 年 ZXC ASA 产品目录 .ZXC ASA 产品目录 [ASA](#) 产品目录

公司简介	ZXC ASA
名称	ZXC
地址	(ZXC ASA) 中国广东省深圳市宝安区西乡街道
电话	0755-27188888 0755-27188889 0755-27188890 0755-27188891 0755-27188892 0755-27188893 0755-27188894 0755-27188895 0755-27188896 0755-27188897 0755-27188898 0755-27188899
年份	25 年
认证	ISO9001 / SGS / CE / 中国强制性产品认证
主要客户	100 多个
主要设备	1x20GP 1 台 6 x40GP 7 台
主要材料	13500 多个 8 个
主要材料	T/T 30% 预付款 70% 货到付款
主要材料	FOB (FCL) 或 CIF (LCL) 均可
主要材料	中国广东省深圳市宝安区西乡街道
主要材料	中国 / 美国 / 欧洲
主要材料	中国广东省深圳市宝安区西乡街道

25
Quality
Guaranteed





Purplish Red



Brick Red



Sky Blue



Black



Dark Green

□□□□□□ □□	#1050-160-30
□□□□	□□□□□□□□ □□□□
□□□□ □□□□	1050 □□□

•

•

•

•

•

• $\geq B1$ GBB8624-2006.

•

•

•

•

•

resin roof tile accessories



▶ Step1



▶ Step2



▶ Step3



▶ Step4



▶ Step5



▶ Step6

Engineering case



Our Factory



Exhibition



Certificate

检验报告
Test Report

佛山市质量监督检测中心
Foshan Supervision Testing Centre of Quality and Metrology

Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The color of tile should be uniform. There should be no cracks, marks or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and both sides are straight.	Confirmed	Pass
2	Walk distance	mm	≤10	8	Pass
3	Thickness deviation	mm	±0.2	±0.12	Pass
4	Slip-resistance	1/100	—	1700	—
5	Break strength	MPa	≥2.0	3.1	Pass
6	Flexural strength	%	≥2.0	3.1	Pass
7	Water absorption (1h)	%	≤0.5	0.2	Pass
8	Acid resistance (20%, HCl, 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Freeze-thaw resistance (cyclic 20 times)	—	No cracks, delamination, spalling or other defects on the surface.	Confirmed	Pass
11	Moisture absorption (24h)	%	≤0.5	0.2	Pass
12	Load resistance	N	≥1000	1100	Pass
13	Flexural strength (cyclic 20 times)	MPa	≥2.0	3.1	Pass
14	Dimensional change on soaking	%	≤0.2	0.1	Pass

Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	—	The surface should be smooth with uniform coloration and no obvious cracks, pits, marks, bubbles, surface pitting, color differences.	Confirmed	Pass
2	Surface layer thickness	mm	≥0.17	0.18	Pass
3	Tensile strength	MPa	≥2.0	2.8	Pass
4	Flexural strength	%	≥2.0	3.1	Pass
5	Flexural strength	MPa	≥2.0	3.1	Pass
6	Flexural strength	MPa	≥2.0	3.1	Pass
7	Slip-resistance	1/100	—	1700	—
8	Water absorption (1h)	%	≤0.5	0.2	Pass
9	Water absorption (24h)	%	≤0.5	0.2	Pass
10	Acid resistance (20%, HCl, 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Alkali resistance (20%, NaOH, 24h)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
12	Freeze-thaw resistance (cyclic 20 times)	—	No cracks, delamination, spalling or other defects on the surface.	Confirmed	Pass
13	Moisture absorption (24h)	%	≤0.5	0.2	Pass
14	Load resistance	N	≥1000	1100	Pass
15	Flexural strength (cyclic 20 times)	MPa	≥2.0	3.1	Pass
16	Dimensional change on soaking	%	≤0.2	0.1	Pass

质量管理体系认证证书
Quality Management System Certificate

佛山市南海区众兴塑料制品有限公司
Foshan Nanhai Zhongxing Plastic Factory

认证范围 Scope:
生产及销售 塑料挤出制品及塑料制品
Manufacturing & Sales of Plastic Extrusion Products and Plastic Products

认证依据标准: GB/T19001-2008/ISO9001:2008

认证机构: 广东中检认证有限公司
GAM

Beide

APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE

On Behalf of
FOSHAN ZHONG XING CHENG PLASTIC FACTORY
Plastic Tile
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED
U.K. FLAT 107, 25 INDEESON SQUARE, LONDON, UNITED KINGDOM
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao? An Dist, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016
Date of Report: Mar. 11, 2016
Report Number: B-61020170

CELAP®
celab

CERTIFICATE

Application Number: 2016/01/01
Model: ASA-1

Prepared For: FOSHAN ZHONG XING CHENG PLASTIC FACTORY
No. 26, Industry Road, Dandan, Foshan, Guangdong, China

Prepared By: BEIDE (UK) PRODUCT SERVICE LIMITED
U.K. FLAT 107, 25 INDEESON SQUARE, LONDON, UNITED KINGDOM
CHINA: 6F, Bldg E, Hound 3rd Ind Zone, Xixiang, Bao? An Dist, Shenzhen, China

Date of Test: Feb. 18-Mar. 18, 2016
Date of Report: Mar. 11, 2016
Report Number: B-61020170

www.celab.com

Packaging

