

Product show

□□□□ □□ **ZXC FRP** □□□□□ □□ □□□□ □□□□:

በዚህ ምሳሌ ውስጥ `frp` ስርዓቱን ለማስተካከል የሚያስፈልጉትን ስርዓቶች በዚህ ምሳሌ ውስጥ በሚገልጸው ስርዓት መሰረት ማስተካከል ይቻላል፡፡

□□□□□ □□□□□ □□□:

මහජනතාව මුහුණ දුන් ප්‍රශ්නය වන්නේ, 85-60 වයස් කාලයේදී FRP වැඩිවීමට හේතු වන්නේ කුමක්ද යන්නයි. මෙයට පිළිතුරු සැපයීමට සෞඛ්‍ය සේවාවන්ට සමත් වීමට සිදු විය.

□□□□ □□□□:

0000000 00 0000 000 0000000 0000 000 05 / 1-4 / 1 000 000000000 00000000 02.0-1.3 000 00000000 00000000
00000000 0000 000000000 00000000 000000 000000 000000 0000000000.

ZXC 00000 000 000000 000000 00 000 80 00000 000 000 000000 000000 000000_000000_0000000000_000000 00000 .00000 000000000 00 000000000 000 0000000000 00000000 00 00000000 0000000 00000 000 00 00 130 0000 0000 00 00000000 **FRP** 00000000 000000000 00 0000000.

□□□□□□ □□□□□ □□□□□ □□□□□:

[illegible][illegible]



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



الخصائص العامة	الخصائص الفنية
اللون	01-أبيض
السمك	السمك 2.0
الوزن	6000 كجم/20 قدم مربع 11800 كجم/20 قدم مربع
الارتفاع	الارتفاع 0.1 متر
العرض	930 ملم
العمق	840 ملم
الارتفاع	660 ملم
الوزن	1.0 ± 0.1 كجم
الارتفاع	1.2 ± 0.1 كجم
الوزن	1.5 ± 0.1 كجم
الارتفاع	2.0 ± 0.1 كجم
الوزن	1.7 ± 0.1 20/2000
الارتفاع	2.1 ± 0.1 20/2000
الوزن	2.6 ± 0.1 20/2000
الارتفاع	3.0 ± 0.1 20/2000
الخصائص الفنية	
SQ.M./20 FCL (21 قدم مربع)	26 قدم مربع 40/2000 قدم مربع
12000 20	15000 20
10000 20	12300 20
8000 20	10000 20
7000 20	8600 20

نحن **صفائح التسقيف البلاستيكية المموجة الشفافة**، تقديم خدمات مخصصة منخفضة السعر، إذا كان لديك أي احتياجات لبلاط السقف، فلا تتردد في الاتصال بنا للمبيعات أو ترك رسالة لنا!

CUSTOMER CASE SHOW

Has more than ten years of production experience

[illegible]

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



Our Factory

Zhongxingcheng New Material Co., Ltd. 公司位于中国广东省佛山市南海区. 公司主要生产各种塑料板材, 包括 ASA, APVC, PVC, FRP 等. 公司拥有先进的生产设备和专业的技术团队, 为客户提供高质量的产品和优质的服务.



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* **የጥቅም ላይ የዋለው የጥቅም ሆኖ የሚገኝ**
 የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ *
 .የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ

የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ የጥቅም ሆኖ የሚገኝ *

. □□□□□□ □□□□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ *

□□□□□□□□ □□□ □□□□□□ □□□□□□□□ □□□□□□ □□□ □□□□□ □□ *

.000000 000 0000000000 000 000 00000 000000 .00000000 0000000 00000 00000 0000 0000 0000 0000 *

□□□□□□□□ □□□□ □□□□□□ □□□□□□ *

. 00 000000 00000 00000 000000 000000 000000 000000 000000 0000*

□□□□□□ □□□□□□ □□□□□ □□□□ □□ □□□□□□ □□□□□ □□□□□ □□ *

• 0000 0000 0000 0000 00 0000 0000 00 0000 00 00 0000 0000 0000 0000 0000 *

□□□ □□□□□ □□□□□□□ □□□□□ □□ □□ *

□□□□ *: T/T 30% .□□□□ □□ □□□□ □□□□

□30 □□□□ □□□ □□□ □□□□ 7 □□□□ □□ :□□□□□□□ □□□□ □□□□ •

□□□□□ □□□□□□□□□ □□□□□ :□□□ □□□□□ □□□□□ •