

# Product show

本公司专业生产 PVC 防水卷材，产品具有防水、防潮、耐腐蚀、使用寿命长等特点。广泛应用于建筑、工业、交通等领域。产品规格齐全，质量可靠，欢迎各界人士垂询。

1. 产品规格
2. 产品特点
3. waterproof 防水性能
4. 产品应用
5. 产品优势
6. 产品报价



zxc roofing tile industry

# After sales less is really good

Ten years of slow fading, **30** years of warranty



## GOOD CHOICE

Our advantage



Intimate service, strong product supply capacity



product available



A variety of styles and specifications sufficient stock



Support customization



Specifications and sizes can be consulted with customer service in detail, and quotations can be customized



Worry-free after sales



Manufacturers wholesale quality assurance, affordable prices, worry-free after-sales

12-1	
3.0-6.8	
1130 / 930 / 980 / 1050 / 1080	
30	
ASA PVC	
10	
-10	70
2	3
10	

[انقر صفائح بلاط السقف البلاستيكية سعر الصين لتعلم المزيد](#)

# SOURCE MANUFACTURER #

---

>



# THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



## severely faded

Wind and sun soften and fade



## There is a gap

Uneven with gaps, leaking rain



## uneven color

Weathered uneven color  
phenomenon



## Fragile

Fragile and complicated  
to install

# our products ✓

Ten years of slow fading, 30 years of warranty



**Uniform color, durable and not easy to fade**  
Good quality, durable and bright.




high toughness



Strong pressure resistance

Effective insulation



good sound insulatio



**thermal and acoustic insulation high-quality**  
Good sound insulation effect in case of external noise



**preservative**  
Anti-acid and alkali



**flame retardant performance**  
b1 class fire performance

# PRODUCT PARAMETERS

---

#

>



<b>thickness:</b> 1.0mm-3.0mm
<b>width:</b> 1130/980/900/840/1080mm
<b>length:</b> customizable
<b>waveform:</b> big hang, small wave
<b>type:</b> asa plastic roofing tile
<b>Be applicable:</b> Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosive factories

---



# A variety of colors, optional to build different architectural styles

More colors can be customized



<Mlight yellow>



<dark blue>




<grass green>



<Beige>

# Accessories and Installation Diagram



\*pvc plastic waterproof cap, used with self-tapping screws to fix the tile on the skeleton



# CUSTOMER CASE SHOW #





Factory renovation



# Our Factory

本公司 Zhongxingcheng New Material Co., Ltd. 专业生产 各种规格 的ASA 和APVC 产品。我们拥有先进的生产设备和专业的技术团队，为客户提供高质量的产品和优质的服务。我们的工厂位于中国，交通便利，欢迎各界人士垂询。

PVC 瓦片 瓦片瓦片 瓦片瓦片 PVC 瓦片 PVC 瓦片 瓦片 . 瓦片瓦片 瓦片瓦片 FRP PVC 瓦片 PC 瓦片瓦片.



## Quality inspection instruments strictly control the quality

Each batch of products has undergone rigorous testing.



Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing

Factory display



In-stock inventory



Own production line



Own production line



# Exhibition





# Certificate

# Official quality inspection, quality assurance

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



佛山市质  
Foshan Supervision

佛山市质量计量监督检测中心  
检验报告

编号: QB-049-02      No. G14-WT1489  
共 2 页 第 2 页

序号	检测项目	单位	标准要求	检测结果	判定
1	外观	—	表面光滑平整, 厚度均匀, 色泽一致, 无裂纹、缺口、破孔、烧焦、气泡、明显麻点、杂质点	符合	合格
2	密度	g/cm <sup>3</sup>	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度800mm, 载荷40kg, 允许挠度≤50	15	合格
4	冲击性能	—	1kg重钢球, 1.5m 自由落体, 冲击试样无碎裂, 试样经冲击试验后不得产生贯穿的孔穴或裂纹	符合	合格
5	吸水率	%	≥60	43	合格

审核: 王博斌      主检: 梁德聪

全部合格

佛山市质量计量监督检测中心  
No. G14-WT1489

共 2 页 第 1 页

生产日期: ————  
 编号或批号: ————  
 样品编号: ————  
 检测类别: 委托检测  
 样品数量: 2件  
 检测日期: 2019年02月24日  
 检测人: 李东平

0046标准的要素:  
 二〇一九年六月  
 佛山市质量计量监督检测中心  
 主检: 梁德聪

# Packaging



# FAQ

\* 00000 00 0000 000 00  
 0000 000 0000 000 00000 000 000 .000000 00000 00 00000 00 000000 0000 00000000 000000 000 0000 \*  
 .000000 000000 000000 00000 0000 00 00000 000 0000000000 000000 000000 0000000

00000 0000000 00 0000 0000 0000000 000 0000000 00\*  
 .0000000000 00000000 000000 0000000000 0000000 000000 000000 00000 000000 000000 0000000\*

000000000 000 0000000 0000000000 000000000 000 000000 00 \*

..... \*  
.....

..... \*  
.....\*

..... \*  
..... \*

..... \*  
..... \*: T/T 30% .  
..... 30 ..... 7 ..... •  
..... :..... •