

Product show

[illegible]

1. 10000 10000
10000 10000 .2
3.waterproof 10000 10000
10000 100 .4
10000 10000 .5
10000 10000 100 .6

ZXC □□□□ **PVC** □□□□□□□□□□□□□□□□





TYPE 840 PIT



900 TYPE HIGH WAVE (FLOWING WATER FAST)



980 TYPE HIGH WAVE



1080 TYPE HIGH WAVE

(FLOWING WATER FAST)



1130 TYPE WAVELET



1130 TYPE PIT



1100 TYPE HIGH CIRCULAR WAVE



HOLLOW ROOF TILE



Our Factory

公司 Zhongxingcheng New Material Co., Ltd. 地址 Foshan 南海 塑料 挤出
 改性塑料 塑料 塑料 ASA 塑料 APVC 塑料 PVC 塑料 FRP 塑料 PC 塑料。



There are 130 employee



Delivery time **5 DAYS**
About **7000m²** per cabinet
About **28m³**



All new material
No recycled material



Hardness Testing



ASA Surface Thickness Test



Impact Resistance



Tensile Test



Measure product thickness
The product thickness is 2mm



Hot selling area
Central And South America
Oceania, Asia, Africa

PVC plastic steel tile PK iron sheet tile



QUALITY

Has superior corrosion resistance



Rusty and perishable



HEAT
INSULATION

New material plastic steel tile
Good thermal insulation



Direct sunlight iron tile
Temperature too high



COLOUR

ASA PVC ROOF SHEET
Long lasting and non fading



Severe fading



Use scene:greenhouse,
residence,pergola



Exhibition



Certificate



Packaging



FAQ

0000 000 0000 000 00000 000 000 .000000 00000 00 00000 00 000000 0000 00000000 000000 000 0000 *

.000000 00000 000000 00000 0000 00 00000 000 000000000 00000 000000 000000

. 0000000000 00000000 000000 0000000000 00000000 000000 000000 0000 000000 00000000*

.....

.....*

.....

.....*

.000000 00000000 00000000 00000000 0000 00000000 000000 000 000000 00 0000 000000 000000 000000 000000 000000 *

□□□□ *: T/T 30% .□□□□ □□ □□□□ □□□□

□□□□□□ □□□□□□□□□□ □□□□□□ :□□□ □□□□□ □□□□□□ •