

Product show

□□□□ □□ **FRP** □□□□□□ □□ □□□□ □□□□ □□

பெரிய அளவுக்குள்ளேயே பல்வேறு பண்புகள் கொண்டவர்கள் இருக்கிறார்கள். அவர்களைப் பற்றி எல்லாம் இங்கே சொல்ல முடியாது. ஆனால், அவர்களைப் பற்றிச் சொல்ல வேண்டிய சில விஷயங்களைச் சொல்லுவோம்.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible][illegible]

00000000 00 00000 000 00000000 00000 0000 05 / 1-4 / 1 000 00000000000 000000000 02.0-1.3 000 00000000 00000000
 000000 00000000 .00000000 00000 0000000000 000000000 0000000 0000000 000000 00000000000 FRP 80 000000 000 000
 00 00000000000 00000000 00 000000000 0000000 000000 000 00 00 130 000000 000 000000 000000 000000 00 000
 0000 0000 00 0000000000 0000 .000000 0000000000 00 00000000000 FRP 0000000000 0000000000 00 00000000.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

10. 下列各句，其句意與「吾嘗心服而不敢言」最接近的是

[illegible]




ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



الخصائص	الخصائص
اللون	01-اللون
السمك	السمك
الوزن	6000 كجم/متر مربع 11800 كجم/متر مربع
المتانة	المتانة
المتانة	930 كجم
المتانة	840 كجم
المتانة	660 كجم
المتانة	1.0 ± 0.1 كجم
المتانة	1.2±0.1 كجم
المتانة	1.5±0.1 كجم
المتانة	2.0 ± 0.1 كجم
المتانة	1.7±0.1 20/كجم
المتانة	2.1±0.1 20/كجم
المتانة	2.6±0.1 20/كجم
المتانة	3.0±0.1 20/كجم
المتانة	المتانة
SQ.M./20 FCL (21 كجم)	26 كجم 40/كجم كجم
12000 20	15000 20
10000 20	12300 20
8000 20	10000 20
7000 20	8600 20

نحن نقدم خدمات مخصصة منخفضة السعر، إذا كان لديك أي احتياجات ورقة FRP) لبلاط السقف، فلا تتردد في الاتصال بنا للمبيعات! [التسقيف المورد الصين](#)) أو اترك لنا رسالة

CUSTOMER CASE SHOW

Has more than ten years of production experience

[illegible]

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue




grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered




*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



06

Good light transmission

The light is astigmatism, the light is soft, and the light transmittance is high.


Our Factory

Zhongxingcheng New Material Co., Ltd. 公司位于中国广东省佛山市南海区. 公司主要生产各种塑料薄膜, 包括: ASA, APVC, PVC, FRP 等. 我们的产品广泛应用于农业、工业和建筑领域.



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





—04—

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

—05—

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 000000 00 0000 000 00

0000 000 0000 000 000000 000 000.000000 00000 00 000000 00 0000000 00000 0000000 000000 000 00000 *

000000 0000000 00 0000 00000 0000000 000 0000000 00*

