

## Product show

[illegible]

□ □ □ □ □ □   □ □ □ □ □ □   □ □ □

[illegible]

00000000 00 0000 000 0000000 0000 000 05 / 1-4 / 1 000 000000000 00000000 02.0-1.3 000 00000000 00000000  
 000000 0000000 .0000000 0000 000000000 00000000 000000 0000000 000000 0000000000 FRP 80 000000 000 000  
 00 0000000000 00000000 00 00000000 0000000 000000 000 00 00 130 000000 000 000000 000000 000000 00 000  
 0000 0000 00 0000000000 0000 .00000 000000000 00 0000000000 FRP 000000000 0000000000 00 00000000.

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

10. 1990 年 10 月 1 日起，凡在我国境内销售或进口的货物，其包装物均须符合我国有关标准，并须经国家质量监督检验检疫总局核准，方可使用。不符合要求的包装物，不得使用。

[illegible]




ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

# FRP LIGHTING ROOF TILE



***10-year  
warranty***




| الخصائص العامة        | الخصائص الفنية                 |
|-----------------------|--------------------------------|
| اللون                 | 01-أبيض                        |
| السمك                 | السمك 20                       |
| الوزن                 | 6000 كجم/20 قدم مربع 11800 كجم |
| الارتفاع              | الارتفاع 20                    |
| العرض                 | 930 ملم                        |
| العمق                 | 840 ملم                        |
| الارتفاع              | 660 ملم                        |
| الارتفاع              | 1.0 ± 0.1 ملم                  |
| الارتفاع              | 1.2±0.1 ملم                    |
| الارتفاع              | 1.5±0.1 ملم                    |
| الارتفاع              | 2.0 ± 0.1 ملم                  |
| الارتفاع              | 1.7±0.1 20/20                  |
| الارتفاع              | 2.1±0.1 20/20                  |
| الارتفاع              | 2.6±0.1 20/20                  |
| الارتفاع              | 3.0±0.1 20/20                  |
| الخصائص العامة        |                                |
| SQ.M./20 FCL (21 قدم) | 26 قدم 40/20 قدم               |
| 12000 20              | 15000 20                       |
| 10000 20              | 12300 20                       |
| 8000 20               | 10000 20                       |
| 7000 20               | 8600 20                        |

نحن نقدم خدمات مخصصة منخفضة السعر، إذا كان لديك أي احتياجات [المورد الصين](#) **FRP** لبلاط السقف، فلا تتردد في الاتصال بنا ( [صفائح](#) للمبيعات أو ترك لنا رسالة

# CUSTOMER CASE SHOW

Has more than ten years of production experience



|          |                                                                                       |
|----------|---------------------------------------------------------------------------------------|
| 厚度:      | 1.0 mm 2.8 - mm                                                                       |
| 宽度:      | 1130/ 930/ 900/ 840 mm                                                                |
| 长度:      | 可定制长度                                                                                 |
| 表面处理:    | 镀锌 铝 不锈钢 铜                                                                            |
| 定制服务:    | 可定制                                                                                   |
| 定制服务 内容: | 可定制长度 可定制宽度 可定制厚度 可定制表面处理 可定制颜色 可定制形状 可定制尺寸 可定制重量 可定制数量 可定制包装 可定制运输 可定制安装 可定制维护 可定制其他 |

# **A variety of colors, can build different architectural styles**

More colors can be customized



light yellow



blue



grass green



Beige

---

# PRODUCT DISPLAY

Authentic product photography highlights the quality of details



# CUSTOMER CASE SHOW

More than ten years of production experience



# APPLICABLE SCENE DISPLAY

scope of application

~



***planting shed***

Rainproof, constant temperature  
moisturizing space, transparent



***roof***

Good light transmission  
performance, no rain leakage



***Villa shed***

Bright colors, more class



***Recreation area***

Color unevenness due to weathering

# SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound  
insulation*

*Anti  
-corrosion*

*insulation*

*High  
temperature  
resistance*

*anti  
-stress*



# “ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



## **01** High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



## **02** Strong bearing capacity, more impact resistance

Add high quality glass fiber



## **03** Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



## **04** Impact resistance

Shock resistant, not easy to break



## **05** Good flame retardant performance

Maintain stable performance in the temperature range of  $-40^{\circ}$ - $120^{\circ}$  without softening



## Our Factory

Zhongxingcheng New Material Co., Ltd. 廠址設於中國廣東省佛山市南海區. 主要生產各種塑料薄膜, 如: ASA, APVC, PVC, FRP 等. 產品廣泛應用於建築、農業、工業等領域. 歡迎各界人士垂詢.



# FACTORY REAL SHOT DISPLAY

Professional production to do every step



# **Sampling and testing each batch of products to ensure quality**

X



DISPLAY

# CUSTOM PROCESS

Easy shopping, quality assurance,  
after-sales rest assured



— 01 —

## ONLINE CONSULTATION

Provide professional product  
consultation



— 02 —

## PROVIDE PRICING

Provide reasonable price for  
product performance



— 03 —

## PREPAID CUSTOMIZATION

Deposit in advance according  
to different proportions





— **04** —

## ORDER PRODUCTION

Professional and rapid production  
of multiple production lines

— **05** —

## AFTER DELIVERY

Intimate and assured after-sales  
service



Exhibition



# Certificate

# Security sense of authoritative testing

Multiple quality inspection and testing  
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



# Packaging



# FAQ

\* 00000 00 0000 000 00

0000 000 0000 000 00000 000 000.000000 00000 00 00000 00 000000 0000 00000000 000000 000 0000 \*

00000 000000 00 0000 0000 000000 000 000000 00\*

.0000000000 00000000 000000 000000000 000000 000000 000000 00000 000000 000000 \*

000000000 000 0000000 000000000 00000000 000 000000 00 \*

.000000 000 0000000000 000 000 000000 0000000 .00000000 00000000 000000 000000 0000 0000 000 0000 \*

□□□□□□□□ □□□□ □□□□□ □□□□□ \*

. 00 0000000 000000 000000 000000 000000 000000 000000 000000 \*

[illegible]

. 00000 000000 000000 0000000 0000 0000000 000000 000 000000 00 000 000000 000000 000000 000000 000000 0000 \*

□□□ □□□□□ □□□□□□□ □□□□□ □□ □□ \*

□□□□ \*: T/T 30% .□□□□ □□ □□□□ □□□□

□30 □□□□ □□ □□ □□□ 7 □□□□ □□ :□□□□□□ □□□□ •

□□□□□ □□□□□□□□□ □□□□□ :□□□ □□□□□ □□□□□ •