





zxc roofing tile industry

# After sales less is really good

Ten years of slow fading, **30** years of warranty



## GOOD CHOICE

Our advantage



Intimate service, strong product supply capacity



product available



A variety of styles and specifications sufficient stock



Support customization



Specifications and sizes can be consulted with customer service in detail, and quotations can be customized



Worry-free after sales



Manufacturers wholesale quality assurance, affordable prices, worry-free after-sales





# SOURCE MANUFACTURER #

---

>





# THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



## severely faded

Wind and sun soften and fade



## There is a gap

Uneven with gaps, leaking rain



## uneven color

Weathered uneven color  
phenomenon



## Fragile

Fragile and complicated  
to install

# our products ✓

Ten years of slow fading, 30 years of warranty



**Uniform color, durable and not easy to fade**  
Good quality, durable and bright.




high toughness



Strong pressure resistance



Effective insulation



good sound insulatio



**thermal and acoustic insulation high-quality**  
Good sound insulation effect in case of external noise



**preservative**  
Anti-acid and alkali



**flame retardant performance**  
b1 class fire performance

# PRODUCT PARAMETERS

---

#

>



**thickness:** 1.0mm-3.0mm

**width:** 1130/980/900/840/1080mm

**length:** customizable

**waveform:** big hang, small wave

**type:** asa plastic roofing tile

**Be applicable:** Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosive factories

---



# A variety of colors, optional to build different architectural styles

More colors can be customized



<Mlight yellow>



<dark blue>




<grass green>



<Beige>

# Accessories and Installation Diagram



\*pvc plastic waterproof cap, used with self-tapping screws to fix the tile on the skeleton





# CUSTOMER CASE SHOW #





Factory renovation



# Our Factory

公司 Zhongxingcheng New Material Co., Ltd. 地址 佛山 南海区 China 产品 塑料 板  
 聚丙烯 聚碳酸酯 聚酰胺 聚醚醚酮 ASA 聚苯胺 聚砜 聚酰亚胺 APVC 聚氯乙烯 PVC



PC板 PVC板 FRP板 PVC板 PC板



## Quality inspection instruments strictly control the quality

Each batch of products has undergone rigorous testing.



Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing



Factory display



In-stock inventory



Own production line



Own production line



# Exhibition





# Certificate

# Official quality inspection, quality assurance

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



佛山市质  
Foshan Supervision

佛山市质量计量监督检测中心  
检验报告

No. G14-WT1489

序号	检测项目	单位	标准要求	检测结果	判定
1	外观	—	表面光滑平整, 厚度均匀, 色泽一致, 无裂纹、缺口、鼓孔、烧焦、气泡、明显麻点、杂质点	符合	合格
2	密度	g/cm <sup>3</sup>	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度800mm, 载荷40kg, 允许挠度≤50	15	合格
4	冲击性能	—	1kg重钢球, 1.5m自由落体, 冲击试样无碎裂, 试样经冲击试验后不得产生贯穿的孔穴或裂纹	符合	合格
5	抗拉强度	%	≥60	63	合格

审核: 王博斌      主检: 陈德聪

全部合格

No. G14-WT1489

佛山市质量计量监督检测中心

生产日期: ————  
 编号或批号: ————  
 样品编号: ————  
 检测类别: 委托检测  
 样品数量: 2件  
 检测日期: 2019年02月24日  
 检测人: 李彦平

检测标准的要求:  
 GB 21141-2017  
 佛山市质量计量监督检测中心“诚信守规”承诺  
 主检: 陈德聪



# Packaging



# FAQ

\* 00000 00 0000 000 00  
 0 000 000 0000 000 000000 000 0000 .0000000 000000 00 000000 00 0000000 00000 0 00000000 0000000 0000 0 0000 \*

0000 00000000 0000 0000 0000000 000 0000000 00 \*

000000000 000 0000000 0000000000 00000000 000 000000 00 \*

\*\*\* OEM \*\*\* ODM \*\*\* .

\*\*\* \*  
.\*\*\* \*

\*\*\* \*  
\*\*\* \*  
\*\*\* \*

\*\*\* \*  
\*\*\* T / T 30 \*\*\*  
\*\*\* 30 \*\*\* 7 \*\*\* •  
\*\*\* : \*\*\* •