


00000 0000	DDDDDDD DDDDD D DDDDDD DDDDDD D DDDDD DDDD
	25 🖂
	1x20GP 1 [] [] [] 6 [] [] x40GP [] [] 7 [] [] []
	1050
	2.3 3.0 / 2.8 / 2.5 /
	160 🖂
	ZXC
	0000 0 0000000 00000 0 000000 00000 0000
	ISO9001 / SGS / CE
	219 🖂
	960 🖂

- الحد الأدنى لكمية الطلب 100 متر مربع .1
- القدرة على التوريد لدينا 8 خطوط إنتاج ، حوالي 13500 متر مربع كل يوم .2
- . دفع إيداع 30٪ أولاً ، قبل تحميل الحاوية دفع باقي دفع خطاب الاعتماد ، T / T شروط الدفع .3
- نقوم بذلك بنفسي. ، (FCL) خدمة شحن حمولة حاوية كاملة .4 نجد وكلائنا للقيام بذلك. ، (LCL) أقل من خدمة تحميل الحاويات PE حزمة البليت أو كيس ميناء قوانغتشو / شنتشن / فوشان
- تطبيق تسقيف فيلا ، تسقيف منزل ، حديقة ، جرانج ، منزل حاوية ، مشروع من شقة إلى منحدر ، إلخ .5







صور مفصلة

ZXC ASA







مواصفات المنتج



1.Lasting Color

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



5.Excellent heat preservation and insulation performance

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



2.Excellent Anti-load Performance

After testing, with a support distance of 660mm, loading 150kg, the roof tile will not crack and damage.



6. Fire Proof Grade B

Difficult to burn, the fire proof level can reach Grade B and meets the common safety requirements in most areas.



3.Good Sound Insulation

Has good noise absorption performance when it is affected by external noise such as heavy rain and wind.



7.Excellent Insulating Property

ASA synthetic resin roof tile is an insulation product, and it will be intact in case of accidental dischatge.



4.Excellent anti-corrosion performance

After soaking for 24 hours in salt, alkali and 60% of various acids. It is very suitable for using in acid rain areas coastal areas, and the effect is particularly remarkable.



7. Quick Installation

ASA synthetic resin roof tile has an effective width 960mm and high paving effciency, light wight, easy loading and unloading, and with complete installation accessories.

تعريف عن الشركة





Foshan ZXC New Material Technology Co., Ltd is a professional manufacture for ASA Synthetic Resin Roof Tile, PVC Anti-corrosion Roof Sheet, APVC Plastic Roofing Sheet. UPVC heat insulation Roofing Sheet, Fiberglass Transparent Roof Sheet, PC Clear roofing sheet, PVC Rain Gutter and Accessories. We are located in Xiebian industrial area, Danzao Town, Nanhai District, Foshan City, Guangdong Province, China. We have 8 produce line, about 200 employee, Plant covers an area of 15000 square meters.

Welcome to contact us!



Our Customer



Our Team

Company History Timelines

2018



2016

Foshan ZXC plastic

manufacturer was upgraded as Foshan ZXC New Material Expanding the production Technology Co, Ltd. The new scale, owning 4 production facilities in high level have been lines, passed certitying of completed and launched for IS09001: 2008 quality mass production, covering an management system area of 15, 000 square meters owning 8 production lines with annual output of 4,500,000 square meters. We were also

2015



successfully selected as CCTV

Selected as member of National Union of Resin tiles, taking part in working on the national standard on the ASA roofing tile sheet

4011



Honored as Vice-president of the Roof tiles Committee of China Association for the Circulation of Building Materials





四月春日

Foshan ZXC plastic manufacturer was set upand the 1st production line was formed



Expanding the production scale, built the 2nd production line

2011



Expanding the production scale, owning 3 production lines, successfully searched ASA synthetic resin tile, 980 high wave plastic tile and launched to mass productionc

