

# Product show

## ZXC [frp](#) 产品 展示

产品 展示 是 展示 产品 性能 和 特点 的 重要 手段 。 通过 展示 产品 的 性能 和 特点 ， 可以 帮助 客户 了解 产品 的 优势 和 适用 范围 ， 从而 提高 产品 的 竞争力 。

产品 展示 的 形式 多种多样 ， 包括 实物 展示 、 图片 展示 、 视频 展示 等 。 其中 ， 实物 展示 是 最 直接 的 展示 方式 ， 可以 让客户 直观 地 感受 到 产品 的 质 量 和 性能 。

在 展示 产品 时 ， 应 注意 展示 产品 的 核心 优势 和 特点 ， 同时 也要 注意 展示 产品 的 使用 方法和 维护 要求 ， 以 便 客户 能够 正确地 使用 和 维护 产品 。

此外 ， 还可以通过 举办 产品 展示 会 、 研讨会 等 活动 ， 与客户 进行 面对 面 的 交流 和 沟通 ， 从而 提高 客户 对 产品 的 认知 度和 信任 度 。

总之 ， 产品 展示 是 企业 推广 产品 的 重要 环节 ， 也是 提高 产品 竞争力 的 关键 因素 。



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

# FRP LIGHTING ROOF TILE



***10-year  
warranty***




الخصائص	القيمة	القيمة
الرمز	frp-01	
الكمية	6000 قطعة / 11800 م <sup>2</sup>	
اللون	اللون الأبيض	
السمك	930 ملم	
الارتفاع	840 ملم	
العرض	660 ملم	
الوزن	1.0 ± 0.1 كجم	
	1.2 ± 0.1 كجم	
	1.5 ± 0.1 كجم	
	2.0 ± 0.1 كجم	
المتانة	1.7 ± 0.1 2 / كجم	
	2.1 ± 0.1 2 / كجم	
	2.6 ± 0.1 2 / كجم	
	3.0 ± 0.1 2 / كجم	
الخصائص الفنية		
SQ.M./20 (21) كجم		SQ.M./40 (26) كجم
12000 2 كجم		15000 2 كجم
10000 2 كجم		12300 كجم
8000 2 كجم		10000 2 كجم
7000 2 كجم		8600 2 كجم

انقر [مسح صفائح السقف البلاستيكية المورد الصين](#) لتعلم المزيد

# CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm 2.8- mm
规格:	1130/930/900/840 mm
材质:	铝
表面处理:	阳极氧化
用途:	铝
其他信息:	铝

# A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green





Beige

---

# PRODUCT DISPLAY

Authentic product photography highlights the quality of details



# CUSTOMER CASE SHOW

More than ten years of production experience



# APPLICABLE SCENE DISPLAY

scope of application

~



## *planting shed*

Rainproof, constant temperature  
moisturizing space, transparent



## *roof*

Good light transmission  
performance, no rain leakage



## *Villa shed*

Bright colors, more class



## *Recreation area*

Color unevenness due to weathering



# SIX REASONS TO CHOOSE US

“

Iron tiles can be directly covered



*sound  
insulation*

*Anti  
-corrosion*

*insulation*

*High  
temperature  
resistance*

*anti  
-stress*



# “ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



**01** High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



**02** Strong bearing capacity, more impact resistance

Add high quality glass fiber



**03** Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



## **04** Impact resistance

Shock resistant, not easy to break



## **05** Good flame retardant performance

Maintain stable performance in the temperature range of  $-40^{\circ}$ - $120^{\circ}$  without softening



**06**

## Good light transmission

The light is astigmatism, the light is soft, and the light transmittance is high.


# Our Factory

公司 Zhongxingcheng New Material Co., Ltd. 位于 佛山 南海区 China 生产 各种 塑料 材料 包括 ASA 聚碳酸酯 聚氯酯 APVC 聚氯乙烯 PVC 聚乙烯 PE 聚丙烯 PP 玻璃钢 FRP 碳纤维 玻璃纤维 环氧树脂 PC.



# FACTORY REAL SHOT DISPLAY

Professional production to do every step



# Sampling and testing each batch of products to ensure quality

X



DISPLAY

# CUSTOM PROCESS

Easy shopping, quality assurance,  
after-sales rest assured



01

## ONLINE CONSULTATION

Provide professional product  
consultation



02

## PROVIDE PRICING

Provide reasonable price for  
product performance

03

## PREPAID CUSTOMIZATION

Deposit in advance according  
to different proportions







— **04** —

**ORDER  
PRODUCTION**

Professional and rapid production  
of multiple production lines

— **05** —

**AFTER  
DELIVERY**

Intimate and assured after-sales  
service



**Exhibition**



# Certificate

# Security sense of authoritative testing

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



# Packaging



# FAQ

\* 00000 00 0000 000 00  
 0 000 000 0000 000 00000 000 0000 .0000000 000000 00 000000 00 0000000 00000 0 00000000 0000000 0000 0 0000 \*

0000 00000000 0000 0000 0000000 000 0000000 00 \*

000000000 000 0000000 0000000000 00000000 000 000000 00 \*

በገንዘብ ሰጪ ጊዜ \* OEM ስለ ODM ሲሆን፣ ገንዘብ ለተገኘበት ጊዜ በገንዘብ ሰጪው ጊዜ

በሰጠው ገንዘብ ሰጪ ጊዜ \*  
.በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ በገንዘብ ሰጪው ጊዜ \*  
.

በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ \*  
በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ \*  
በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ \*  
.

በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ \*  
በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ \*  
በ30 በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ •  
በገንዘብ ሰጪ ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ ለገንዘብ ሰጪው ጊዜ •