

# Parameters

00000 00000 ZXC New Material Technology Co 00000 00000 00 000000000 ASA 0 00000000 0000000 00000  
 00000 00000 PVC 0 000000000 00000000 000000 000000 0000000 0 0000000 000000000 00000000 000000 000000  
 00000000.

00000 PVC 0000000 00000000 0000000 .000000 00000000 00000 000000000000 000000000 00000 00000000 000000 000 000  
 00000000 000000 00000000 0000000.

00000000 00000 000000 0000 PVC 0000 0000 00000000000 0000000000 00 000000000000 000000000 00000 000000 000000  
 00000000-000000 .0000 0000 0000 0000000000 0000000 0000000 000000 000000000 000000000 000000000 000000 0000000 [UPVC](#)  
 0000000-000 )

00000	000000 5 00 00000
000000 000 00 00000	0000000000 0000 000000 0000000
000000000 00 0000 00000000	0000 00
0000	0000000 000000 / 00000
000000000 0000	0000000
00000000 00000	0000000 0000000000000
00000000000 000000000 0000	ZXC
0000000 0000	000000000 00000 000000 PVC
00000	PVC
0000000000 0000000	0000000
00000	0000000000 000000
000000000000	0000000 000000000
00000	000000 5 00 00000
000000 0000	14 00 28 × 00 25 .00 20 × 00 18 .00 16 × 00
00000	000000000000 000000000 00000000

# QUALITY RAIN GUTTER

Made of PVC, resistant to pressure and corrosion, durable

Feeding gutter | planting gutter | incubation gutter | rain gutter



Trust comes from quality

## PRODUCT FEATURE DISPLAY



01

**new raw material**

Using high-quality raw materials, no recycled materials, green environmental protection, long life



02

**Thickened load-bearing**

PVC material has strong bending resistance and impact toughness



03

**Resistance corrosion**

Long-term resistance to chemical substances such as acid, alkali and salt corrosion

Trust comes from quality

# Product Information



\*Dimensions are approximate and may vary slightly due to manufacturing tolerances.

Accessories	Dimensions	Notes
Downspout	16mm diameter, 14mm width, 2.5mm thickness, 19mm length	Standard gutter accessories for installation.
End Cap	20mm diameter, 18mm width, 2.8mm thickness, 25mm length	
Sealant	28mm diameter, 25mm width, 3.8mm thickness, 35mm length	
Bracket	16mm diameter, 14mm width, 2.5mm thickness, 19mm length	

Accessories include PVC downspouts, end caps, sealant, and brackets.

## Accessories

Trust comes from quality

# RAIN GUTTER ACCESSORIES

Complete accessories, selected quality



Joiner



End cap



90° angle



Drop outlet



Drain end cap

Advantage



# IT'S ALL RAIN GUTTERS, WHY ARE WE MORE PROFESSIONAL?

## PRODUCT COMPARISON

### ZHONGXINGCHENG RAIN GUTTERS



### OTHER PEOPLE'S FACTORY GUTTER RAIN GUTTER



2.5mm thickened small sink

4.5mm thickened large sink



Standard 2.5,  
maximum thickness 4.5



160 gutter with a thickness of 2.2m



The thickness is only 2.2,  
which is not durable



New imported raw materials



Recycled material, low cost



Excellent workmanship,  
not afraid of trampling



Cut corners and  
be easily damaged

Trust comes from quality

## GLASS GLUE PORTABLE INSTALLATION

Quick installation in 2 minutes  
Compared with traditional fixed rivets,  
it saves time, effort and worry







# Project

Trust comes from quality

# Real case, real power

Selected engineering cases













Trust comes from quality

# THE PRODUCT IS VERY VERSATILE

Versatility leads to creative life



Family daily use



The villa receives water



Breeding gutters



Factory drainage



Agricultural irrigation



Planting hydroponics

Our Factory

# 12 YEARS

OF FOCUS ON GUTTER TECHNOLOGY

...

Trust comes from quality

## SOURCE MANUFACTURER QUALITY ASSURANCE

"Win tomorrow with the trust of quality"



<b>12years</b> of industry experience	<b>34840m<sup>2</sup></b> meters of factory area	<b>25,000m</b> average daily output
--	---	--

# Certificate



Trust comes from quality

# AUTHORITATIVE ORGANIZATION INSPECTION

There is a certificate and guarantee and only with strength can you rest assured





**1.س: ما هو خط المنتج الخاص بك؟**

ج: والتجهيزات PPR ج: نحن متخصصون في الكابلات البلاستيكية والأنابيب البلاستيكية وأنابيب

**2.س: هل أنت منتج؟**

ج: نعم، نحن مصنع يقع في مدينة فوشان، منطقة نانهاي، مدينة دانزاو، طريق هينجيانغ الجديد  
أكثر من 10 سنوات من الخبرة في الصناعة

**3.س: إذا كنت أرغب في الحصول على عرض أسعار، ما هي المعلومات التي يجب أن أبلغها؟**

إجابة:

(1) حجم المنتج (العرض × الارتفاع × الطول، السمك)

(2) اللون.

(3) الكمية.

**4.س: هل يمكننا طباعة شعارنا أو اسم الشركة على منتجك أو عبوتك؟**

ج: نعم يمكنك ذلك

**5.س: ما هو مصطلح الدفع؟**

ج: T/T، Western Union، بالإضافة إلى أعلى 30% من ودائع L/C أو T/T ج: نحن نقبل

**6.س: هل العينة مجانية؟**

ج: يمكننا إرسال عينات في غضون 5 أيام، ولكن تكلفة الشحن يجب أن تدفع بواسطة  
عندما يكون لدينا أمر رسمي، سوف ترتفع تكلفته

**7.س: كيفية التحكم في الجودة الخاصة بك؟**

ج: نحن نختار بدقة المواد الخام عالية الجودة وبتحقيق بانتظام من مراقبة الجودة أثناء الإنتاج

**8.س: كم من الوقت يجب أن يكون تاريخ التسليم الخاص بك؟**

ج: عادة بعد 15 يومًا من استلام الوديعة، يعتمد ذلك أيضًا على منتجك وكميتك