

Product show

本公司生產之 PVC 產品，具有優良之物理性能，且價格低廉，為市場上最受歡迎之材料。本公司生產之 PVC 產品，具有優良之物理性能，且價格低廉，為市場上最受歡迎之材料。


1. 產品名稱
2. 產品規格
3. waterproof 產品名稱
4. 產品規格
5. 產品規格
6. 產品規格

ZXC [ASA](#) 產品名稱






TYPE 840 PIT



900 TYPE HIGH WAVE (FLOWING WATER FAST)




980 TYPE HIGH WAVE



1080 TYPE HIGH WAVE

(FLOWING WATER FAST)





1130 TYPE WAVELET



1130 TYPE PIT



1100 TYPE HIGH CIRCULAR WAVE








Delivery time **5 DAYS**
About **7000m²** per cabinet
About **28m³**



All new material
No recycled material



Hardness Testing



ASA Surface Thickness Test



Impact Resistance



Tensile Test



Measure product thickness
The product thickness is 2mm



Hot selling area
Central And South America
Oceania, Asia, Africa

PVC plastic steel tile PK iron sheet tile



QUALITY



Has superior corrosion resistance

Rusty and perishable



HEAT INSULATION



**New material plastic steel tile
Good thermal insulation**

**Direct sunlight iron tile
Temperature too high**



COLOUR



**ASA PVC ROOF SHEET
Long lasting and non fading**

Severe fading



Usage scenarios: factories
farms, chemical plants



Use scene:greenhouse,
residence,pergola



Exhibition



Certificate



Packaging



FAQ

* 1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.*

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.*

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *

1. 2. 3. 4. 5. 6. 7. 8. 9. 10.*

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. *
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. •

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. •