

Product show

本公司生產之 PVC 地板，具有優良之性能，且價格低廉，歡迎各界人士垂詢。
本公司生產之 PVC 地板，具有優良之性能，且價格低廉，歡迎各界人士垂詢。

1. 產品名稱
2. 產品規格
3. waterproof 產品名稱
4. 產品規格
5. 產品名稱
6. 產品規格

ZXC [產品名稱](#) [產品規格](#) [產品名稱](#) [產品規格](#)






PVC Roofing Sheet
Maunufacture Fpr **15 years**




Annual Output **5913000 m²**


TYPE 840 PIT



900 TYPE HIGH WAVE (FLOWING WATER FAST)




980 TYPE HIGH WAVE



1080 TYPE HIGH WAVE

(FLOWING WATER FAST)




1130 TYPE WAVELET





1130 TYPE PIT



1100 TYPE HIGH CIRCULAR WAVE



HOLLOW ROOF TILE



Our Factory

本公司 Zhongxingcheng New Material Co., Ltd. 位于 佛山 南海区 西樵镇 西樵工业园 西樵工业园 西樵工业园 西樵工业园 ASA 西樵工业园 西樵工业园 西樵工业园 APVC 西樵工业园 西樵工业园 西樵工业园 西樵工业园 PVC 西樵工业园 PVC 西樵工业园 FRP 西樵工业园 PVC 西樵工业园 PC 西樵工业园.



There are 130 employee




Delivery time **5 DAYS**
About **7000m²** per cabinet
About **28m³**



All new material
No recycled material



Hardness Testing



ASA Surface Thickness Test



Impact Resistance



Tensile Test



Measure product thickness
The product thickness is 2mm



Hot selling area
Central And South America
Oceania, Asia, Africa

PVC plastic steel tile PK iron sheet tile



QUALITY

Has superior corrosion resistance



Rusty and perishable



HEAT
INSULATION

New material plastic steel tile
Good thermal insulation



Direct sunlight iron tile
Temperature too high



COLOUR

ASA PVC ROOF SHEET
Long lasting and non fading



Severe fading




Use scene:greenhouse,
residence,pergola



Exhibition



Certificate



Packaging



FAQ

* 000000 00 0000 000 00

0000 000 0000 000 000000 000 000 .000000 00000 00 000000 00 0000000 00000 0000 0000 0000 *
 .000000 000000 0000000 00000 0000 00 000000 000 0000000000 000000 000000 0000000

000000 0000000 00 0000 00000 0000000 000 0000000 00*

.00000000000 000000000 000000 0000000000 0000000 000000 0000000 00000 0000000 000000 0000000*

0000000000 000 00000000 0000000000 00000000 000 000000 00 *

.000000 000 00000000000 000 000 000000 00000000 .00000000 000000000 000000 000000 00000 0000 0000 0000 *

0000000000 00000 000000 000000 *

.00 000000000 000000 000000 0000000 0000000 0000000 0000000 00000*

000000000 000000000 000000 00000 00 000000 000000 000000 00 *

.000000 000000000 000000000 000000000 0000 00000000 000000 000 000000 00 000 00000000 000000 0000000 00000 *

000 000000 000000000 000000 00 00 *

000000 *: T/T 30% .000000 000 00000000 00000000

0030 000000 000 000 00000 7 0000 00 :000000000 00000 •

0000000 0000000000000 00000000 :000 000000 000000 •