


We focusing In
Asa Synthetic Resin Roof Tile



- 1** ASA Resin Surface Super Weather-Resistanca,
- 2** The Skeleton Layer
- 3** The Abrasion Resistance Layer, A Brigher space.



Claret



Orange



Blue



Dark Gray




Dark Green



Brick



Blue Gray



1. Lasting Color

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



5. Excellent heat preservation and insulation performance

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



2. Excellent Anti-load Performance

After testing, with a support distance of 660mm, loading 150kg, the roof tile will not crack and damage.



6. Fire Proof Grade B

Difficult to burn, the fire proof level can reach Grade B and meets the common safety requirements in most areas.



3. Good Sound Insulation

Has good noise absorption performance when it is affected by external noise such as heavy rain and wind.



7. Excellent Insulating Property

ASA synthetic resin roof tile is an insulation product, and it will be intact in case of accidental discharge.



4. Excellent anti-corrosion performance

After soaking for 24 hours in salt, alkali and 60% of various acids. It is very suitable for using in acid rain areas coastal areas, and the effect is particularly remarkable.



7. Quick Installation

ASA synthetic resin roof tile has an effective width 960mm and high paving efficiency, light weight, easy loading and unloading, and with complete installation accessories.

Foshan Zhongxing New Material Technology Co., Ltd. es una fábrica profesional de azulejos de resina sintética ASA, hoja de techos de plástico APVC, [China Hoja de techos anticorrosión de PVC fabricante](#), Hoja de techos de aislamiento térmico UPVC, hoja de techos transparente FRP, hoja de techo transparente de PC, [China Hoja de la azotea del aislamiento del calor fábrica](#), Canal de lluvia de PVC

Somos locat en la ciudad de Foshan, provincia de Guangdong, China.8 Línea de productos,

aproximadamente 100 empleados, plantas cubre un área de 15000 metros cuadrados. Somos adoptamos equipos y tecnología avanzados de producción, hablamos la rigurosa ciencia, la filosofía de producción verde de baja carbono y la gestión humana como el núcleo. Después de los años de los esfuerzos minuciosos y la exploración continua, y gradualmente se convierte en una baldosa de techo a gran escala de primera clase. Fabricante en Foshan. La compañía tiene buenos facilidades de software y hardware y ha pasado ISO9001: 2008 Internation Quality System Certification.besides, con la estabilidad asegurada en la calidad del producto. Ha pasado la certificación CE. CRECIMIENTO DE LA MARCA DE LA INDUSTRIA, CONSTRUYE A