



Product Features



Factory Direct Sales



Environmental Protection



Flame Retardant



Insulation



Easy To Install



Acid And Alkali Resistance



Insulation



Light Weight

Product Description

Length:	1m-12m			
Surface:	Matt			
Weight:	3.0-6.8kg/m			
Width:	1130mm/1050mm/980mm/930mm			
Warranty:	10Years			
Model Number:	PVC Composite Sheet			
Function:	Insulation, Flame Retardant, Heat Insulation, Anti-corrosion, Impact Resistance			
Shape:	round wave,big round wave,trepezoidal wave			
Fire Protection Rating:	B1			
Temperature	-10 Degrees Celsius to 70 Degrees Celsius			
Color	White, Blue, Gray, Red			
Layers:	2 or 3 layers			
Color Lasting:	10 Years no Fading			

What's good about it

Where is pvc plastic roof tile better than iron roof tile



Possess superior corrosion resistance



Easy to rust in case of acid and alkali



Low indoor temperature



Higher indoor temperature



Superior sound insulation



Iron tiles are not soundproof



Good insulation




Not insulated

Different types of pvc plastic roof tiles



Small wave 1000

Thick ness(mm): 0.8 1.0 1.2 1.5 1.8 2.0 2.2 2.5 2.8 3.0





Trapezoidal 980


Thick ness(mm): 1.5 1.8 2.0 2.2 2.5 2.8 3.0





Trapezoidal 900

Thick ness(mm): 1.8 2.0 2.2 2.5 2.8 3.0





Trapezoidal 1050


Thick ness(mm): 1.3 1.5 1.8 2.0 2.2 2.5 2.8 3.0





Trapezoidal 840

Thickness(mm): 1.3 1.5 1.8 2.0 2.2 2.5 2.8 3.0



Recommended by seller








Frp Transparent Roof Tile

Engineering Case Diagram











Our Factory

Foshan ZXC New Material Technology Co., Ltd is a professional manufacture for ASA Synthetic Resin Roof Tile, PVC Anti-conrosion Roof Sheet, APVC Plastic Roofing Sheet. UPVC heat insulation Roofing Sheet, Fiberglass Transparent Roof Sheet, PC clear roofing sheet, PVC Rain Gutter and Accessories.

We are located in Xiebian industrial area, Danzao Town, Nanhai District, Foshan City, Guangdong Province, China. We have 8 produce line, about 200 employee, Plant covers an area of 15000 square meters.

Welcome to contact us!











