

Product show

ZXC [China PVC Roofing Manufacturers](#) Custom Modern Fireproof Design PVC Roofing Materials

nome del prodotto	PVC anti-corrosion plastic roof sheet
Marca	ZXC
Luogo d'origine	Foshan city,Guangdong province,China(Mainland)
Materiale	Polyvinyl chloride,Calcium powder,other chemical materials
Garanzia	10 anni
Certificazione	ISO9001 / SGS / CE
Quantità di ordine minimo	300 square meter
Tempo di consegna	1x20GP for 6 days,1x40GP for 7 days
Supply Ability	We have 8 produce lines,about 13500 square meter every day
Termini di pagamento	T/T , firstly pay 30% deposit,before loading container pay rest of payment L/C ,
Spedizione	Full Container Load (FCL) Service,We do it by myself. Less than Container Load (LCL) Service,We find our agents to do it.
Pacchetto	Pallet or PE bag
Porta	Guangzhou / Shenzhen / Foshan
Applicazione	Factory,Warehouse,Farm,Market,Aisle.Especially in corrosive chemical plants, smelters, ceramic plants, soy sauce factory, chemical plants, printing and dyeing plant, organic solvent factory, acid, alkali and other corrosive plant



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

More Types

1130 corrugaetd sheets




1130 trapezoidal sheets



900 high wave



980 high wave



Numero di modello	#1130-210-24
Tipo	Trapezoid type
Larghezza complessiva	1130mm
Effective Width	1050mm
Spessore	1.3mm / 1.5mm / 1.8mm / 2.0mm / 2.3mm / 2.5mm / 2.8mm / 3.0mm
Lunghezza	5.8meter / 11.8meter / Customized
Colore	White / Blue / Green / Red / Customized
Wave Spacing	210mm
Altezza d'onda	24mm.
Strato	One layer / Two layers / Three layers

Caratteristica

- **Anti corrosivo**

• ZhongXingCheng PVC plastic roofing sheet in the long term against acid, alkali, salt and other corrosive chemicals. Experiments prove that: In the salt, alkali and 60% following a 24-hour soaking in acid, no chemical reaction. Very suitable for acid rainprone areas and coastal use, the effect was particularly significant.

- **Impermeabile**

• ZhongXingCheng PVC plastic roofing sheet's surface materials is co-extruded in ultra-weather surface layer resin to ensure the durability of products (for 15 years in quality assurance).

- **Fire Resistance**

• ZhongXingCheng PVC plastic roofing sheet is a flame retardant materials, through the national fire authority of the department according to GB8624-2006 standards for testing, fire safety performance \geq B1 grade.


- **Isolamento termico**

• ZhongXingCheng PVC plastic roofing sheet's thermal conductivity coefficient is 0.325w/mk, clay tile is about 1 / 310, cement tile 1 / 5, 0.5mm thick color steel tile 1 / 2000. Therefore, without considering the case of insulation layer increases, the PVC plastic roofing sheet can still achieve the best thermal insulation properties.

- **Isolamento acustico**

• The tests prove that: in suffering heavy rain, high winds the impact of outside noise, ZhongXingCheng ([Plastic PVC Roofing Sheet Factory](#)) roofing sheet has a good absorption of the noise effect, noise down 30dB than color steel tile.



PVC accessories



Our Factory




Engineering case




Certificate



Exhibition



Packaging



FAQ

*** Sei produttore o commerciante?**

*Yes, we are real manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

*** Posso ordinare il prodotto con cui voglio profilo?**

* Certo che puoi, anche produrremo i prodotti in base alle tue richieste di dettaglio.

*** Puoi mettere il marchio della mia azienda sui tuoi prodotti?**

* Sì, siamo accettati OEM & ODM Service.But Abbiamo bisogno di alcune informazioni sulla tua azienda.

*** Come installare il foglio di copertura?**

* Si prega di contattare il nostro personale di servizio, abbiamo un video di installazione per te.

*** Puoi fornire campioni per aprire il mercato e la qualità del test?**

*Yes,we can.We can provide free samples to you.

***Could you pay the shipping cost?**

Please contact our service staff.

*** Qual è il tuo termine commerciale?**

* Pagamento: T / T 30% in anticipo, equilibrio prima della spedizione.

- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan,Guangzhou,Shenzhen