


Product show





Factory display



9 production lines



Raw material warehouse



Product comparison

Learn all about our products

Dacheng resin roofing tile

Recyclable resin roofing tiles



Brand new raw materials imported
bright color, long service life
30~50 years



Recycled materials, dull color, easy
to have black spots in appearance
very short life.



Brand new material, good
plasticization, long service life



Recyclable material, reduced
toughness, many impurities,
easy to break



ASA surface thickness 0.1~0.15mm
does not foam and does not fall off



The thickness of the surface layer of
the film is 0.05~0.1mm, which is
easy to blister and fall off

Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification





Packaging

?□□□□□ □□ □□□□□□ □□□□ □□ □□□□□ □□□ □□□□□□ □□ □□□□ □□□□ □□□□ □□□□*

0000 0000 ?000000 0000 00 0000 0000 000 000 ,0000 0000000 00 0000 0000000 00000 .000000 000000 ,00*
.0000 000000 0000 00

?□□□ □□□□ □□□□ □□□*

□□□□ *: T/T 30% .□□□□□□ □□□□ □□□□ ,□□□□

.30% 〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇 7 〇〇〇〇 :〇〇〇〇〇 〇〇〇〇〇 〇〇〇 •

□□□□ □□ • FOB: □□□□ ,□□□'□□□□□□ ,□□□□