

# Product show

ZXC ( [oem](#) ) 0000 000000 00000 00000 00000 000000000 .000000 000000 000000 00000 ( [0000\\_0000\\_00000000\\_00000000](#) )  
PVC 00000000 0000000000000000 000000 ,000000 00000000 000000000 .00000000 00000 00000000 00000 00000 00.

1. 00 00000
- 00000000 00 00000 .2
- 00 000000 00000 00000.3
- 0000 000000 .4
- 0000000000 0000 .5
- 0000 0000 0000000 .6



zxc roofing tile industry

# After sales less is really good

Ten years of slow fading, **30** years of warranty



## GOOD CHOICE

Our advantage



Intimate service, strong product supply capacity



product available



A variety of styles and specifications sufficient stock



Support customization



Specifications and sizes can be consulted with customer service in detail, and quotations can be customized



Worry-free after sales



Manufacturers wholesale quality assurance, affordable prices, worry-free after-sales





# SOURCE MANUFACTURER #

---

>





# THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



## severely faded

Wind and sun soften and fade



## There is a gap

Uneven with gaps, leaking rain



## uneven color

Weathered uneven color  
phenomenon




## Fragile

Fragile and complicated  
to install

## our products ✓

Ten years of slow fading, 30 years of warranty



**Uniform color, durable and not easy to fade**  
Good quality, durable and bright.



high toughness



Strong pressure resistance



Effective insulation



good sound insulatio



**thermal and acoustic insulation high-quality**  
Good sound insulation effect in case of external noise



**preservative**  
Anti-acid and alkali



**flame retardant performance**  
b1 class fire performance

# PRODUCT PARAMETERS

---

#

>



<b>thickness:</b> 1.0mm-3.0mm
<b>width:</b> 1130/980/900/840/1080mm
<b>length:</b> customizable
<b>waveform:</b> big hang, small wave
<b>type:</b> asa plastic roofing tile
<b>Be applicable:</b> Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosive factories

---



# A variety of colors, optional to build different architectural styles

More colors can be customized



<Mlight yellow>



<dark blue>



<grass green>



<Beige>





# CUSTOMER CASE SHOW #





Factory renovation



# Our Factory

Zhongxingcheng New Material Co., Ltd 專業生產 各種規格 鋼板 鋼管 , 鋼絲 鋼絲網 鋼絲繩 , 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 ASA, 鋼絲繩 鋼絲繩 鋼絲繩 鋼絲繩 APVC, 鋼絲繩 PVC 鋼絲繩 , 鋼絲繩 鋼絲繩 PVC, 鋼絲繩





## Quality inspection instruments strictly control the quality

Each batch of products has undergone rigorous testing.



Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing



Factory display



In-stock inventory



Own production line



Own production line



# Exhibition





# Certificate



# Official quality inspection, quality assurance

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



佛山市质  
Foshan Supervision

佛山市质量计量监督检测中心  
检验报告

编号: QB-049-02      No: G14-WT1489  
共 2 页 第 2 页

序号	检测项目	单位	标准要求	检测结果	判定
1	外观	—	表面光滑平整, 厚度均匀, 色泽一致, 无裂纹、缺口、破孔、烧焦、气泡、明显麻点、杂质点	符合	合格
2	密度	g/cm <sup>3</sup>	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度300mm, 载荷40kg, 允许挠度≤50	15	合格
4	冲击性能	—	1kg重钢球, 1.5m 自由落体, 冲击试样无碎裂, 试样经冲击试验后不得产生贯穿的孔穴或裂纹	符合	合格
5	吸水率	%	≥60	43	合格

审核: 王博斌      主检: 陈德聪

全部合格

No: G14-WT1489  
中心





Q: What is your company's business model? A: We are OEM & ODM. We can provide custom design and production services for our clients.

Q: How long has your company been in business? A: We have been in business for over 10 years.

Q: What are your main products? A: Our main products are various types of shoes, including sneakers, casual shoes, and dress shoes.

Q: How do you ensure the quality of your products? A: We have a strict quality control system in place, from material selection to final inspection.

Q: What are your payment terms? A: We offer flexible payment terms, including T/T, L/C, and trade credit. We also provide FOB services for our clients.

Q: How do you handle shipping? A: We have a network of shipping partners and can handle all types of shipping, including air, sea, and land.

Q: What are your lead times? A: Our lead times vary depending on the product and quantity, but we aim to deliver within 30 days.

Q: How do you handle customer inquiries? A: We have a dedicated customer service team that is available 24/7 to assist our clients.

Q: What are your contact details? A: You can contact us via email, phone, or through our website. Our website is www.ourcompany.com.