



Product show





Factory display



9 production lines



Raw material warehouse



Product comparison

Learn all about our products

Dacheng resin roofing tile



Brand new raw materials imported
bright color, long service life
30~50 years



Brand new material, good
plasticization, long service life



ASA surface thickness 0.1~0.15mm
does not foam and does not fall off

Recyclable resin roofing tiles



Recycled materials, dull color, easy
to have black spots in appearance
very short life.



Recyclable material, reduced
toughness, many impurities,
easy to break



The thickness of the surface layer of
the film is 0.05~0.1mm, which is
easy to blister and fall off

Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification





Packaging



FAQ

*?ᄒᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂ

ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ, ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ. ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂ, ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ, ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ.

?ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂᄂ*

.ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂ, ᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ*

?ᄂᄂᄂ ᄂᄂᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂᄂ*

ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ, ᄂᄂ * OEM & ODM. .ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂᄂ

?ᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ*

.ᄂᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂᄂᄂ ᄂᄂᄂ ᄂᄂ, ᄂᄂᄂᄂ ᄂᄂᄂᄂᄂᄂ ᄂᄂᄂᄂ ᄂᄂ ᄂᄂᄂ ᄂᄂᄂ ᄂᄂᄂ*

?□□□□□ □□ □□□□□□ □□□□ □□ □□□□□ □□□ □□□□□ □□□ □□□*

0000 0000 ?000000 0000 00 0000 0000 000 000 ,0000 0000000 00 0000 0000000 00000 .000000 000000 ,00*
.0000 0000000 0000 00

?□□□ □□□□ □□□□ □□□*

□□□□ *: T/T 30% .□□□□□□ □□□□ □□□□ ,□□□□

.30% 〇〇 〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇 7 〇〇〇〇 :〇〇〇〇〇 〇〇〇〇〇 〇〇〇 •

□□□□ □□ • FOB: □□□□ ,□□□'□□□□□□ ,□□□□