


XXXX	XXXX XXXXXXX 1"X1" XXX
XXXX	ZXC
XXXX XXXXXXX	XXXX ,XXXXXXXXXXXX XXXX ,XXXXXXXX XXX (Mainland)
XXXXXXX	,XXXXXXXXXXXXXXXXXXXX ,XXXXXXXXXXXX XXXXXXX XXXXXXX XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXX XXXXXXX XXXXXXX ,XXXX XXXX
XXXXXXX	25 XXXX
XXXXXX	ISO9001 / SGS / CE / XXXXXXX XXX
XXXXXXXXXXXXXXXXXXXX XXXX	100 1"
XXXXXX XXX	1x20GP 1 ,XXXX 6 XXXXx40GP XXXX 7 XXXX
XXXXXXXX XXXXXXX	XXXX XXX XXXXXXX XXX 13500 XXXX ,XXXXXXXX XXXX 8 XXX XXX
XXXXXXXX XXXX	T/T, XXXXXXX XXX XXX XXX XXXX XXXXXXX XXXX ,30% XXX XXXXXXX XXX XXXXXXX
XXXXXX	XXXX XXXX XXXX XXXXXXX (FCL), .XXXXXXXX XXX XXXXXXX XXX XXXX XXXX XXXXXXX XXXX (LCL), XXX XXXXXXX XXXX XXXXXXX XXX XXXXXXX XXX.
XXXXXXXXXXXX	XX XXXX XXXX PE
XXXX	XXXXXXXX / XXXX / XXX'XXXXXXXX
XXXXXX	,XXXXXXXX XXX ,XXXXXXXX ,XX ,XXX XXXXXXX ,XXXX XXXXXXX XXXX ,XXXXXXXX XXXX XXXXXXX'





品名	#1050-160-30
用途	建築用 屋根材
標準寸法	1050 mm
有効寸法	960 mm
厚さ	2.3 mm / 3.0 mm / 2.8 mm / 2.5 mm
重量	約 1.5 kg / m ² (厚さ 2.5 mm 基準)
施工方法	釘止め / 接着剤 / 溶接 / 圧着 / 他
波高	160 mm
波幅	30 mm
波長	219 mm







Warranty 25-years





Warranty 25-years



Warranty 25-years

ABOUT US



QUALITY, INNOVATION, STRUGGLE, WIN-WIN


we have 8 production lines, about 100 employees, covering an area of 15,000 square meters.



PRODUCTION PROCESS



① Raw Materials



② Extrusion



③ Compression Molding



④ Cutting



⑤ Finished Product



⑥ Inspection

CERTIFICATE



