






ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

# FRP LIGHTING ROOF TILE



***10-year  
warranty***



פרמטר	פרטים
מיקוד	frp-01
שטח	11800 מ"ר
סלול	6000 סלול
סלול	930 מ"ר
סלול	840 מ"ר
סלול	660 מ"ר
סלול	1.0±0.1 מ"ר
	1.2±0.1 מ"ר
	1.5±0.1 מ"ר
	2.0±0.1 מ"ר
סלול	1.7±0.1 מ"ר/ס"מ
	2.1±0.1 מ"ר/ס"מ
	2.6±0.1 מ"ר/ס"מ
	3.0±0.1 מ"ר/ס"מ
פרמטרים	
<b>SQ.M./20 FCL (21 סלול)</b>	<b>SQ.M./40 FCL (26 סלול)</b>
12000 מ"ר	15000 מ"ר
10000 מ"ר	12300 מ"ר
8000 מ"ר	10000 מ"ר
7000 מ"ר	8600 מ"ר

[שקוף ללמוד יותר frp נקישה יצרן יריעות קירו](#)



# A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green




Beige



---

# PRODUCT DISPLAY

Authentic product photography highlights the quality of details





# CUSTOMER CASE SHOW

More than ten years of production experience





# APPLICABLE SCENE DISPLAY

scope of application

~



## *planting shed*

Rainproof, constant temperature  
moisturizing space, transparent



## *roof*

Good light transmission  
performance, no rain leakage



## *Villa shed*

Bright colors, more class



## *Recreation area*

Color unevenness due to weathering



# SIX REASONS TO CHOOSE US

“

Iron tiles can be directly covered



*sound  
insulation*

*Anti  
-corrosion*

*insulation*

*High  
temperature  
resistance*

*anti  
-stress*



# “ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



## **01** High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



## **02** Strong bearing capacity, more impact resistance

Add high quality glass fiber



## **03** Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.





## **04** Impact resistance

Shock resistant, not easy to break



## **05** Good flame retardant performance

Maintain stable performance in the temperature range of  $-40^{\circ}$ - $120^{\circ}$  without softening










# FACTORY REAL SHOT DISPLAY

Professional production to do every step





# Sampling and testing each batch of products to ensure quality

X



DISPLAY

# CUSTOM PROCESS

Easy shopping, quality assurance,  
after-sales rest assured



01

## ONLINE CONSULTATION

Provide professional product  
consultation



02

## PROVIDE PRICING

Provide reasonable price for  
product performance

03

## PREPAID CUSTOMIZATION

Deposit in advance according  
to different proportions







— **04** —

**ORDER  
PRODUCTION**

Professional and rapid production  
of multiple production lines

— **05** —

**AFTER  
DELIVERY**

Intimate and assured after-sales  
service



**Exhibition**





# Certificate

# Security sense of authoritative testing

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification







Q: What is your company's main product? A: We are a professional manufacturer of various types of shoes, including men's, women's, and children's shoes. We have a rich experience in shoe production and a complete production line.

Q: Do you have any certifications? A: Yes, we have ISO 9001 and BSCI certifications.

Q: How long has your company been in business? A: Our company has been in business for over 10 years.

Q: What is your company's production capacity? A: Our production capacity is 100,000 pairs of shoes per month.

Q: How do you ensure the quality of your products? A: We have a strict quality control system and a professional quality control team. We also have a complete production line and a rich experience in shoe production.

Q: What is your company's payment terms? A: We accept T/T, L/C, and other payment methods.

Q: How long is your lead time? A: Our lead time is 7-15 days.

Q: How do you handle after-sales service? A: We provide a complete after-sales service system and a professional after-sales service team.

Q: What is your company's FOB price? A: Our FOB price is competitive and reasonable.