

Parameters

本公司 ZXC New Material Technology Co., 提供 5-年 质保 服务 范围 广泛 材料 规格 齐全 满足 客户 需求 , 提供 定制 服务 UPVC, 提供 定制 服务 OEM 提供 定制 服务 OEM.

我们 PVC 产品 采用 优质 材料 . 提供 定制 服务 规格 齐全 , 提供 定制 服务 规格 齐全 , 提供 定制 服务 规格 齐全 规格 齐全 规格 齐全 规格 齐全.

我们 提供 定制 服务 , 提供 定制 服务 PVC 产品 规格 齐全 规格 齐全 , 提供 定制 服务 规格 齐全 , 提供 定制 服务 规格 齐全 , 提供 定制 服务 规格 齐全 规格 齐全 规格 齐全 规格 齐全 规格 齐全.

产品名称	5-年 质保
产品规格	提供 定制 服务 规格 齐全
产品材质	提供 定制 服务
产品重量	提供 定制 服务 / 规格
产品颜色	提供 定制 服务
产品用途	提供 定制 服务 , 规格
产品品牌	ZXC
产品型号	提供 定制 服务 规格 PVC
产品系列	PVC
产品产地	提供 定制 服务
产品包装	提供 定制 服务 规格 齐全
产品认证	提供 定制 服务
产品标准	提供 定制 服务
产品尺寸	14 英寸 x 16 英寸 18 英寸 x 20 英寸 25 英寸 x 28 英寸
产品重量	提供 定制 服务 规格 齐全

QUALITY RAIN GUTTER

Made of PVC, resistant to pressure and corrosion, durable

Feeding gutter | planting gutter | incubation gutter | rain gutter



Trust comes from quality

PRODUCT FEATURE DISPLAY



01

new raw material

Using high-quality raw materials, no recycled materials, green environmental protection, long life



02

Thickened load-bearing

PVC material has strong bending resistance and impact toughness



03

Resistance corrosion

Long-term resistance to chemical substances such as acid, alkali and salt corrosion

Trust comes from quality

Product Information



*The dimensions shown in the diagram are for reference only. Actual dimensions may vary slightly due to manufacturing tolerances.

Model Name	Dimensions (cm)	Material
Model A	Height: 16, Top Width: 14, Bottom Width: 19	Aluminum
Model B	Height: 20, Top Width: 18, Bottom Width: 25	Aluminum
Model C	Height: 28, Top Width: 25, Bottom Width: 35	Aluminum

For more information, please visit our website at [www.example.com](#).

Accessories

Trust comes from quality

RAIN GUTTER ACCESSORIES

Complete accessories, selected quality



Joiner



End cap



90° angle



Drop outlet



Drain end cap

Advantage

IT'S ALL RAIN GUTTERS, WHY ARE WE MORE PROFESSIONAL?

PRODUCT COMPARISON

ZHONGXINGCHENG RAIN GUTTERS



OTHER PEOPLE'S FACTORY GUTTER RAIN GUTTER



✓ Standard 2.5,
maximum thickness 4.5



✗ The thickness is only 2.2,
which is not durable



✓ New imported raw materials



✗ Recycled material, low cost



✓ Excellent workmanship,
not afraid of trampling



✗ Cut corners and
be easily damaged

Trust comes from quality




GLASS GLUE PORTABLE INSTALLATION

Quick installation in 2 minutes
Compared with traditional fixed rivets,
it saves time, effort and worry



Trust comes from quality

INSTALLATION INSTRUCTIONS



1. The gutter should be installed on a solid surface, and the slope should be 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end.
2. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end.
3. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end.
4. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end.
5. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end. The gutter should be installed with a slope of 1.5-1.8% towards the drain end.

Project

Trust comes from quality

Real case, real power

Selected engineering cases







Trust comes from quality

THE PRODUCT IS VERY VERSATILE

Versatility leads to creative life



Family daily use



The villa receives water



Breeding gutters



Factory drainage



Agricultural irrigation



Planting hydroponics

Our Factory

12 YEARS OF FOCUS ON GUTTER TECHNOLOGY

...

Trust comes from quality

SOURCE MANUFACTURER QUALITY ASSURANCE

"Win tomorrow with the trust of quality"



12years of industry experience	34840m² meters of factory area	25,000m average daily output
--	---	--

Certificate

Trust comes from quality

AUTHORITATIVE ORGANIZATION INSPECTION

There is a certificate and guarantee and only with strength can you rest assured



1. ש: מהו קו המוצרים שלך?

ואביזרים PPR צינורות, PVC צינורות, PVC ת: אנו מתמחים בצינורות

2. ש: האם אתה יצרן?

Hengjiang ת: כן, אנחנו מפעל הממוקם בעיר פושאן, מחוז ננהאי, העיר דנזאו, כביש חדש יותר מ-10 שנות ניסיון בתעשייה

3. ש: אם אני רוצה לקבל הצעת מחיר, איזה מידע עלי להודיע?

תשובה:

(אורך, עובי א גובה א גודל מוצר (רוחב (1)

צבע (2)

כמות (3)

4. ש: האם נוכל להדפיס את הלוגו או שם החברה שלנו על המוצר או האריזה שלך?

ת: כן, אתה יכול

5. ש: מהו טווח התשלום?

T/T, Western Union, כמו גם את ההפקדות העליונות של 30% של L/C או T/T ת: אנו מקבלים

6. ש: האם המדגם חינם?

ת: אנחנו יכולים לשלוח דוגמאות בתוך 5 ימים, אבל את עלות המשלוח צריך לשלם על ידך

כאשר יש לנו הזמנה רשמית, העלות שלו תתאושש

7. ש: איך לשלוט באיכות שלך?

ת: אנו בוחרים בקפדנות חומרי גלם באיכות גבוהה ובודקים בקביעות בקרת איכות במהלך הייצור

8. ש: כמה זמן צריך להיות תאריך המשלוח שלך?

ת: בדרך כלל 15 ימים לאחר קבלת הפיקדון, זה תלוי גם במוצר ובכמות שלך