

Product show

FRP 係由玻璃纖維及樹脂製成，具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。

FRP 具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。

FRP 具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。

FRP 具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。

FRP 具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。

ZXC 係由玻璃纖維及樹脂製成，具有優良之物理及化學性能。FRP 具有重量輕、強度大、耐腐蝕、可塑性好等優點。FRP 廣泛應用於船舶、建築、化工、電力、交通等行業。



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***




פרמטר	פרטים
מספר הפרויקט	frp-01
שם הפרויקט	פרויקט
תאריך	11800 מ"מ, 6000 מ"מ
מיקום	מסלול
סוג הפרויקט	930 מ"מ
סוג הפרויקט	840 מ"מ
סוג הפרויקט	660 מ"מ
סוג הפרויקט	1.0±0.1 מ"מ
	1.2±0.1 מ"מ
	1.5±0.1 מ"מ
	2.0±0.1 מ"מ
סוג הפרויקט	1.7±0.1 מ"מ/ס"מ
	2.1±0.1 מ"מ/ס"מ
	2.6±0.1 מ"מ/ס"מ
	3.0±0.1 מ"מ/ס"מ
פרטים	
SQ.M./20 FCL (21 ס"מ)	SQ.M./40 FCL (26 ס"מ)
12000 מ"מ	15000 מ"מ
10000 מ"מ	12300 מ"מ
8000 מ"מ	10000 מ"מ
7000 מ"מ	8600 מ"מ

בקשה יצרן יריעות קירוי שקופות חדשות ללמוד יותר

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm 2.8 mm
宽度:	1130/ 930/ 900/ 840 mm
材质:	铝、铜、不锈钢、钛
表面处理:	阳极氧化、电镀、喷砂、拉丝
应用:	汽车、电子、建筑、工业
优势:	耐腐蚀、强度高、重量轻、易加工、使用寿命长、环保、可回收。

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS TO CHOOSE US

“

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break




05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



01

ONLINE CONSULTATION

Provide professional product
consultation



02

PROVIDE PRICING

Provide reasonable price for
product performance

03

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

**ORDER
PRODUCTION**

Professional and rapid production
of multiple production lines

— **05** —

**AFTER
DELIVERY**

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

*?..... ..

?..... ..

?..... ..

Q: What is your company's business model? A: We are an OEM & ODM company. We can provide you with a complete solution for your business.

Q: How long has your company been in business? A: We have been in business for over 10 years.

Q: What are your main products? A: Our main products are [Product Name], [Product Name], and [Product Name].

Q: How do you ensure the quality of your products? A: We have a strict quality control system in place to ensure that all our products meet the highest standards.

Q: What are your payment terms? A: We offer flexible payment terms, including T/T, L/C, and Western Union. We can also provide you with a detailed invoice and packing list for each order.

Q: How do you handle shipping? A: We have a long-standing relationship with several major shipping companies, ensuring that your goods are delivered safely and on time.

Q: What are your lead times? A: Our lead times are typically 7-15 days, depending on the quantity and complexity of the order.

Q: How do you handle after-sales service? A: We provide excellent after-sales service, including technical support, product training, and warranty services.

Q: What are your contact details? A: You can contact us at [Phone Number] or [Email Address]. We are located at [Address].