

Parameters

本公司 ZXC New Material Technology Co., 提供 5-層 PVC 產品，OEM 服務。

PVC 產品具有多種規格，適用於不同場景，如包裝、印刷、建築等。

本公司提供 PVC 產品，具有多種規格，如厚度、寬度、長度等，歡迎諮詢。

產品名稱	5-層 PVC
產品規格	厚度 0.1mm - 0.5mm
產品用途	包裝、印刷、建築
產品特點	耐用、易加工
產品顏色	多種顏色可供選擇
產品廠家	ZXC
產品材料	PVC
產品厚度	0.1mm - 0.5mm
產品寬度	14" x 16" x 18" x 20" x 25" x 28"
產品長度	根據客戶需求而定

QUALITY RAIN GUTTER

Made of PVC, resistant to pressure and corrosion, durable

Feeding gutter | planting gutter | incubation gutter | rain gutter



Trust comes from quality

PRODUCT FEATURE DISPLAY



01

new raw material

Using high-quality raw materials, no recycled materials, green environmental protection, long life



02

Thickened load-bearing

PVC material has strong bending resistance and impact toughness



03

Resistance corrosion

Long-term resistance to chemical substances such as acid, alkali and salt corrosion

Trust comes from quality

Product Information



*The dimensions are approximate and may vary slightly due to manufacturing tolerances.

Product Code	Dimensions (mm)	Material
16mm x 14mm	16mm x 14mm	PVC
2.5mm x 19mm	2.5mm x 19mm	
20mm x 18mm	20mm x 18mm	
2.8mm x 25mm	2.8mm x 25mm	
28mm x 25mm	28mm x 25mm	
3.8mm x 35mm	3.8mm x 35mm	

Our gutter system is made of high-quality **PVC** material, ensuring durability and long-lasting performance.

Accessories

Trust comes from quality

RAIN GUTTER ACCESSORIES

Complete accessories, selected quality



Joiner



End cap



90° angle



Drop outlet



Drain end cap

Advantage

IT'S ALL RAIN GUTTERS, WHY ARE WE MORE PROFESSIONAL?

PRODUCT COMPARISON

ZHONGXINGCHENG RAIN GUTTERS



OTHER PEOPLE'S FACTORY GUTTER RAIN GUTTER



Standard 2.5,
maximum thickness 4.5



The thickness is only 2.2,
which is not durable



New imported raw materials



Recycled material, low cost



Excellent workmanship,
not afraid of trampling



Cut corners and
be easily damaged

Trust comes from quality




GLASS GLUE PORTABLE INSTALLATION

Quick installation in 2 minutes
Compared with traditional fixed rivets,
it saves time, effort and worry



Trust comes from quality

INSTALLATION INSTRUCTIONS



1. The gutter system should be installed on a solid surface, and the gutter should be installed in a straight line. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout.
2. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout.
3. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout.
4. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout.
5. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout. The gutter should be installed with a slope of 1.5-1.8% towards the downspout.

Project

Trust comes from quality

Real case, real power

Selected engineering cases







Trust comes from quality

THE PRODUCT IS VERY VERSATILE

Versatility leads to creative life



Family daily use



The villa receives water



Breeding gutters



Factory drainage



Agricultural irrigation



Planting hydroponics

Our Factory

12 YEARS OF FOCUS ON GUTTER TECHNOLOGY

...

Trust comes from quality

SOURCE MANUFACTURER QUALITY ASSURANCE

"Win tomorrow with the trust of quality"



12years of industry experience	34840m² meters of factory area	25,000m average daily output
--	---	--

Certificate

Trust comes from quality

AUTHORITATIVE ORGANIZATION INSPECTION

There is a certificate and guarantee and only with strength can you rest assured



1. ש: מהו קו המוצרים שלך?

ואביזרים PPR צינורות, PVC צינורות, PVC ת: אנו מתמחים בצינורות

2. ש: האם אתה יצרן?

Hengjiang ת: כן, אנחנו מפעל הממוקם בעיר פושאן, מחוז ננהאי, העיר דנזאו, כביש חדש יותר מ-10 שנות ניסיון בתעשייה

3. ש: אם אני רוצה לקבל הצעת מחיר, איזה מידע עלי להודיע?

תשובה:

(אורך, עובי x גובה x גודל המוצר (רוחב (1)

צבע (2)

כמות (3)

4. ש: האם נוכל להדפיס את הלוגו או שם החברה שלנו על המוצר או האריזה שלך?

ת: כן, אתה יכול

5. ש: מהו טווח התשלום?

T/T, Western Union, כמו גם את ההפקדות העליונות של 30% של L/C או T/T ת: אנו מקבלים

6. ש: האם המדגם חינם?

ת: אנחנו יכולים לשלוח דוגמאות בתוך 5 ימים, אבל את עלות המשלוח צריך לשלם על ידך

כאשר יש לנו הזמנה רשמית, העלות שלו תתאושש

7. ש: איך לשלוח באיכות שלך?

ת: אנו בוחרים בקפדנות חומרי גלם באיכות גבוהה ובודקים בקביעות בקרת איכות במהלך הייצור

8. ש: כמה זמן צריך להיות תאריך המשלוח שלך?

ת: בדרך כלל 15 ימים לאחר קבלת הפיקדון, זה תלוי גם במוצר ובכמות שלך