

# Product show

Reka bentuk: Gaya Sepanyol  
Warna Berkekalan: 10 Tahun Tidak Pudar  
Panjang: disesuaikan  
Ketebalan: 1.8mm, 2.0mm, 2.2mm,  
2.5mm, 2.8mm, 3.0mm  
Lebar keseluruhan: 1130mm  
Lebar berkesan: 1000/1050mm  
Jarak purlin: 660mm  
Lapisan: 3 lapisan  
Permukaan: Embossed/smoothsurface



Carrying capacity



Flame retardant



Not Conduct Electricity



Corrosion Resistance



White



Green



Blue



Yellow

# More Types

## 1130 corrugaetd sheets



## 1130 trapezoidal sheets




## 900 high wave



## 980 high wave



# PVC accessories



ZXC New Material Technology Co., Ltd. Produk kami termasuk lembaran PVC, jubin bumbung resin sintetik ASA, jubin bumbung FRP, longkang, lembaran bumbung UPVC dan lain -lain. Jika pesanan anda sepadanS butiran saiz stok kami, kami boleh lebih cepat masa penghantaran. Selamat Datang Hubungi Kami Custom.

# Our Factory



# Engineering case



# Certificate



Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tolerance on warpage.	Confirmed	Pass
2	Walk distance	mm	0	0	Pass
3	Thickness deviation	mm	±0.2	0.02	Pass
4	Density	g/cm <sup>3</sup>	---	1.98	---
5	Flexure strength	MPa	≥1.0	3.1	Pass
6	Flexural modulus	%	≥1.0	1.1	Pass
7	Water absorption (10h, 20°C)	---	No pollution marks or water absorption mark.	Confirmed	Pass
8	Acid resistance (20%, HCl, 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Impact resistance (1kg, 1m)	---	---	---	---
11	Change index	%	≤0.1	0.04	Pass

Foshan Supervision Testing Centre of Quality and Metrology  
Test Report

No.	Item	Unit	Requirement	Result	Remark
1	Appearance	---	The surface should be smooth with uniform coloration and no visible crack, hole, scratch, bubble, or other defect, color difference.	Confirmed	Pass
2	Surface layer thickness	mm	0.17	0.18	Pass
3	Tensile strength	MPa	≥1.0	2.8	Pass
4	Flexural strength	MPa	≥1.0	3.1	Pass
5	Flexural modulus	MPa	≥1.0	1.1	Pass
6	Water absorption	g/m <sup>2</sup>	≤1.0	0.4	Pass
7	Water absorption (10h, 20°C)	---	No pollution marks or water absorption mark.	Confirmed	Pass
8	Acid resistance (20%, HCl, 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 24h)	---	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Impact resistance (1kg, 1m)	---	---	---	---
11	Change index	%	≤0.1	0.04	Pass
12	Change index	%	≤0.1	0.04	Pass
13	Change index	%	≤0.1	0.04	Pass
14	Change index	%	≤0.1	0.04	Pass
15	Change index	%	≤0.1	0.04	Pass



# Exhibition



# Packaging





# FAQ

**\*Adakah anda pengilang atau peniaga?**

\*Ya, kami adalah pengeluar sebenar, terdapat banyak gambar dalam pengenalan syarikat kami. Jika anda memerlukan produk khas lain, kami akan melakukan yang terbaik untuk membantu anda, jadi kami dapat membina hubungan perniagaan jangka panjang.

**\*Bolehkah saya memesan produk dengan saya mahu profil?**

\*Sudah tentu anda boleh, kami juga akan menghasilkan produk mengikut permintaan terperinci anda.

**\*Bolehkah anda meletakkan jenama syarikat saya pada produk anda?**

\*Ya, kami menerima perkhidmatan OEM & ODM. Tetapi kami memerlukan beberapa maklumat mengenai syarikat anda.

**\*Bagaimana cara memasang lembaran bumbung?**

\*Sila hubungi kakitangan perkhidmatan kami, kami mempunyai video pemasangan untuk anda.

**\*Bolehkah anda memberikan sampel untuk saya membuka pasaran dan kualiti ujian?**

\*Ya, kita boleh. Kami boleh memberikan sampel percuma kepada anda.

**\*Bolehkah anda membayar kos penghantaran?**

Sila hubungi kakitangan perkhidmatan kami.

**\*Apakah istilah perdagangan anda?**

\* Pembayaran: T/T 30% lebih awal, baki sebelum penghantaran.

? Waktu Memimpin Pengeluaran: Dalam masa 7 hari bekerja selepas deposit 30%

? Pelabuhan Penghantaran Fob: Foshan, Guangzhou, Shenzhen