


Product show

ZXC kami **Lembaran Bumbung Resin Sintetik** mempunyai kekuatan Super, jaminan 30 tahun. Ia menggunakan resin yang lebih baik sebagai bahan mentah untuk memastikan ketahanan yang lebih baik dan hayat perkhidmatan yang lebih lama. Permukaannya cerah seperti cermin. Tidak mengandungi unsur asbestos dan radioaktif, boleh dikitar semula dan memenuhi keperluan perlindungan alam sekitar hijau sepenuhnya. Loji gred tinggi, kilang keluli, gudang, pasar ladang, akses pasaran, bangsal dan bahan bumbung mewah lain.

ASA SYNTHETIC RESIN ROOFING TILES


Scenic areas and the pastoral farmhouse
use the most roofing tiles.





Nama Produk	Jubin Bumbung Resin Sintetik
Jenama	ZXC
Tempat asal	Bandar Foshan, wilayah Guangdong, China (Tanah Besar)
bahan	Akronitril Stirena akrilat kopolimer, Polivinil klorida, Serbuk kalsium, bahan kimia lain
Jaminan	25 tahun
Pensijilan	ISO9001 / SGS / CE
Masa penghantaran	1x20GP selama 6 hari, 1x40GP selama 7 hari
Panjang Bahagian	219mm
Lebar Keseluruhan	1050mm
Lebar Berkesan	960mm
Ketebalan	2.3mm / 2.5mm / 2.8mm / 3.0mm
Panjang	Mesti berbilang bahagian
Jarak Gelombang	160mm
Ketinggian Gelombang	30mm

klik [Pemborong cadar bumbung PVC ASA](#) untuk belajar lebih lagi



Name: synthetic resin

Model:1050mm

Material: synthetic resin

Origin: Foshan, Guangdong

Thickness: 2.5-3.0mm

Applicable scenarios: villa roofs, tourist attractions, rural transformation

Synthetic resin roofing tile color card selection

customized any color



Brick red



Purplished red



Dark green




Gray



Blue

Dimensional measurement method


both sides



1. Measure the dimension of the **A** top ridge.
2. Measure the dimensions of **B**
3. Measure the dimensions of **C**

Measure all the dimensions (don't forget the eaves)


four sides



1. Measure the dimension of the **B** top ridge.
2. Measure the dimensions of ramp **A**
3. Measure the width of **C**
4. Measure the dimensions of the **D** diagonal ridge.
5. Measure the dimensions of ramp **E**
6. Measure the width of **F**

Measure all the dimensions (don't forget the eaves)

Roofing accessories



Installation considerations

- 1.The purlins can use square pipe (60x40x3mm)
- 2.The purlins can use C-shaped steel (100x50x20x3mm)
- 3.The purlins can use anti-corrosion wood square (60x40mm)
- 4.purlin spacing of 660mm

Our Factory

Zhongxingcheng New Material Co., Ltd. terletak di Kota Foshan, Daerah Nanhai China adalah pengilang yang mengkhusus dalam pengeluaran jubin resin sintetik ASA, jubin komposit anti-karat APVC, jubin anti-karat PVC, sink PVC, plat PVC, Telus Lembaran Bumbung FRP, PVC, jubin lutsinar PC.



Factory display



9 production lines



Raw material warehouse



Product comparison

Learn all about our products

Dacheng resin roofing tile

Recyclable resin roofing tiles



Brand new raw materials imported
bright color, long service life
30~50 years



Recycled materials, dull color, easy
to have black spots in appearance
very short life.



Brand new material, good
plasticization, long service life



Recyclable material, reduced
toughness, many impurities,
easy to break



ASA surface thickness 0.1~0.15mm
does not foam and does not fall off



The thickness of the surface layer of
the film is 0.05~0.1mm, which is
easy to blister and fall off

Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

***Adakah anda pengilang atau peniaga?**

*Ya, kami adalah Pengeluar sebenar, terdapat banyak gambar dalam pengenalan syarikat kami. jika anda memerlukan produk istimewa lain, kami akan melakukan yang terbaik untuk membantu anda, supaya kami boleh membina hubungan perniagaan jangka panjang.

***Bolehkah saya memesan produk dengan saya ingin membuat profil?**

* Sudah tentu anda boleh, kami juga akan menghasilkan produk mengikut permintaan butiran anda.

***Bolehkah anda meletakkan jenama syarikat saya pada produk anda?**

*Ya, kami menerima perkhidmatan OEM&ODM. Tetapi kami memerlukan beberapa maklumat tentang syarikat anda.

***Bagaimana untuk memasang lembaran bumbung?**

*Sila hubungi kakitangan perkhidmatan kami, kami mempunyai video pemasangan untuk anda.

***Bolehkah anda menyediakan sampel untuk saya membuka pasaran dan menguji kualiti?**

*Ya, kami boleh. Kami boleh memberikan sampel percuma kepada anda, Bolehkah anda membayar kos penghantaran? Sila hubungi kakitangan perkhidmatan kami.

***Apakah istilah perdagangan anda?**

* Pembayaran: T/T 30% terlebih dahulu, baki sebelum penghantaran.

- Masa Utama Pengeluaran: Dalam tempoh 7 hari bekerja selepas deposit 30%.
- Pelabuhan Penghantaran FOB: Foshan, Guangzhou, Shenzhen