





Nama Produk	ZXC round wave and trapezoid PVC roofing sheet in different colors
Jenama	Zxc.
Tempat asal	Foshan City, Wilayah Guangdong, China (Tanah Besar)
Bahan	Polyvinyl chloride, Calcium powder, other chemical materials
Jaminan	10 tahun
Pensijilan	ISO9001 / SGS / CE
Kuantiti pesanan minimum.	300 square meter
Masa penghantaran	1x20gp selama 6 hari, 1x40gp selama 7 hari
Keupayaan bekalan	Kami mempunyai 8 menghasilkan baris, kira-kira 13500 meter persegi setiap hari
Terma pembayaran	T / T, pertama kali membayar deposit 30%, sebelum memuatkan bekas membayar sisa pembayaran L / c,
penghantaran	Perkhidmatan beban tetap (FCL) penuh, kami melakukannya sendiri. Kurang daripada perkhidmatan bekas (LCL), kami mendapati ejen kami untuk melakukannya.
Pakej	Pallet atau PE Bag
Pelabuhan	Guangzhou / Shenzhen / Foshan
Permohonan	Factory, Warehouse, Farm, Market, Aisle. Especially in corrosive chemical plants, smelters, ceramic plants, soy sauce factory, chemical plants, printing and dyeing plant, organic solvent factory, acid, alkali and other corrosive plant



Nombor model	#1130-210-24
Type.	Trapezoid type
Keseluruhan lebar	1130mm
Lebar yang berkesan.	1050mm.
Ketebalan	1.3mm / 1.5mm / 1.8mm / 2.0mm / 2.3mm / 2.5mm / 2.8mm / 3.0mm
Panjangnya	5.8meter / 11.8meter / Customized
Warna	White / Blue / Green / Red / Customized
Jarak gelombang	210mm
Ketinggian Wave.	24mm
Lapisan	One layer / Two layers / Three layers







Ciri

• Anti-corrosion

- ZhongXingCheng PVC plastic roofing sheet in the long term against acid, alkali, salt and other corrosive chemicals. Experiments prove that: In the salt, alkali and 60% following a 24-hour soaking in acid, no chemical reaction. Very suitable for acid rainprone areas and coastal use, the effect was particularly significant.

• Kalis air

- ZhongXingCheng PVC plastic roofing sheet's surface materials is co-extruded in ultra-weather surface layer resin to ensure the durability of products (for 15 years in quality assurance).

• Kalis api

- ZhongXingCheng PVC plastic roofing sheet is a flame retardant materials, through the national fire authority of the department according to GB8624-2006 standards for testing, fire safety performance \geq B1 grade.

• Heat Insulation

- ZhongXingCheng PVC plastic roofing sheet's thermal conductivity coefficient is 0.325w/mk, clay tile is about 1 / 310, cement tile 1 / 5, 0.5mm thick color steel tile 1 / 2000. Therefore, without considering the case of insulation layer increases, the PVC plastic roofing sheet can still achieve the best thermal insulation properties.

• Sound Insulation

- The tests prove that: in suffering heavy rain, high winds the impact of outside noise, ZhongXingCheng PVC plastic roofing sheet has a good absorption of the noise effect,noise down 30dB than color steel tile.

