

Product show

ZXC China [**pembuatan kepingan bumbung frp lutsinar**](#) Kelebihan

Prestasi Anti-karat yang sangat baik: Produk ini menentang pelbagai asid, alkali dan peroksida, terutamanya sesuai untuk digunakan di kawasan pantai dan tempat menghakis.

Penghantaran cahaya unggul: Ia adalah antara 60-85%. Cahaya melalui helaian lampu FRP berselerak dan lembut. Ia tidak akan membentuk jalur cahaya untuk menjadikan dalaman lebih cerah.

Kualiti tinggi: Ketumpatan relatif antara 1.3-2.0, hanya keluli karbon 1 / 4-1 / 5, kekuatan tegangan adalah dekat, malah lebih daripada keluli karbon, dan kekuatan khusus boleh dibandingkan dengan keluli aloi tinggi.

Ujian beban FRP, menjemput berat kira-kira 80 kg lelaki berdiri di atas rentang 130 cm lembaran bumbung gentian kaca yang jelas , ujian itu berjaya diselesaikan. Ujian itu membuktikan bahawa kualiti jubin FRP memenuhi piawaian kebangsaan.

Kelajuan cuaca, rintangan penuaan: Pendedahan lama kepada atmosfera, sinaran matahari, integriti produk, tiada ubah bentuk, hayat berguna sehingga 10 tahun."



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



A photograph showing a industrial manufacturing line for FRP lighting roof tiles. Large sheets of translucent FRP material are being processed by a series of machinery, including a conveyor belt and a large motor. A yellow star-shaped callout box is overlaid on the image, containing the text "10-year warranty".

**10-year
warranty**



Complete
specifications



Support
customization



Adequate
inventory




product
available

| | |
|--------------------------------|--|
| Nama Produk | Pemasangan Mudah Dan Cepat Jenis Balkoni Penutup Bumbung Plastik Jelas |
| Model | frp-01 |
| Permukaan | Permukaan licin |
| Panjang | 6000mm, 11800mm atau disesuaikan |
| taip | Jenis trapezoid, Jenis Gelombang Bulat |
| Lebar keseluruhan | 930mm |
| Lebar berkesan | 840mm |
| Jarak Purlin | 660mm |
| | 1.0±0.1mm |
| Ketebalan | 1.2±0.1mm |
| | 1.5±0.1mm |
| | 2.0±0.1mm |
| | 1.7±0.1kg/m2 |
| Berat badan | 2.1±0.1kg/m2 |
| | 2.6±0.1kg/m2 |
| | 3.0±0.1kg/m2 |
| Kapasiti Muatan Kontena | |
| SQ.M./20 FCL (21 Tan) | SQ.M./40 FCL (26 Tan) |
| 12000 m2 | 15000 m2 |
| 10000 m2 | 12300 m2 |
| 8000m2 | 10000 m2 |
| 7000m2 | 8600m2 |

klik pengeluar kepingan bumbung frp untuk belajar lebih lagi

CUSTOMER CASE SHOW

Has more than ten years of production experience



| | |
|-------------------|--|
| ketebalan: | 1.0mm-2.8mm |
| lebar: | 1130/ 930/ 900/ 840mm |
| panjang: | boleh disesuaikan |
| bentuk gelombang: | hang besar, gelombang kecil |
| tempat asal: | foshan |
| Berlaku: | Bangunan kilang, gudang, kediaman pasar, jalan pasar, awning, kanopi, kerja bumbung bangunan, kilang seramik, dll. |

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue




grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent

roof

Good light transmission
performance,no rain leakage



Villa shed


Bright colors, more class

Recreation area

Color unevenness due to weathering


SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



“ SIX PROPERTIES ‘

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04

Impact resistance

Shock resistant, not easy to break



05

Good flame retardant performance

Maintain stable performance in the temperature range of -40°-120° without softening



06

Good light transmission

The light is astigmatism, the light is soft, and the light transmittance is high.


Our Factory

Zhongxingcheng New Material Co., Ltd. terletak di Kota Foshan, Daerah Nanhai China adalah pengilang yang mengkhusus dalam pengeluaran jubin resin sintetik ASA, jubin komposit anti-karat APVC, jubin anti-karat PVC, sinki PVC, plat PVC, Lembaran Bumbung FRP Lutsinar, PVC, jubin telus PC.



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



Only use new materials, mechanized production



Good price and good quality

DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance

— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





—04—

ORDER PRODUCTION

Professional and rapid production
of multiple production lines


—05—

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

*Adakah anda pengilang atau peniaga?

*Ya, kami adalah Pengeluar sebenar, terdapat banyak gambar dalam pengenalan syarikat kami jika anda memerlukan produk istimewa lain, kami akan melakukan yang terbaik untuk membantu anda, supaya kami boleh membina hubungan perniagaan jangka panjang.

*Bolehkah saya memesan produk dengan saya ingin membuat profil?

* Sudah tentu anda boleh, kami juga akan menghasilkan produk mengikut permintaan butiran anda.

***Bolehkah anda meletakkan jenama syarikat saya pada produk anda?**

*Ya, kami menerima perkhidmatan OEM&ODM. Tetapi kami memerlukan beberapa maklumat tentang syarikat anda.

***Bagaimana untuk memasang lembaran bumbung?**

*Sila hubungi kakitangan perkhidmatan kami, kami mempunyai video pemasangan untuk anda.

***Bolehkah anda menyediakan sampel untuk saya membuka pasaran dan menguji kualiti?**

*Ya, kami boleh.Kami boleh memberikan sampel percuma kepada anda, Bolehkah anda membayar kos penghantaran?Sila hubungi kakitangan perkhidmatan kami.

***Apakah istilah perdagangan anda?**

- * Pembayaran: T/T 30% terlebih dahulu, baki sebelum penghantaran.
- Masa Utama Pengeluaran: Dalam tempoh 7 hari bekerja selepas deposit 30%.
- Pelabuhan Penghantaran FOB: Foshan, Guangzhou, Shenzhen