


Product show

ZXC ASA China plastic synthetic resin tile factory

Sobrang tigas, 30 taong warranty. Gumagamit ito ng mas mahusay na resin bilang hilaw na materyal upang matiyak ang mas mahusay na tibay at mas mahabang buhay ng serbisyo. Ang ibabaw ay kasing liwanag ng salamin. Hindi naglalaman ng mga asbestos at radioactive na elemento, nare-recycle at ganap na nakakatugon sa mga kinakailangan sa pangangalaga ng kapaligirang berde. Mga high-grade na halaman, pabrika ng bakal, bodega, merkado ng sakahan, access sa merkado, shed at iba pang high-end na materyales sa bubong.

ASA SYNTHETIC RESIN ROOFING TILES

Scenic areas and the pastoral farmhouse
use the most roofing tiles.






pangalan ng Produkto	Synthetic Resin Roof Tile
Tatak	ZXC
Lugar ng Pinagmulan	Lungsod ng Foshan, lalawigan ng Guangdong, China(Mainland)
materyal	Acrylonitrile Styrene acrylate copolymer, Polyvinyl chloride, Calcium powder, iba pang kemikal na materyales
Garantiya	25 taon
Sertipikasyon	ISO9001 / SGS / CE
Oras ng paghatid	1x20GP para sa 6 na araw, 1x40GP para sa 7 araw
Haba ng Seksyon	219mm
Pangkalahatang lapad	1050mm
Epektibong Lapad	960mm
kapal	2.3mm / 2.5mm / 2.8mm / 3.0mm
Ang haba	Dapat ay maramihang seksyon
Wave Spacing	160mm
Taas ng alon	30mm

I-click [Pabrika ng tile ng ASA ng sintetikong resin](#) para matuto pa

Dimensional measurement method


both sides



1. Measure the dimension of the **A** top ridge.
2. Measure the dimensions of **B**
3. Measure the dimensions of **C**

Measure all the dimensions (don't forget the eaves)


four sides



1. Measure the dimension of the **B** top ridge.
2. Measure the dimensions of ramp **A**
3. Measure the width of **C**
4. Measure the dimensions of the **D** diagonal ridge.
5. Measure the dimensions of ramp **E**
6. Measure the width of **F**


Measure all the dimensions (don't forget the eaves)

Roofing accessories



Installation considerations

- 1.The purlins can use square pipe (60x40x3mm)
- 2.The purlins can use C-shaped steel (100x50x20x3mm)
- 3.The purlins can use anti-corrosion wood square (60x40mm)
- 4.purlin spacing of 660mm



Name: synthetic resin

Model:1050mm

Material: synthetic resin

Origin: Foshan, Guangdong

Thickness: 2.5-3.0mm

Applicable scenarios: villa roofs, tourist attractions, rural transformation

Synthetic resin roofing tile color card selection

customized any color



Brick red



Purplished red



Dark green



Gray



Blue

Our Factory

Matatagpuan ang Zhongxingcheng New Material Co., Ltd. sa Foshan City, Nanhai District China ay isang tagagawa na dalubhasa sa paggawa ng ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.



Factory display



9 production lines



Raw material warehouse



Product comparison

Learn all about our products

Dacheng resin roofing tile

Recyclable resin roofing tiles



Brand new raw materials imported
bright color, long service life
30~50 years



Recycled materials, dull color, easy
to have black spots in appearance
very short life.



Brand new material, good
plasticization, long service life



Recyclable material, reduced
toughness, many impurities,
easy to break



ASA surface thickness 0.1~0.15mm
does not foam and does not fall off



The thickness of the surface layer of
the film is 0.05~0.1mm, which is
easy to blister and fall off

Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

***Tagagawa ka ba o mangangalakal?**

*Oo, kami ay tunay na Manufacturer, maraming mga larawan sa pagpapakilala ng aming kumpanya. Kung kailangan mo ng iba pang espesyal na produkto, gagawin namin ang aming makakaya upang matulungan ka, upang makagawa kami ng pangmatagalang relasyon sa negosyo.

***Maaari ba akong mag-order ng produkto gamit ang gusto kong i-profile?**

*Syempre kaya mo, kami din ([China synthetic resin roof tile factory](#)) ay gagawa ng mga produkto ayon sa iyong mga kahilingan sa detalye.

***Maaari mo bang ilagay ang tatak ng aking kumpanya sa iyong mga produkto?**

*Oo, tumatanggap kami ng serbisyo ng OEM at ODM. Ngunit kailangan namin ng ilang impormasyon tungkol sa iyong kumpanya.

***Paano i-install ang roofing sheet?**

*Mangyaring makipag-ugnayan sa aming service staff, mayroon kaming installation video para sa iyo.

***Maaari ka bang magbigay ng mga sample para mabuksan ko ang merkado at masuri ang kalidad?**

*Oo, kaya namin. Maaari kaming magbigay ng mga libreng sample sa iyo, Maaari mo bang bayaran ang gastos sa pagpapadala? Mangyaring makipag-ugnayan sa aming kawani ng serbisyo.

***Ano ang iyong termino sa kalakalan?**

* Pagbabayad: T/T 30% in advance, balanse bago ipadala.

- Production Lead Time: Sa loob ng 7 araw ng trabaho pagkatapos ng 30% na deposito
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen