
## ZXC New Material Technology Co., Ltd. is <u>pvc tile roofing sheets china</u> supplier low price on sale weather resistant durable plastic plastic sheet for roof. Color has White / Blue / Green / Red / Can Customized.

Product Name	PVC anti-corrosion plastic roof sheet
Brand	ZXC
Place of Origin	Foshan city,Guangdong province,China(Mainland)
Material	Polyvinyl chloride,Calcium powder,other chemical materials
Guarantee	10 years
Certification	ISO9001 / SGS / CE
Minimum Order Quantity	300 square meter
Delivery Time	1x20GP for 6 days,1x40GP for 7 days
Supply Ability	We have 8 produce lines, about 13500 square meter every day
Payment Terms	T/T , firstly pay 30% deposit, before loading container pay rest of payment L/C ,
Shipping	Full Container Load (FCL) Service,We do it by myself. Less than Container Load (LCL) Service,We find our agents to do it.
Package	Pallet or PE bag
Port	Guangzhou / Shenzhen / Foshan
Application	Factory,Warehouse,Farm,Market,Aisle.Especially in corrosive chemical plants, smelters, ceramic plants, soy sauce factory, chemical plants, printing and dyeing plant, organic solvent factory, acid, alkali and other corrosive plant




# More Types


## 1130 corrugaetd sheets



# 1130 trapezoidal sheets




## 900 high wave



# 980 high wave

80 30



Model Number	#1130-210-24
Туре	Trapezoid type
Overall Width	1130mm
Effective Width	1050mm
Thickness	1.3mm / 1.5mm / 1.8mm / 2.0mm / 2.3mm / 2.5mm / 2.8mm / 3.0mm
Length	5.8meter / 11.8meter / Customized
Color	White / Blue / Green / Red / Customized
Wave Spacing	210mm
Wave Height	24mm
Layer	One layer / Two layers / Three layers

## Feature

## • Anti-corrosion

• ZhongXingCheng PVC plastic roofing sheet in the long term against acid, alkali, salt and other corrosive chemicals. Experiments prove that: In the salt, alkali and 60% following a 24-hour soaking in acid, no chemical reaction. Very suitable for acid rainprone areas and coastal use, the effect was particularly significant.

## • Waterproof

• ZhongXingCheng PVC plastic roofing sheet's surface materials is co-extruded in ultra-weather surface layer resin to ensure the durability of products (for 15 years in quality assurance).

## • Fire Resistance

• ZhongXingCheng PVC plastic roofing sheet is a flame retardant materials, through the national fire authority of the department according to GB8624-2006 standards for testing, fire safety performance  $\geq$  B1 grade.

## • Heat Insulation


• ZhongXingCheng PVC plastic roofing sheet's thermal conductivity coefficient is 0.325w/mk, clay tile is about 1 / 310, cement tile 1 / 5, 0.5mm thick color steel tile 1 / 2000. Therefore, without considering the case of insulation layer increases, the PVC plastic roofing sheet can still achieve the best thermal insulation properties.

## • Sound Insulation


• The tests prove that: in suffering heavy rain, high winds the impact of outside noise, ZhongXingCheng plastic roof tiles sheets roofing sheet has a good absorption of the noise effect, noise down 30dB than color steel tile.

## Click on plastic roof tiles sheets price china to know more





# Engineering case



# Certificate







# FAQ

### \*Are you manufacturer or trader?

\*Yes, we are real manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

## \*Can I order the product with i want to profile?

\*Of course you can, also we will produce the products according to your detail requests.

### \*Can you put my company's brand on your products?

\*Yes, we are accept OEM&ODM service. But we need some information about your company.

### \*How to install the roofing sheet?

\*Please contact our service staff, we have installation video for you.

### \*Can you provide samples for me to open the market and test quality?

\*Yes,we can.We can provide free samples to you.

## \*Could you pay the shipping cost?

Please contact our service staff.

## \*What is your trade term?

- \* Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen