

Product show

ZXC FRP Roof Sheet Excellnt Anti-corrosion performance:

The products resist various acids, alkalis and peroxides, especially suitable for application in the coastal areas and corrosive places.

Superior light transmission:

It is between 60-85%. Light through FRP lighting sheet scatters and is mild. It will not form a light band so as to make the indoor brighter.

High quality:

Relative density between 1.3-2.0, only carbon steel 1 / 4-1 / 5, the tensile strength is close, even more than carbon steel, and the specific strength can be compared with the high alloy steel.

FRP load test, invited a weight of about 80 kg of men standing on the span of 130 cm of the Fiberglass clear roofing sheet , the test successfully completed. The test proves that the quality of FRP tile meets the national standard.

Weather fastness, ageing resistance:

Long exposure to the atmosphere, the sun radiation, the product integrity, no deformation, the useful life of up to 10years.

ZXC transparent and [translucent fiberglass roofing sheets supplier china](#), we custom has price advantages, feel free to contact us for sales or leave us a message!



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



Product name	Easy And Fast Installation Types Of Balcony Clear Plastic Roof Covering
Model	frp-01
Surface	Smooth surface
Length	6000mm , 11800mm or customized
Type	Trapezoidal type,Round Wave Type
Overall width	930mm
Effective width	840mm
Purlin spacing	660mm
Thickness	1.0±0.1mm
	1.2±0.1mm
	1.5±0.1mm
	2.0±0.1mm
Weight	1.7±0.1kg/m2
	2.1±0.1kg/m2
	2.6±0.1kg/m2
	3.0±0.1kg/m2
Container Load capacity	
SQ.M./20 FCL (21 Tons)	SQ.M./40 FCL (26 Tons)
12000 m2	15000 m2
10000 m2	12300 m2
8000m2	10000 m2
7000m2	8600m2

Click [frp corrugated sheet supplier china](#) to learn more

CUSTOMER CASE SHOW

Has more than ten years of production experience



thickness:	1.0mm-2.8mm
width:	1130/ 930/ 900/ 840mm
length:	customizable
waveform:	big hang, small wave
place of origin:	foshan
Be applicable:	Factory buildings, warehouses, marketsresidences, market roads, awnings, canopies, building roofingworks, ceramic factories, etc.

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue




grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*

“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



Our Factory

Zhongxingcheng New Material Co., Ltd. is a manufacturer based in Foshan City, Nanhai District, China. We specialize in producing a variety of roofing materials, including ASA synthetic resin tiles, APVC anti-corrosion composite tiles, PVC anti-corrosion tiles, PVC sinks, PVC plates, PC transparent tiles, and are a leading [FRP roofing sheet supplier China](#).



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes, we accept OEM&ODM service. But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes, we can. We can provide free samples to you, Could you pay the shipping cost? Please contact our service staff.

***What is your trade term?**

* Payment: T/T 30% in advance, balance before shipment.

- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen