

Product show

FRP roof sheet excellent anti-corrosion performance:

The products resist various acids, alkalis and peroxides, especially suitable for application in the coastal areas and corrosive places.

Superior light transmission:

It is between 60-85%. Light through FRP lighting sheet scatters and is mild. It will not form a light band so as to make the indoor brighter.

High quality:


Relative density between 1.3-2.0, only carbon steel 1 / 4-1 / 5, the tensile strength is close, even more than carbon steel, and the specific strength can be compared with the high alloy steel. FRP load test, invited a weight of about 80 kg of men standing on the span of 130 cm of the Fiberglass clear roofing sheet , the test successfully completed. [FRP roofing sheet supplier China](#) the test proves that the quality of FRP tile meets the national standard.

Weather fastness, ageing resistance:

Long exposure to the atmosphere, the sun radiation, the product integrity, no deformation, the useful life of up to 10years.

FRP TransparentT tile

Applicable temperature -30°-120°
high temperature resistance



Product name	Easy And Fast Installation Types Of Balcony Clear Plastic Roof Covering
Model	frp-01
Surface	Smooth surface
Length	6000mm , 11800mm or customized
Type	Trapezoidal type,Round Wave Type
Overall width	930mm
Effective width	840mm
Purlin spacing	660mm
Thickness	1.0±0.1mm
	1.2±0.1mm
	1.5±0.1mm
	2.0±0.1mm
Weight	1.7±0.1kg/m2
	2.1±0.1kg/m2
	2.6±0.1kg/m2
	3.0±0.1kg/m2
Container Load capacity	
SQ.M./20 FCL (21 Tons)	SQ.M./40 FCL (26 Tons)
12000 m2	15000 m2
10000 m2	12300 m2

8000m2	10000 m2
7000m2	8600m2

Click [custom upvc transparent roof](#) to learn more

Product parameters

Professional FRP manufacturer
brings good quality tiles



width 930mm(effective width 840mm)



width 930mm(effective width 814mm)


FRP 840type

General type




FRP 814type

General type




FRP 900type

Customized




FRP 909type

Customized




FRP 760type

Customized



FRP 761type

Customized



Product characteristics

...


The daylighting rate is 80%

The exposed surface does not yellow, does not foam



Flame retardant B1, B2 grades can be customized

Standard GB/T8626-2007 ≤ 150



Babbitt hardness 35-50

Strong impact resistance, durable and not deformed
Super toughness



Applicable fields

Quality assurance, factory supply



Car parks



Lounge area



Waiting platform



Large factory area



Sunshine room



Flower field

case display

Learn all about our products



factory aisle



Flower Field



cattle farm



brick factory drying bricks


Our Factory

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.






Capacity: 13000 meters per day




30% glass fiber, 70% resin



A corner of the workshop



The light transmittance is good



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes, we accept OEM&ODM service. But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes, we can. We can provide free samples to you, Could you pay the shipping cost? Please contact our service staff.

***What is your trade term?**

* Payment: T/T 30% in advance, balance before shipment.

- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen