

## Product show

The main raw material is PVC with ultraviolet resistant agent and additives. Through scientific compounding, made with advanced technology.

- 1.Light weight
- 2.Environmental protection
- 3.waterproof and fireproof
- 4.Easy-installation
- 5.Anti-corrosion
- 6.Good sound insulation

**ZXC [PVC Corrugated Sheet Manufacturer](#)**






Length	1m-12m
Surface	Matt
Weight	3.0-6.8kg/m
Width	1130mm/ 1080mm/ 1050mm/ 980mm/ 930mm
Warranty	30Years
Model Number	ASA PVC Composite Sheet
Function	Insulation, Flame Retardant, Heat Insulation, Anti-corrosion, Impact Resistance
Shape	round wave, big round wave, trepezoidal wave
Fire Protection Rating	B1
Temperature	—10 Degrees Celsius to 70 Degrees Celsius
Color	White, Blue, Gray, Red, customizable
Layers	2 or 3 layers
Color Lasting	10 Years no Fading


Click [PVC Roof Factory China](#) to learn more

# TYPE 840 PIT




# 900 TYPE HIGH WAVE

(FLOWING WATER FAST)




# 980 TYPE HIGH WAVE



# 1080 TYPE HIGH WAVE

(FLOWING WATER FAST)





# 1130 TYPE WAVELET




# 1130 TYPE PIT



# 1100 TYPE HIGH CIRCULAR WAVE



# HOLLOW ROOF TILE



## Our Factory

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.






Delivery time **5 DAYS**  
About **7000m<sup>2</sup>** per cabinet  
About **28m<sup>3</sup>**



All new material  
No recycled material



**Hardness Testing**



**ASA Surface Thickness Test**



**Impact Resistance**



**Tensile Test**



**Measure product thickness**  
**The product thickness is 2mm**



**Hot selling area**  
**Central And South America**  
**Oceania, Asia, Africa**

# PVC plastic steel tile PK iron sheet tile



QUALITY

Has superior corrosion resistance



Rusty and perishable



HEAT  
INSULATION

New material plastic steel tile  
Good thermal insulation



Direct sunlight iron tile  
Temperature too high



COLOUR

ASA PVC ROOF SHEET  
Long lasting and non fading



Severe fading




Use scene:greenhouse,  
residence,pergola



Exhibition



Certificate



## Packaging



## FAQ

**\*Are you manufacturer or trader?**

\*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

**\*Can I order the product with i want to profile?**

\*Of course you can, also we will produce the products according to your detail requests.

**\*Can you put my company's brand on your products?**

\*Yes,we are accept OEM&ODM service.But we need some information about your company.

**\*How to install the roofing sheet?**

\*Please contact our service staff, we have installation video for you.

**\*Can you provide samples for me to open the market and test quality?**

\*Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.

**\*What is your trade term?**

- \* Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan,Guangzhou,Shenzhen